
Comparison of Health Indicators among Urban/Suburban/Rural Regions

Supplemental Report No.2

2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Rick Scott
Governor

H. Frank Farmer, Jr. M.D., Ph.D., F.A.C.P.
State Surgeon General

**2010 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Alcohol Consumption	1
Arthritis	2
Asthma	3
Cancer Screening/Colorectal	4
Cancer Screening/Prostate	5
Cancer Screening/Women's Health	7
Cardiovascular Disease	9
Cholesterol Awareness	10
Diabetes	11
Disability	15
Family Planning	16
Health Care Access & Coverage	17
Health Status & Quality of Life	19
HIV/AIDS	23
Hypertension Awareness & Control	24
Immunization	25
Injury Prevention	27
Oral Health	29
Overweight & Obesity	31
Reactions To Race	32
Tobacco Use & Exposure	33
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Introduction

The Florida Department of Health is pleased to release the 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Supplemental Report: A Comparison of Health Indicators Among Urban/Suburban/Rural Regions. This report focuses on examining differences in state-level estimates among adults living in urban, suburban and rural regions of the state. Each of the indicators is presented by sex, age group, race/ethnicity, education level, income level, and marital status among these three different regions.

Although county level data is available for each of these health indicators, estimates are not always available for subpopulations such as non-Hispanic Blacks or those ages 18-25 years. This is because the sample size of these groups is too small for generating stable estimates. Thus, BRFSS data from individual counties is combined to create a larger sample size. In order to provide prevalence estimates that would be useful for these counties, Florida's 67 counties are grouped into rural, suburban or urban regions based on population. Thirty-three counties are defined as rural regions having a population density of less than 100 persons per square mile. Five counties are defined as urban having a population of over 1 million people. The twenty-five remaining counties are categorized as suburban (see figure 1). *

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey of Florida adults is the only source of state-specific, population-based estimates of the prevalence of various health and health risk behaviors. The purpose of this survey of Florida residents aged 18 and older is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.

The 2010 BRFSS is the third time the county-level survey has been conducted. It was previously conducted in 2002 and 2007. Over 35,000 interviews were completed statewide in the 2010 calendar year, with a target sample size of 500 completed surveys in each county.


Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Statistically significant differences between Rural and Urban areas and Rural and Suburban areas based on 95% confidence intervals are noted using an asterisk (*).

The prevalence rates in this report are adjusted, or "weighted" to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age and sex based on 2010 population estimates.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

* Defined in Florida Statute §381.0406.

Figure 1: Florida Rural/Suburban/Urban Regions



2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	14.0	12.0 – 16.1	15.9	14.8 – 17.0	14.0	12.9 – 15.1
SEX	Men	19.2	15.5 – 22.9	20.4	18.5 – 22.3	18.4	16.5 – 20.4
	Women	9.2	7.4 – 11.0	11.7	10.6 – 12.7	8.9	7.9 – 10.0
RACE/ETHNICITY	Non-Hisp. White	16.0	13.4 – 18.6	16.9	15.7 – 18.0	14.6	13.3 – 15.8
	Non-Hisp. Black	6.9	3.3 – 10.4	10.2	6.9 – 13.5	7.8	5.4 – 10.2
	Hispanic	15.2	10.0 – 20.3	15.7	9.1 – 22.4	14.3	9.1 – 19.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.7	16.1 – 25.2	21.3	19.3 – 23.3	18.8	16.6 – 20.9
	Non-Hisp. White Women	11.6	9.0 – 14.1	12.8	11.6 – 13.9	9.8	8.6 – 11.0
	Non-Hisp. Black Men	10.9	3.4 – 18.4	14.2	7.9 – 20.5	11.8	7.5 – 16.1
	Non-Hisp. Black Women	3.7	1.6 – 5.9	7.5	4.0 – 10.9	3.7	1.4 – 6.1
	Hispanic Men	23.0	13.9 – 32.1	23.2	10.9 – 35.6	20.1	11.5 – 28.7
	Hispanic Women	7.5	3.3 – 11.7	8.6	5.0 – 12.2	7.2	3.5 – 10.9
AGE GROUP	18-44	20.1	15.7 – 24.5	22.0	19.6 – 24.4	17.9	15.5 – 20.3
	45-64	13.0	10.1 – 15.9	15.7	14.2 – 17.1	14.4	12.8 – 16.0
	65 & Older	5.8	4.0 – 7.6	7.5	6.7 – 8.3	6.7	5.7 – 7.6
EDUCATION LEVEL	<High School	9.1	3.6 – 14.6	13.0	8.9 – 17.2	14.0	11.3 – 16.8
	H.S. / GED	15.9	11.3 – 20.6	15.7	13.7 – 17.7	12.5	10.9 – 14.1
	>High School	14.0	11.5 – 16.4	16.3	14.9 – 17.7	15.2	13.4 – 17.0
ANNUAL INCOME	<\$25,000	11.6	7.5 – 15.7	12.5	10.1 – 15.0	11.6	10.0 – 13.2
	\$25,000-\$49,999	13.1	7.9 – 18.4	13.5	11.6 – 15.4	14.4	12.2 – 16.6
	\$50,000 or More	16.9	13.8 – 19.9	20.2	18.4 – 21.9	18.9	16.3 – 21.5
MARITAL STATUS	Married/Couple	13.4	11.0 – 15.9	15.8	14.5 – 17.2	13.1	11.9 – 14.4
	Not Married/Couple	14.7	11.0 – 18.4	16.1	14.2 – 18.0	15.6	13.4 – 17.8

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Arthritis

Percentage of adults who have been told they have some form of arthritis

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	27.6	25.5 – 29.8	35.1 *	33.9 – 36.3	35.2 *	33.7 – 36.7
SEX	Men	21.3	18.1 – 24.4	30.2 *	28.4 – 32.0	29.8 *	27.6 – 32.0
	Women	33.3	30.4 – 36.2	39.6 *	38.1 – 41.1	41.5 *	39.7 – 43.3
RACE/ETHNICITY	Non-Hisp. White	34.3	31.5 – 37.1	37.5	36.1 – 38.8	36.5	34.8 – 38.3
	Non-Hisp. Black	21.9	16.2 – 27.7	28.5	24.0 – 32.9	34.8 *	30.0 – 39.5
	Hispanic	18.2	13.9 – 22.5	18.8	14.5 – 23.1	15.2	11.5 – 19.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.5	23.2 – 31.7	32.5	30.4 – 34.5	31.0	28.4 – 33.6
	Non-Hisp. White Women	40.6	36.9 – 44.2	42.0	40.4 – 43.7	42.9	40.9 – 45.0
	Non-Hisp. Black Men	15.9	6.7 – 25.1	25.8	18.5 – 33.1	28.2	20.0 – 36.4
	Non-Hisp. Black Women	26.2	18.9 – 33.6	30.4	24.9 – 35.9	40.8 *	35.7 – 45.9
	Hispanic Men	10.0	4.8 – 15.1	12.8	7.2 – 18.4	10.2	4.7 – 15.6
AGE GROUP	18-44	9.1	6.2 – 12.0	13.7	11.9 – 15.6	14.0 *	12.2 – 15.9
	45-64	27.5	24.2 – 30.9	38.0 *	36.0 – 40.1	41.8 *	39.1 – 44.6
	65 & Older	58.3	54.3 – 62.2	60.3	58.7 – 62.0	61.4	59.4 – 63.4
EDUCATION LEVEL	<High School	36.4	26.8 – 46.1	36.3	31.5 – 41.1	40.7	36.6 – 44.9
	H.S. / GED	33.1	28.1 – 38.2	38.4	36.1 – 40.8	35.4	33.0 – 37.8
	>High School	25.0	22.6 – 27.4	33.7 *	32.2 – 35.2	33.5 *	31.3 – 35.7
ANNUAL INCOME	<\$25,000	34.7	29.7 – 39.7	42.8 *	40.0 – 45.6	42.9 *	40.2 – 45.7
	\$25,000-\$49,999	26.8	22.2 – 31.3	36.6 *	34.1 – 39.0	34.1	31.3 – 36.9
	\$50,000 or More	23.7	20.5 – 26.8	29.7 *	27.8 – 31.5	29.3	26.6 – 32.1
MARITAL STATUS	Married/Couple	27.5	24.7 – 30.4	34.5 *	32.9 – 36.0	34.3 *	32.4 – 36.2
	Not Married/Couple	27.9	24.6 – 31.3	36.4 *	34.4 – 38.4	36.9 *	34.5 – 39.3

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	13.1	11.6 – 14.7	15.9 *	15.0 – 16.8	18.4 *	17.3 – 19.5
SEX	Men	11.0	8.7 – 13.3	13.4	12.1 – 14.8	15.8 *	14.1 – 17.4
	Women	15.0	13.0 – 17.1	18.1	16.9 – 19.4	21.4 *	20.1 – 22.8
RACE/ETHNICITY	Non-Hisp. White	15.3	13.4 – 17.3	16.6	15.6 – 17.7	18.6 *	17.4 – 19.9
	Non-Hisp. Black	11.5	7.4 – 15.6	15.1	11.4 – 18.8	18.7	14.7 – 22.7
	Hispanic	10.0	6.6 – 13.3	9.4	6.2 – 12.6	8.8	5.9 – 11.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.8	9.9 – 15.7	14.1	12.6 – 15.6	16.2	14.3 – 18.1
	Non-Hisp. White Women	17.7	15.1 – 20.2	19.0	17.6 – 20.3	21.5	20.0 – 23.0
	Non-Hisp. Black Men	6.2	2.0 – 10.4	13.9	7.7 – 20.1	15.2	8.2 – 22.2
	Non-Hisp. Black Women	15.3	9.2 – 21.4	15.9	11.3 – 20.5	21.8	17.7 – 26.0
	Hispanic Men	8.3	3.3 – 13.3	6.5	2.0 – 11.1	5.7	1.6 – 9.8
AGE GROUP	18-44	4.3	2.1 – 6.4	5.2	4.1 – 6.3	7.1	5.8 – 8.4
	45-64	13.4	11.0 – 15.8	20.3 *	18.6 – 22.1	24.0 *	21.8 – 26.2
	65 & Older	27.4	23.7 – 31.0	24.6	23.1 – 26.2	28.4	26.5 – 30.3
EDUCATION LEVEL	<High School	18.8	11.5 – 26.1	22.3	18.1 – 26.4	25.1	21.5 – 28.7
	H.S. / GED	17.4	13.5 – 21.3	17.3	15.5 – 19.2	17.9	16.2 – 19.5
	>High School	11.1	9.5 – 12.8	14.7 *	13.6 – 15.8	16.8 *	15.3 – 18.4
ANNUAL INCOME	<\$25,000	20.5	16.6 – 24.4	24.5	22.2 – 26.8	27.0 *	24.7 – 29.3
	\$25,000-\$49,999	11.1	8.1 – 14.0	16.1 *	14.2 – 18.0	16.2 *	14.3 – 18.0
	\$50,000 or More	10.0	7.8 – 12.1	11.0	9.8 – 12.3	11.7	9.8 – 13.6
MARITAL STATUS	Married/Couple	11.8	9.8 – 13.7	14.6	13.4 – 15.7	17.2 *	15.8 – 18.6
	Not Married/Couple	15.5	12.9 – 18.1	18.4	16.8 – 19.9	20.5 *	18.6 – 22.4

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Asthma

Percentage of adults who currently have asthma

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	7.4	6.1 – 8.7	8.9	8.1 – 9.8	9.3	8.3 – 10.2
SEX	Men	5.8	3.8 – 7.8	7.0	5.6 – 8.5	7.0	5.6 – 8.3
	Women	8.9	7.2 – 10.6	10.7	9.7 – 11.7	11.9 *	10.6 – 13.2
RACE/ETHNICITY	Non-Hisp. White	7.4	5.9 – 8.9	8.6	7.8 – 9.4	9.0	8.0 – 10.1
	Non-Hisp. Black	6.3	3.3 – 9.3	10.1	6.9 – 13.3	10.5	7.7 – 13.4
	Hispanic	8.8	5.3 – 12.3	12.8	6.2 – 19.4	9.5	4.3 – 14.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.2	3.0 – 7.4	6.5	5.3 – 7.7	6.7	5.2 – 8.3
	Non-Hisp. White Women	9.5	7.4 – 11.6	10.5	9.4 – 11.7	11.7	10.4 – 13.0
	Non-Hisp. Black Men	2.4	0.0 – 5.5	7.7	2.7 – 12.7	8.4	4.0 – 12.9
	Non-Hisp. Black Women	9.3	4.5 – 14.2	11.8	7.6 – 15.9	12.6	9.1 – 16.2
AGE GROUP	Hispanic Men	9.6	3.7 – 15.4	13.5	0.6 – 26.4	6.4	1.0 – 11.7
	Hispanic Women	8.0	4.2 – 11.8	12.1	8.3 – 15.9	13.3	4.0 – 22.7
	18-44	8.2	5.4 – 10.9	9.4	7.4 – 11.4	8.5	6.9 – 10.2
EDUCATION LEVEL	45-64	5.8	4.2 – 7.4	9.1 *	7.9 – 10.3	10.8 *	9.1 – 12.5
	65 & Older	9.1	6.8 – 11.4	8.1	7.3 – 9.0	7.9	6.9 – 8.8
	<High School	9.7	5.0 – 14.4	12.2	9.2 – 15.2	12.2	9.8 – 14.5
ANNUAL INCOME	H.S. / GED	8.4	5.1 – 11.6	9.2	7.7 – 10.7	9.6	7.9 – 11.3
	>High School	6.8	5.4 – 8.3	8.5	7.4 – 9.7	8.2	6.9 – 9.4
	<\$25,000	12.2	8.4 – 16.0	13.4	10.9 – 15.9	12.5	10.9 – 14.2
MARITAL STATUS	\$25,000-\$49,999	6.2	3.9 – 8.4	8.2	6.7 – 9.8	8.8	6.7 – 10.9
	\$50,000 or More	5.1	3.5 – 6.7	7.1	5.9 – 8.3	6.4	4.7 – 8.0
	Married/Couple	5.2	4.0 – 6.5	8.2 *	7.0 – 9.3	8.0 *	6.9 – 9.1
	Not Married/Couple	11.0	8.2 – 13.7	10.4	9.1 – 11.7	11.6	9.9 – 13.3

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	13.6	11.6 – 15.5	15.5	14.5 – 16.5	14.9	13.5 – 16.4
SEX	Men	14.4	11.2 – 17.6	17.8	16.0 – 19.5	17.2	14.2 – 20.3
	Women	12.9	10.4 – 15.3	13.5	12.4 – 14.6	12.5	10.7 – 14.4
RACE/ETHNICITY	Non-Hisp. White	14.2	11.9 – 16.4	15.6	14.5 – 16.6	15.2	13.5 – 16.8
	Non-Hisp. Black	17.1	9.7 – 24.5	18.4	13.6 – 23.2	18.6	13.7 – 23.4
	Hispanic	10.1	5.5 – 14.7	9.5	5.5 – 13.5	4.7	2.0 – 7.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.0	12.1 – 20.0	18.1	16.2 – 20.0	17.3	13.8 – 20.7
	Non-Hisp. White Women	12.5	9.9 – 15.1	13.3	12.2 – 14.4	13.0	10.8 – 15.1
	Non-Hisp. Black Men	7.8	1.5 – 14.1	18.5	10.6 – 26.4	25.5 *	16.0 – 34.9
	Non-Hisp. Black Women	21.7	11.5 – 31.9	18.3	12.3 – 24.2	12.6	8.8 – 16.5
	Hispanic Men	12.4	3.1 – 21.7	8.3	2.5 – 14.1	4.3	0.4 – 8.3
	Hispanic Women	8.4	4.0 – 12.9	10.8	5.4 – 16.2	5.1	1.3 – 8.8
AGE GROUP	45-64	9.8	7.4 – 12.3	12.2	10.7 – 13.7	13.2	10.4 – 16.0
	65 & Older	19.2	16.1 – 22.3	19.3	18.0 – 20.6	17.2	15.2 – 19.2
EDUCATION LEVEL	<High School	10.1	4.3 – 15.8	14.4	10.7 – 18.0	9.8	7.6 – 11.9
	H.S. / GED	16.7	12.1 – 21.3	14.6	12.8 – 16.4	15.8	14.0 – 17.7
	>High School	12.9	10.6 – 15.2	16.0	14.7 – 17.3	15.6	13.2 – 18.0
ANNUAL INCOME	<\$25,000	14.5	10.4 – 18.6	15.1	13.4 – 16.8	13.6	10.8 – 16.5
	\$25,000-\$49,999	15.6	11.3 – 20.0	15.8	13.9 – 17.7	16.8	13.4 – 20.2
	\$50,000 or More	12.0	8.9 – 15.1	14.9	13.1 – 16.7	15.5	11.3 – 19.6
MARITAL STATUS	Married/Couple	12.9	10.3 – 15.4	15.8	14.5 – 17.2	16.2	14.2 – 18.2
	Not Married/Couple	14.8	11.8 – 17.9	14.9	13.4 – 16.3	12.3	10.8 – 13.8

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	56.4	53.2 – 59.6	56.9	55.5 – 58.3	52.2	50.1 – 54.3
SEX	Men	57.5	52.1 – 62.8	58.0	55.6 – 60.3	51.3	48.1 – 54.6
	Women	55.5	51.6 – 59.4	55.9	54.2 – 57.6	53.0	50.8 – 55.3
RACE/ETHNICITY	Non-Hisp. White	58.8	55.2 – 62.4	57.4	55.9 – 58.9	53.1	50.8 – 55.4
	Non-Hisp. Black	60.6	50.8 – 70.4	52.8	46.3 – 59.3	50.3	44.4 – 56.1
	Hispanic	47.8	39.3 – 56.4	53.5	45.2 – 61.7	42.4	31.6 – 53.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.5	54.6 – 66.4	58.7	56.2 – 61.2	52.5	48.9 – 56.2
	Non-Hisp. White Women	57.3	52.9 – 61.7	56.3	54.5 – 58.1	53.7	51.3 – 56.1
	Non-Hisp. Black Men	56.1	37.8 – 74.4	52.7	41.6 – 63.9	51.4	40.6 – 62.2
	Non-Hisp. Black Women	62.9	51.5 – 74.3	52.9	45.1 – 60.6	49.4	43.5 – 55.2
	Hispanic Men	52.5	37.0 – 67.9	56.2	43.1 – 69.3	32.4	14.5 – 50.3
	Hispanic Women	44.6	34.8 – 54.3	50.6	41.2 – 60.0	50.5	35.6 – 65.4
AGE GROUP	45-64	48.8	44.2 – 53.5	50.5	48.2 – 52.8	43.6	40.6 – 46.7
	65 & Older	67.8	64.0 – 71.5	64.0	62.5 – 65.6	63.5	61.5 – 65.5
EDUCATION LEVEL	<High School	41.4	29.7 – 53.2	50.7	45.3 – 56.1	41.7	37.0 – 46.3
	H.S. / GED	51.7	45.0 – 58.5	51.9	49.2 – 54.6	48.5	44.7 – 52.4
	>High School	60.1	56.3 – 63.8	59.6	57.9 – 61.4	57.1	54.4 – 59.8
ANNUAL INCOME	<\$25,000	43.8	37.8 – 49.9	48.5	45.8 – 51.2	46.2	42.6 – 49.8
	\$25,000-\$49,999	55.7	49.3 – 62.0	56.1	53.1 – 59.1	53.7	49.6 – 57.8
	\$50,000 or More	62.9	57.7 – 68.0	61.2	58.8 – 63.6	57.2	53.4 – 61.1
MARITAL STATUS	Married/Couple	59.5	55.2 – 63.8	59.2	57.3 – 61.0	54.8	51.9 – 57.7
	Not Married/Couple	51.5	46.9 – 56.0	52.2	50.1 – 54.4	46.9	44.4 – 49.4

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Cancer Screening/Prostate

Percentage of men 50 years of age and older who received a PSA test in the past two years

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	70.3	65.0 – 75.7	74.5	72.3 – 76.8	68.9	65.9 – 71.9
SEX	Men	70.3	65.0 – 75.7	74.5	72.3 – 76.8	68.9	65.9 – 71.9
RACE/ETHNICITY	Non-Hisp. White	73.8	68.1 – 79.4	75.7	73.3 – 78.0	71.5	68.2 – 74.8
	Non-Hisp. Black	68.6	52.1 – 85.1	66.9	55.8 – 78.0	53.9	42.9 – 64.9
	Hispanic	61.2	44.6 – 77.8	61.9	48.0 – 75.8	35.0	21.0 – 49.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.8	68.1 – 79.4	75.7	73.3 – 78.0	71.5	68.2 – 74.8
	Non-Hisp. Black Men	68.6	52.1 – 85.1	66.9	55.8 – 78.0	53.9	42.9 – 64.9
	Hispanic Men	61.2	44.6 – 77.8	61.9	48.0 – 75.8	35.0	21.0 – 49.0
AGE GROUP	45-64	61.1	53.4 – 68.9	66.3	62.6 – 70.0	60.5	56.0 – 65.0
	65 & Older	84.8	79.4 – 90.3	84.7	82.9 – 86.4	81.4	79.0 – 83.8
EDUCATION LEVEL	<High School	47.5	22.0 – 72.9	58.6	49.6 – 67.5	51.2	43.6 – 58.7
	H.S. / GED	68.0	57.3 – 78.7	68.9	63.6 – 74.1	67.4	63.4 – 71.5
	>High School	73.7	67.7 – 79.7	77.7	75.1 – 80.3	73.6	68.9 – 78.2
ANNUAL INCOME	<\$25,000	61.3	49.1 – 73.5	61.5	56.5 – 66.5	53.0	46.2 – 59.8
	\$25,000-\$49,999	77.7	69.6 – 85.7	74.9	70.1 – 79.7	70.6	65.7 – 75.5
	\$50,000 or More	73.2	65.7 – 80.6	80.2	77.0 – 83.5	79.1	75.0 – 83.2
MARITAL STATUS	Married/Couple	70.3	63.7 – 77.0	77.0	74.3 – 79.6	73.1	69.4 – 76.9
	Not Married/Couple	70.1	61.8 – 78.5	66.7	62.4 – 71.1	56.2 *	51.6 – 60.9

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	47.8	42.5 – 53.1	49.4	47.1 – 51.7	44.5	41.5 – 47.5
SEX	Men	47.8	42.5 – 53.1	49.4	47.1 – 51.7	44.5	41.5 – 47.5
RACE/ETHNICITY	Non-Hisp. White	52.0	46.0 – 57.9	50.3	47.8 – 52.7	45.3	42.1 – 48.6
	Non-Hisp. Black	40.3	22.3 – 58.3	42.6	31.8 – 53.4	50.6	39.9 – 61.3
	Hispanic	40.1	26.0 – 54.2	40.8	27.9 – 53.8	24.7	13.4 – 36.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.0	46.0 – 57.9	50.3	47.8 – 52.7	45.3	42.1 – 48.6
	Non-Hisp. Black Men	40.3	22.3 – 58.3	42.6	31.8 – 53.4	50.6	39.9 – 61.3
	Hispanic Men	40.1	26.0 – 54.2	40.8	27.9 – 53.8	24.7	13.4 – 36.1
AGE GROUP	45-64	41.5	34.2 – 48.9	42.3	38.7 – 45.9	40.5	36.0 – 45.0
	65 & Older	58.1	51.8 – 64.3	58.3	55.8 – 60.7	50.7	47.6 – 53.9
EDUCATION LEVEL	<High School	25.1	7.9 – 42.4	38.1	29.8 – 46.5	28.0	21.7 – 34.2
	H.S. / GED	42.7	31.7 – 53.8	41.6	36.8 – 46.5	41.2	36.9 – 45.6
	>High School	51.6	45.5 – 57.8	52.9	50.1 – 55.6	50.3	46.1 – 54.6
ANNUAL INCOME	<\$25,000	35.1	25.1 – 45.1	36.9	32.5 – 41.3	37.9	30.7 – 45.2
	\$25,000-\$49,999	47.2	37.2 – 57.1	45.1	40.3 – 49.9	45.4	40.8 – 50.0
	\$50,000 or More	55.0	47.1 – 63.0	55.8	52.2 – 59.5	49.3	44.7 – 53.9
MARITAL STATUS	Married/Couple	49.8	43.3 – 56.2	50.9	48.1 – 53.6	47.9	44.2 – 51.5
	Not Married/Couple	42.1	33.4 – 50.7	44.7	40.3 – 49.1	34.8	30.6 – 38.9

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Cancer Screening/Prostate

Percentage of men 50 years of age and older who have been told they have prostate cancer

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	6.9	4.9 – 8.9	7.8	6.8 – 8.9	5.9	5.0 – 6.9
SEX	Men	6.9	4.9 – 8.9	7.8	6.8 – 8.9	5.9	5.0 – 6.9
RACE/ETHNICITY	Non-Hisp. White	7.9	5.4 – 10.5	7.8	6.7 – 8.9	6.0	5.1 – 7.0
	Non-Hisp. Black	5.8	0.3 – 11.3	6.2	3.1 – 9.3	8.1	0.8 – 15.4
	Hispanic	5.3	0.0 – 10.8	9.6	3.3 – 15.8	4.8	0.0 – 10.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.9	5.4 – 10.5	7.8	6.7 – 8.9	6.0	5.1 – 7.0
	Non-Hisp. Black Men	5.8	0.3 – 11.3	6.2	3.1 – 9.3	8.1	0.8 – 15.4
	Hispanic Men	5.3	0.0 – 10.8	9.6	3.3 – 15.8	4.8	0.0 – 10.5
AGE GROUP	45-64	1.8	0.3 – 3.3	3.4	2.1 – 4.7	1.2	0.7 – 1.6
	65 & Older	15.0	10.6 – 19.4	13.3	11.7 – 15.0	13.2	11.0 – 15.4
EDUCATION LEVEL	<High School	4.2	0.0 – 8.9	5.0	2.5 – 7.5	6.2	2.4 – 10.1
	H.S. / GED	6.2	2.3 – 10.1	6.8	5.0 – 8.6	5.0	3.6 – 6.3
	>High School	7.4	4.9 – 10.0	8.4	7.1 – 9.8	6.4	5.1 – 7.7
ANNUAL INCOME	<\$25,000	7.6	3.6 – 11.5	6.4	4.6 – 8.2	6.3	4.1 – 8.4
	\$25,000-\$49,999	14.7	8.0 – 21.3	8.1	6.2 – 10.0	6.1 *	4.5 – 7.8
	\$50,000 or More	3.8	1.6 – 6.1	8.2 *	6.4 – 10.0	5.5	4.0 – 7.0
MARITAL STATUS	Married/Couple	5.7	3.6 – 7.8	7.8	6.5 – 9.0	5.4	4.4 – 6.5
	Not Married/Couple	10.2	5.3 – 15.1	8.1	6.3 – 9.8	7.4	5.2 – 9.7

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Cancer Screening/Women's Health

Percentage of women 40 years of age and older who received a mammogram in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	63.1	59.8 – 66.5	61.6	60.0 – 63.2	55.0 *	53.0 – 57.1
SEX	Women	63.1	59.8 – 66.5	61.6	60.0 – 63.2	55.0 *	53.0 – 57.1
RACE/ETHNICITY	Non-Hisp. White	63.2	59.4 – 67.0	61.6	59.9 – 63.3	55.7 *	53.5 – 57.9
	Non-Hisp. Black	68.0	58.7 – 77.2	65.2	58.7 – 71.7	55.3	49.4 – 61.2
	Hispanic	60.3	52.0 – 68.6	58.9	49.6 – 68.2	50.6	39.7 – 61.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	63.2	59.4 – 67.0	61.6	59.9 – 63.3	55.7 *	53.5 – 57.9
	Non-Hisp. Black Women	68.0	58.7 – 77.2	65.2	58.7 – 71.7	55.3	49.4 – 61.2
	Hispanic Women	60.3	52.0 – 68.6	58.9	49.6 – 68.2	50.6	39.7 – 61.6
AGE GROUP	18-44	46.5	35.9 – 57.0	48.6	43.1 – 54.2	37.0	29.9 – 44.1
	45-64	62.8	58.1 – 67.5	61.3	58.9 – 63.7	53.3 *	50.3 – 56.3
	65 & Older	72.1	67.8 – 76.3	67.1	65.3 – 69.0	64.2 *	61.8 – 66.6
EDUCATION LEVEL	<High School	58.8	47.3 – 70.3	51.1	44.7 – 57.4	39.4 *	34.4 – 44.4
	H.S. / GED	60.7	53.5 – 67.9	60.8	58.0 – 63.7	54.2	51.0 – 57.3
	>High School	64.9	60.9 – 68.9	62.9	60.8 – 64.9	59.7	56.7 – 62.6
ANNUAL INCOME	<\$25,000	50.9	44.0 – 57.8	52.4	49.3 – 55.5	45.9	42.8 – 48.9
	\$25,000-\$49,999	60.5	52.7 – 68.3	60.4	57.1 – 63.7	56.8	52.5 – 61.1
	\$50,000 or More	69.2	64.2 – 74.3	66.7	63.9 – 69.6	63.3	59.0 – 67.7
MARITAL STATUS	Married/Couple	65.2	60.8 – 69.7	64.0	61.9 – 66.2	57.2 *	54.3 – 60.0
	Not Married/Couple	60.0	55.0 – 65.0	57.5	55.3 – 59.8	51.4 *	48.6 – 54.2

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	61.5	58.4 – 64.7	62.1	60.6 – 63.6	55.8 *	53.9 – 57.7
SEX	Women	61.5	58.4 – 64.7	62.1	60.6 – 63.6	55.8 *	53.9 – 57.7
RACE/ETHNICITY	Non-Hisp. White	63.4	59.8 – 67.1	62.5	60.9 – 64.1	55.1 *	53.0 – 57.2
	Non-Hisp. Black	63.1	54.4 – 71.9	64.6	58.9 – 70.4	66.4	61.4 – 71.4
	Hispanic	59.6	52.3 – 67.0	59.8	53.0 – 66.7	51.1	43.5 – 58.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	63.4	59.8 – 67.1	62.5	60.9 – 64.1	55.1 *	53.0 – 57.2
	Non-Hisp. Black Women	63.1	54.4 – 71.9	64.6	58.9 – 70.4	66.4	61.4 – 71.4
	Hispanic Women	59.6	52.3 – 67.0	59.8	53.0 – 66.7	51.1	43.5 – 58.7
AGE GROUP	18-44	52.8	46.5 – 59.1	59.7	56.6 – 62.8	52.7	49.0 – 56.4
	45-64	68.2	63.7 – 72.7	65.7	63.4 – 68.1	58.2 *	55.1 – 61.2
	65 & Older	60.5	55.7 – 65.3	59.9	58.0 – 61.9	56.4	53.9 – 58.8
EDUCATION LEVEL	<High School	39.8	28.6 – 51.0	43.2	37.2 – 49.2	40.9	36.3 – 45.5
	H.S. / GED	53.5	46.6 – 60.3	56.7	53.9 – 59.6	51.9	48.9 – 54.9
	>High School	67.3	63.6 – 70.9	66.0	64.1 – 67.9	62.2	59.6 – 64.8
ANNUAL INCOME	<\$25,000	46.0	39.6 – 52.3	50.1	47.1 – 53.1	47.0	44.0 – 50.0
	\$25,000-\$49,999	61.4	54.3 – 68.4	59.4	56.3 – 62.6	57.8	54.1 – 61.6
	\$50,000 or More	72.2	67.7 – 76.8	72.4	70.0 – 74.9	67.2	63.3 – 71.0
MARITAL STATUS	Married/Couple	64.4	60.3 – 68.5	65.8	63.9 – 67.8	57.9	55.4 – 60.5
	Not Married/Couple	57.0	52.1 – 61.8	55.9	53.5 – 58.3	52.0	49.4 – 54.7

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Cancer Screening/Women's Health

Percentage of women 18 years of age and older who received a Pap test in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	58.6	55.0 – 62.3	55.9	54.0 – 57.9	55.8	53.5 – 58.0
SEX	Women	58.6	55.0 – 62.3	55.9	54.0 – 57.9	55.8	53.5 – 58.0
RACE/ETHNICITY	Non-Hisp. White	58.5	54.1 – 62.9	55.4	53.4 – 57.5	54.4	51.8 – 57.0
	Non-Hisp. Black	58.2	48.4 – 68.1	66.7	59.8 – 73.6	71.1	65.5 – 76.8
	Hispanic	64.2	56.1 – 72.2	54.0	45.8 – 62.2	58.6	51.6 – 65.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	58.5	54.1 – 62.9	55.4	53.4 – 57.5	54.4	51.8 – 57.0
	Non-Hisp. Black Women	58.2	48.4 – 68.1	66.7	59.8 – 73.6	71.1	65.5 – 76.8
	Hispanic Women	64.2	56.1 – 72.2	54.0	45.8 – 62.2	58.6	51.6 – 65.7
AGE GROUP	18-44	56.8	50.4 – 63.3	60.9	57.7 – 64.2	60.8	57.1 – 64.6
	45-64	66.0	60.6 – 71.3	60.6	57.6 – 63.6	56.4 *	52.7 – 60.0
	65 & Older	42.7	36.3 – 49.0	34.9	32.2 – 37.5	40.4	37.1 – 43.8
EDUCATION LEVEL	<High School	50.5	37.2 – 63.8	40.3	32.3 – 48.2	42.4	36.5 – 48.4
	H.S. / GED	48.0	39.8 – 56.1	48.2	44.6 – 51.9	51.0	47.2 – 54.8
	>High School	63.3	59.0 – 67.6	60.2	57.9 – 62.4	61.8	58.8 – 64.8
ANNUAL INCOME	<\$25,000	45.0	37.4 – 52.6	43.5	39.7 – 47.4	48.4	44.7 – 52.2
	\$25,000-\$49,999	59.6	51.3 – 68.0	51.3	47.4 – 55.2	55.8	51.3 – 60.4
	\$50,000 or More	67.3	61.9 – 72.6	67.8	64.8 – 70.8	67.6	63.4 – 71.8
MARITAL STATUS	Married/Couple	61.7	57.0 – 66.4	61.1	58.7 – 63.5	57.6	54.6 – 60.5
	Not Married/Couple	53.7	47.9 – 59.5	47.1	44.0 – 50.2	52.6	49.1 – 56.0

Percentage of women who have had a hysterectomy

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	23.0	20.4 – 25.6	28.1 *	26.8 – 29.4	31.6 *	29.9 – 33.2
SEX	Women	23.0	20.4 – 25.6	28.1 *	26.8 – 29.4	31.6 *	29.9 – 33.2
RACE/ETHNICITY	Non-Hisp. White	26.5	23.3 – 29.6	29.8	28.4 – 31.3	33.0 *	31.1 – 34.9
	Non-Hisp. Black	23.2	15.0 – 31.3	23.6	19.1 – 28.2	30.8	25.7 – 35.9
	Hispanic	17.8	12.6 – 23.1	17.8	13.2 – 22.4	15.0	7.0 – 23.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	26.5	23.3 – 29.6	29.8	28.4 – 31.3	33.0 *	31.1 – 34.9
	Non-Hisp. Black Women	23.2	15.0 – 31.3	23.6	19.1 – 28.2	30.8	25.7 – 35.9
	Hispanic Women	17.8	12.6 – 23.1	17.8	13.2 – 22.4	15.0	7.0 – 23.0
AGE GROUP	18-44	5.1	2.3 – 8.0	7.2	5.5 – 8.9	11.2 *	8.4 – 14.0
	45-64	25.4	21.1 – 29.7	32.9 *	30.6 – 35.2	34.6 *	31.8 – 37.4
	65 & Older	43.5	38.7 – 48.3	48.7	46.7 – 50.7	55.2 *	52.8 – 57.7
EDUCATION LEVEL	<High School	24.5	15.6 – 33.3	34.6	29.4 – 39.8	35.4	30.5 – 40.2
	H.S. / GED	24.2	19.1 – 29.4	33.4 *	30.9 – 35.8	35.2 *	32.5 – 37.9
	>High School	22.5	19.4 – 25.7	25.2	23.6 – 26.7	28.1 *	25.8 – 30.5
ANNUAL INCOME	<\$25,000	25.0	19.8 – 30.2	32.4	29.8 – 35.1	34.4 *	31.5 – 37.3
	\$25,000-\$49,999	26.9	20.5 – 33.3	29.3	26.6 – 32.0	30.7	27.2 – 34.2
	\$50,000 or More	20.1	16.2 – 24.0	23.1	20.9 – 25.2	27.8 *	24.7 – 30.9
MARITAL STATUS	Married/Couple	22.3	18.7 – 25.8	26.6	24.9 – 28.3	30.7 *	28.4 – 33.0
	Not Married/Couple	24.4	20.8 – 28.0	30.5 *	28.5 – 32.5	33.2 *	30.8 – 35.5

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	2.9	2.1 – 3.8	3.9	3.5 – 4.4	4.2	3.7 – 4.6
SEX	Men	3.4	2.0 – 4.7	4.2	3.5 – 4.9	3.9	3.2 – 4.5
	Women	2.5	1.5 – 3.5	3.7	3.2 – 4.3	4.5 *	3.8 – 5.2
RACE/ETHNICITY	Non-Hisp. White	3.1	2.0 – 4.1	4.1	3.6 – 4.6	4.1	3.5 – 4.6
	Non-Hisp. Black	4.0	1.5 – 6.6	3.9	2.3 – 5.5	4.2	2.5 – 5.8
	Hispanic	1.3	0.3 – 2.3	1.7	0.1 – 3.2	3.1	1.3 – 4.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.4	1.8 – 4.9	4.3	3.5 – 5.0	3.6	2.9 – 4.3
	Non-Hisp. White Women	2.8	1.4 – 4.1	4.0	3.4 – 4.7	4.6	3.8 – 5.3
	Non-Hisp. Black Men	3.6	0.1 – 7.0	4.0	1.1 – 6.8	3.9	1.5 – 6.3
	Non-Hisp. Black Women	4.4	0.8 – 8.1	3.9	1.9 – 5.8	4.4	2.0 – 6.8
	Hispanic Men	1.3	0.0 – 3.0	2.3	0.0 – 5.3	2.9	0.5 – 5.3
AGE GROUP	Hispanic Women	1.3	0.2 – 2.5	1.1	0.3 – 1.9	3.3	0.7 – 5.8
	18-44	0.5	0.0 – 1.1	1.3	0.7 – 2.0	1.4	0.8 – 2.1
	45-64	2.9	1.4 – 4.3	3.7	2.9 – 4.5	3.5	2.9 – 4.1
EDUCATION LEVEL	65 & Older	7.5	5.4 – 9.7	8.1	7.3 – 9.0	10.1	8.8 – 11.4
	<High School	7.7	2.4 – 13.0	7.2	4.6 – 9.8	6.5	4.8 – 8.3
	H.S. / GED	3.9	1.9 – 6.0	5.0	4.1 – 6.0	4.4	3.5 – 5.2
ANNUAL INCOME	>High School	2.1	1.3 – 2.9	3.2	2.7 – 3.6	3.3	2.8 – 3.8
	<\$25,000	5.9	3.4 – 8.4	6.2	5.1 – 7.2	7.1	6.1 – 8.1
	\$25,000-\$49,999	2.6	1.3 – 4.0	4.3	3.2 – 5.3	3.6	2.5 – 4.6
MARITAL STATUS	\$50,000 or More	1.5	0.6 – 2.5	1.9	1.5 – 2.4	2.0	1.5 – 2.6
	Married/Couple	2.5	1.5 – 3.4	3.4	2.9 – 4.0	3.8	3.2 – 4.4
	Not Married/Couple	3.6	2.1 – 5.1	4.9	4.1 – 5.7	4.8	4.1 – 5.5

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	8.2	7.0 – 9.5	11.4 *	10.7 – 12.1	12.5 *	11.6 – 13.4
SEX	Men	9.3	7.3 – 11.3	13.0 *	11.9 – 14.1	13.3 *	12.0 – 14.7
	Women	7.2	5.7 – 8.7	9.9 *	9.1 – 10.8	11.5 *	10.3 – 12.8
RACE/ETHNICITY	Non-Hisp. White	9.7	8.2 – 11.3	12.1 *	11.4 – 12.9	12.8 *	11.8 – 13.8
	Non-Hisp. Black	6.5	3.5 – 9.5	9.1	6.7 – 11.5	11.5	7.2 – 15.9
	Hispanic	5.9	3.4 – 8.5	6.0	3.7 – 8.2	6.3	4.0 – 8.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.3	8.7 – 13.8	13.9	12.7 – 15.1	13.7	12.1 – 15.3
	Non-Hisp. White Women	8.3	6.3 – 10.3	10.5	9.5 – 11.5	11.7 *	10.5 – 12.9
	Non-Hisp. Black Men	4.3	0.7 – 7.8	8.9	5.1 – 12.6	10.9	6.5 – 15.2
	Non-Hisp. Black Women	8.3	3.7 – 12.9	9.3	6.2 – 12.4	12.2	4.7 – 19.7
	Hispanic Men	6.6	2.5 – 10.7	7.0	2.9 – 11.1	6.3	3.2 – 9.5
AGE GROUP	Hispanic Women	5.3	2.3 – 8.4	5.0	3.0 – 7.1	6.3	2.8 – 9.8
	18-44	1.5	0.2 – 2.7	2.9	1.9 – 3.9	2.8	1.9 – 3.6
	45-64	7.0	5.0 – 8.9	10.2 *	9.1 – 11.4	12.9 *	11.1 – 14.6
EDUCATION LEVEL	65 & Older	23.1	19.7 – 26.5	25.5	24.2 – 26.9	28.7 *	26.8 – 30.6
	<High School	17.8	9.8 – 25.7	17.2	13.7 – 20.7	17.2	14.1 – 20.3
	H.S. / GED	10.5	7.6 – 13.4	12.5	11.1 – 13.8	12.7	11.3 – 14.1
ANNUAL INCOME	>High School	6.4	5.2 – 7.6	10.3 *	9.5 – 11.1	11.0 *	9.7 – 12.2
	<\$25,000	13.8	10.6 – 17.1	18.1	16.3 – 19.9	17.9	16.1 – 19.7
	\$25,000-\$49,999	9.2	6.8 – 11.5	12.3	10.9 – 13.8	12.5	10.5 – 14.4
MARITAL STATUS	\$50,000 or More	4.0	2.7 – 5.3	6.8 *	6.0 – 7.6	7.8 *	6.2 – 9.3
	Married/Couple	7.1	5.6 – 8.7	10.7 *	9.8 – 11.5	11.6 *	10.5 – 12.8
	Not Married/Couple	10.1	8.0 – 12.2	12.8	11.6 – 13.9	14.1 *	12.6 – 15.7

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Cholesterol Awareness

Percentage of adults who have diagnosed high blood cholesterol

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	37.0	34.5 – 39.6	39.8	38.6 – 41.1	38.1	36.4 – 39.8
SEX	Men	37.5	33.4 – 41.6	41.5	39.4 – 43.7	38.5	35.8 – 41.3
	Women	36.6	33.5 – 39.7	38.3	36.8 – 39.7	37.5	35.8 – 39.3
RACE/ETHNICITY	Non-Hisp. White	39.8	36.8 – 42.8	42.1	40.7 – 43.5	40.2	38.2 – 42.2
	Non-Hisp. Black	36.1	28.5 – 43.7	29.6	25.2 – 34.1	30.6	25.7 – 35.5
	Hispanic	31.8	26.2 – 37.4	27.2	21.5 – 32.9	22.6	17.3 – 28.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.2	36.3 – 46.2	44.5	42.2 – 46.8	41.1	37.8 – 44.3
	Non-Hisp. White Women	38.5	34.9 – 42.1	39.9	38.2 – 41.5	39.1	37.1 – 41.2
	Non-Hisp. Black Men	33.6	21.1 – 46.1	28.3	20.9 – 35.7	30.5	21.8 – 39.1
	Non-Hisp. Black Women	37.9	28.4 – 47.3	30.6	25.1 – 36.1	30.7	26.0 – 35.5
	Hispanic Men	31.0	22.0 – 39.9	27.6	17.9 – 37.4	18.2	11.9 – 24.4
	Hispanic Women	32.7	25.8 – 39.6	26.8	20.9 – 32.6	28.6	19.8 – 37.3
AGE GROUP	18-44	17.8	13.9 – 21.7	18.1	16.0 – 20.1	16.8	14.5 – 19.1
	45-64	40.4	36.5 – 44.4	46.3	44.2 – 48.4	45.9	42.9 – 48.9
	65 & Older	61.7	57.9 – 65.6	60.8	59.3 – 62.4	59.9	57.8 – 62.0
EDUCATION LEVEL	<High School	39.5	29.4 – 49.7	40.9	35.8 – 45.9	34.9	31.1 – 38.8
	H.S. / GED	39.7	34.2 – 45.2	39.8	37.4 – 42.2	38.4	35.5 – 41.2
	>High School	36.0	33.1 – 39.0	39.8	38.3 – 41.4	38.7	36.2 – 41.3
ANNUAL INCOME	<\$25,000	40.8	35.4 – 46.3	41.9	39.2 – 44.6	39.3	36.6 – 42.1
	\$25,000-\$49,999	35.8	30.2 – 41.4	42.1	39.5 – 44.7	36.0	33.0 – 39.0
	\$50,000 or More	34.5	30.8 – 38.2	38.0	35.9 – 40.0	40.2	36.6 – 43.8
MARITAL STATUS	Married/Couple	38.3	35.1 – 41.6	40.4	38.8 – 42.1	40.7	38.4 – 43.1
	Not Married/Couple	35.1	31.1 – 39.0	38.9	36.8 – 41.0	33.2	31.0 – 35.5

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Diabetes

Percentage of adults with diagnosed diabetes

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	9.3	8.0 – 10.6	11.1	10.4 – 11.8	11.9 *	11.1 – 12.8
SEX	Men	10.4	8.3 – 12.5	12.6	11.4 – 13.7	12.4	11.0 – 13.8
	Women	8.3	6.7 – 9.9	9.7	8.9 – 10.5	11.4 *	10.3 – 12.4
RACE/ETHNICITY	Non-Hisp. White	8.5	7.0 – 10.0	10.7	10.0 – 11.5	11.6 *	10.7 – 12.6
	Non-Hisp. Black	10.7	7.1 – 14.2	16.4	13.2 – 19.7	15.5	11.7 – 19.2
	Hispanic	10.0	6.7 – 13.3	8.7	6.2 – 11.2	9.8	5.8 – 13.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.9	8.3 – 13.4	12.6	11.3 – 13.9	12.4	10.9 – 14.0
	Non-Hisp. White Women	6.3	4.7 – 7.8	9.0 *	8.1 – 9.8	10.7 *	9.7 – 11.7
	Non-Hisp. Black Men	9.7	3.9 – 15.5	16.6	11.3 – 22.0	15.9	9.2 – 22.6
	Non-Hisp. Black Women	11.4	7.2 – 15.7	16.3	12.2 – 20.4	15.0	11.8 – 18.2
AGE GROUP	Hispanic Men	9.9	5.1 – 14.7	8.7	4.6 – 12.8	7.4	4.0 – 10.8
	Hispanic Women	10.1	5.6 – 14.5	8.6	5.8 – 11.5	12.8	5.1 – 20.5
	18-44	3.6	1.9 – 5.3	3.5	2.6 – 4.5	4.2	3.1 – 5.3
EDUCATION LEVEL	45-64	9.6	7.5 – 11.8	13.0	11.7 – 14.4	13.8 *	12.1 – 15.5
	65 & Older	18.7	15.7 – 21.7	19.2	18.0 – 20.4	22.1	20.5 – 23.7
	<High School	16.1	10.7 – 21.5	14.9	11.9 – 17.9	15.3	12.6 – 18.0
ANNUAL INCOME	H.S. / GED	9.2	6.7 – 11.8	13.2	11.6 – 14.7	12.5	11.2 – 13.8
	>High School	8.6	7.1 – 10.2	9.8	9.0 – 10.6	10.5	9.2 – 11.8
	<\$25,000	13.4	10.5 – 16.3	15.6	13.9 – 17.2	15.7	14.1 – 17.4
MARITAL STATUS	\$25,000-\$49,999	10.3	7.0 – 13.5	11.8	10.2 – 13.4	11.8	10.2 – 13.5
	\$50,000 or More	6.1	4.4 – 7.9	8.2	7.2 – 9.2	9.2	7.3 – 11.0
	Married/Couple	8.5	6.8 – 10.2	10.5	9.6 – 11.4	12.3 *	11.1 – 13.6
	Not Married/Couple	10.8	8.7 – 12.8	12.3	11.1 – 13.4	11.3	10.2 – 12.5

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	59.5	52.4 – 66.6	63.4	60.1 – 66.7	64.6	61.0 – 68.2
SEX	Men	55.6	45.1 – 66.1	57.4	52.5 – 62.4	62.7	57.6 – 67.8
	Women	64.1	55.3 – 72.8	70.6	66.9 – 74.4	67.1	61.8 – 72.3
RACE/ETHNICITY	Non-Hisp. White	65.9	57.7 – 74.1	61.2	57.4 – 64.9	64.7	61.0 – 68.5
	Non-Hisp. Black	55.6	38.7 – 72.6	74.5	66.6 – 82.4	72.0	62.1 – 81.9
	Hispanic	50.5	33.6 – 67.4	69.3	56.1 – 82.5	46.6	25.1 – 68.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	63.9	52.5 – 75.2	55.0	49.4 – 60.6	62.3	56.8 – 67.9
	Non-Hisp. White Women	69.1	58.0 – 80.2	69.3	65.0 – 73.6	68.0	63.0 – 73.0
	Non-Hisp. Black Men			77.9	67.4 – 88.4	70.1	52.7 – 87.4
	Non-Hisp. Black Women	54.8	35.6 – 73.9	72.0	60.7 – 83.4	74.0	64.5 – 83.5
AGE GROUP	Hispanic Men			58.3	35.7 – 81.0	55.7	31.9 – 79.5
	Hispanic Women	67.5	49.2 – 85.9	80.2	69.0 – 91.3	40.0	11.0 – 69.0
	18-44			63.0	49.4 – 76.7	65.3	52.8 – 77.7
EDUCATION LEVEL	45-64	61.7	51.0 – 72.5	61.5	55.9 – 67.1	62.7	56.7 – 68.7
	65 & Older	66.1	57.4 – 74.8	65.3	61.9 – 68.6	66.4	62.5 – 70.2
	<High School	55.5	38.7 – 72.2	65.6	54.6 – 76.6	65.9	56.0 – 75.8
ANNUAL INCOME	H.S. / GED	45.8	31.4 – 60.3	66.2	60.0 – 72.4	66.7 *	61.9 – 71.6
	>High School	65.0	56.3 – 73.6	61.4	57.4 – 65.5	62.1	56.2 – 68.0
	<\$25,000	66.5	56.4 – 76.5	73.1	68.4 – 77.9	69.9	64.3 – 75.5
MARITAL STATUS	\$25,000-\$49,999	61.5	46.4 – 76.7	55.0	47.6 – 62.4	64.0	57.4 – 70.7
	\$50,000 or More	55.5	40.8 – 70.3	57.1	50.8 – 63.3	58.8	49.2 – 68.4
	Married/Couple	62.1	52.1 – 72.2	61.2	56.7 – 65.8	63.2	58.3 – 68.1
	Not Married/Couple	55.7	46.1 – 65.3	67.1	62.6 – 71.5	67.4	62.7 – 72.0

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	77.0	70.7 – 83.4	74.7	71.3 – 78.1	75.6	72.4 – 78.9
SEX	Men	76.3	67.0 – 85.7	72.8	67.7 – 77.8	76.3	72.0 – 80.6
	Women	77.9	70.1 – 85.7	77.2	73.2 – 81.3	74.7	70.1 – 79.4
RACE/ETHNICITY	Non-Hisp. White	83.2	77.2 – 89.3	75.5	71.6 – 79.4	74.5	70.8 – 78.2
	Non-Hisp. Black	74.4	57.0 – 91.8	65.8	54.6 – 77.0	81.6	72.9 – 90.4
	Hispanic	71.4	55.4 – 87.4	66.6	51.9 – 81.4	77.1	62.0 – 92.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.3	75.2 – 91.4	73.1	67.3 – 78.9	75.5	70.6 – 80.4
	Non-Hisp. White Women	83.1	74.7 – 91.5	78.9	74.4 – 83.4	73.2	67.7 – 78.7
	Non-Hisp. Black Men			64.1	46.7 – 81.5	84.5	71.2 – 97.8
	Non-Hisp. Black Women	85.4	71.7 – 99.0	67.3	53.0 – 81.6	78.5	68.5 – 88.5
	Hispanic Men			60.0	36.8 – 83.2		
	Hispanic Women	73.1	53.2 – 93.0	75.0	59.0 – 91.0	85.8	71.9 – 99.6
AGE GROUP	18-44			61.2	46.5 – 75.9	56.8	42.0 – 71.5
	45-64	80.0	71.1 – 88.9	73.9	68.3 – 79.5	78.3	74.3 – 82.4
	65 & Older	79.4	71.5 – 87.2	79.3	76.4 – 82.2	79.3	75.6 – 83.0
EDUCATION LEVEL	<High School	75.0	58.0 – 92.0	59.8	46.7 – 72.9	79.2	72.3 – 86.1
	H.S. / GED	74.8	62.5 – 87.0	70.3	63.2 – 77.4	75.6	70.6 – 80.7
	>High School	78.5	70.5 – 86.5	79.1	75.6 – 82.6	74.4	69.3 – 79.4
ANNUAL INCOME	<\$25,000	76.7	67.0 – 86.4	73.6	68.0 – 79.1	76.8	72.6 – 80.9
	\$25,000-\$49,999	85.8	76.3 – 95.3	70.5	62.0 – 79.0	72.0	64.7 – 79.3
	\$50,000 or More	71.0	56.8 – 85.3	80.0	75.1 – 84.9	77.1	70.2 – 83.9
MARITAL STATUS	Married/Couple	82.0	74.1 – 89.8	77.5	73.0 – 82.0	75.2	71.0 – 79.5
	Not Married/Couple	70.1	60.3 – 79.9	69.8	64.8 – 74.9	76.4	71.9 – 80.9

Percentage of adults with diabetes who had an annual foot exam

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	72.2	65.7 – 78.8	72.4	69.2 – 75.5	70.9	67.7 – 74.2
SEX	Men	74.2	64.8 – 83.6	73.6	68.8 – 78.4	74.6	70.3 – 78.8
	Women	69.9	61.1 – 78.7	70.8	66.9 – 74.8	66.4	61.5 – 71.3
RACE/ETHNICITY	Non-Hisp. White	78.0	70.8 – 85.1	72.1	68.4 – 75.8	70.9	67.6 – 74.2
	Non-Hisp. Black	75.8	59.5 – 92.2	76.3	67.3 – 85.3	83.4	76.2 – 90.6
	Hispanic	62.4	45.7 – 79.1	54.3	40.3 – 68.3	44.6	23.4 – 65.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.5	71.4 – 89.7	74.7	69.2 – 80.1	73.4	68.7 – 78.2
	Non-Hisp. White Women	73.8	63.0 – 84.6	68.8	64.2 – 73.4	67.5	63.2 – 71.8
	Non-Hisp. Black Men			71.9	55.4 – 88.4	83.3	70.8 – 95.7
	Non-Hisp. Black Women	82.4	68.0 – 96.7	79.5	70.0 – 88.9	83.6	76.8 – 90.4
	Hispanic Men			46.5	23.8 – 69.1	62.8	39.3 – 86.2
	Hispanic Women	63.8	42.0 – 85.6	61.9	45.4 – 78.4	32.1	7.6 – 56.5
AGE GROUP	18-44			62.4	49.2 – 75.7	62.7	50.0 – 75.5
	45-64	70.3	60.1 – 80.5	73.3	68.0 – 78.7	74.4	69.0 – 79.9
	65 & Older	77.7	69.4 – 86.0	74.4	71.3 – 77.4	69.7	66.3 – 73.1
EDUCATION LEVEL	<High School	67.0	50.5 – 83.4	73.8	65.7 – 82.0	63.3	53.7 – 72.9
	H.S. / GED	67.1	53.8 – 80.5	64.5	57.7 – 71.2	70.3	65.8 – 74.8
	>High School	75.3	67.0 – 83.6	76.8	73.4 – 80.1	74.7	70.1 – 79.4
ANNUAL INCOME	<\$25,000	74.2	64.3 – 84.2	66.8	61.1 – 72.4	69.7	64.4 – 75.1
	\$25,000-\$49,999	70.0	56.3 – 83.8	67.6	59.8 – 75.4	73.6	67.5 – 79.8
	\$50,000 or More	69.9	55.8 – 84.0	82.3	77.9 – 86.6	73.4	66.1 – 80.8
MARITAL STATUS	Married/Couple	75.6	67.0 – 84.1	75.5	71.2 – 79.8	70.8	66.2 – 75.4
	Not Married/Couple	67.8	58.2 – 77.3	67.4	62.7 – 72.1	71.3	67.5 – 75.1

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	71.9	64.8 – 78.9	69.3	66.0 – 72.6	69.1	66.0 – 72.3
SEX	Men	76.8	68.0 – 85.5	70.8	65.9 – 75.6	69.4	64.7 – 74.0
	Women	66.2	55.2 – 77.2	67.4	63.1 – 71.8	68.8	64.8 – 72.8
RACE/ETHNICITY	Non-Hisp. White	75.8	67.6 – 84.0	68.9	65.2 – 72.7	69.3	65.7 – 72.9
	Non-Hisp. Black	76.2	62.2 – 90.1	68.4	58.0 – 78.7	73.7	64.2 – 83.2
	Hispanic	61.9	44.2 – 79.6	70.0	57.0 – 82.9	46.9	31.9 – 61.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.6	64.1 – 87.0	70.9	65.4 – 76.4	69.9	64.7 – 75.1
	Non-Hisp. White Women	76.2	65.8 – 86.7	66.3	61.3 – 71.2	68.5	63.8 – 73.2
	Non-Hisp. Black Men			58.4	41.3 – 75.5	73.5	56.9 – 90.1
	Non-Hisp. Black Women	68.9	51.0 – 86.8	75.5	63.9 – 87.2	73.9	65.1 – 82.7
	Hispanic Men			66.6	44.7 – 88.4	38.2	15.4 – 61.1
	Hispanic Women	49.2	25.0 – 73.4	73.1	58.1 – 88.0	56.1	37.6 – 74.6
AGE GROUP	18-44			50.3	36.8 – 63.7	53.8	40.0 – 67.6
	45-64	65.9	53.6 – 78.1	63.3	57.8 – 68.9	63.7	58.5 – 69.0
	65 & Older	80.0	72.0 – 88.1	80.3	77.3 – 83.3	80.0	77.0 – 83.0
EDUCATION LEVEL	<High School	58.9	42.7 – 75.1	66.4	57.0 – 75.8	59.7	52.7 – 66.7
	H.S. / GED	74.8	63.0 – 86.6	59.4	52.8 – 66.0	67.5	62.6 – 72.5
	>High School	73.4	63.9 – 83.0	75.5	71.7 – 79.2	74.4	69.6 – 79.2
ANNUAL INCOME	<\$25,000	73.9	64.2 – 83.7	64.3	58.8 – 69.7	62.2	57.7 – 66.6
	\$25,000-\$49,999	66.5	47.1 – 85.8	67.1	59.1 – 75.1	73.1	66.6 – 79.7
	\$50,000 or More	80.6	68.2 – 93.0	75.2	69.5 – 80.9	72.8	65.0 – 80.6
MARITAL STATUS	Married/Couple	73.6	63.1 – 84.1	71.6	67.2 – 75.9	69.7	65.4 – 74.0
	Not Married/Couple	69.5	60.5 – 78.5	65.6	60.6 – 70.6	68.0	63.8 – 72.1

Percentage of adults with diabetes who ever had diabetes self-management education

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	49.5	42.1 – 56.8	59.0	55.7 – 62.3	53.2	49.5 – 56.9
SEX	Men	50.5	40.2 – 60.9	58.9	53.9 – 63.8	51.9	46.4 – 57.4
	Women	48.3	37.9 – 58.6	59.2	55.1 – 63.3	54.8	50.0 – 59.6
RACE/ETHNICITY	Non-Hisp. White	53.9	44.9 – 63.0	58.0	54.2 – 61.8	52.8	48.8 – 56.8
	Non-Hisp. Black	41.6	25.4 – 57.8	70.1 *	60.8 – 79.4	60.2	49.0 – 71.5
	Hispanic	46.8	29.0 – 64.6	40.9	28.0 – 53.8	33.3	16.3 – 50.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.1	39.9 – 64.3	59.2	53.7 – 64.8	50.4	44.4 – 56.4
	Non-Hisp. White Women	56.9	44.6 – 69.3	56.4	51.6 – 61.1	55.9	51.3 – 60.6
	Non-Hisp. Black Men			63.7	47.4 – 80.0	62.9	43.9 – 81.8
	Non-Hisp. Black Women	35.6	19.9 – 51.3	74.6 *	64.4 – 84.8	57.4	47.8 – 67.0
	Hispanic Men			31.1	13.1 – 49.0	36.3	13.9 – 58.6
	Hispanic Women	53.7	30.3 – 77.0	50.3	34.0 – 66.7	31.0	7.7 – 54.4
AGE GROUP	18-44			56.4	42.8 – 70.0	60.3	48.2 – 72.4
	45-64	56.1	44.7 – 67.5	60.0	54.4 – 65.5	53.7	47.6 – 59.8
	65 & Older	42.3	33.8 – 50.7	59.0 *	55.6 – 62.4	50.3	46.2 – 54.5
EDUCATION LEVEL	<High School	49.6	32.9 – 66.4	47.1	36.3 – 57.9	38.3	30.4 – 46.2
	H.S. / GED	34.9	21.6 – 48.1	51.4	45.1 – 57.8	52.8	47.9 – 57.6
	>High School	54.9	45.4 – 64.3	65.4	61.4 – 69.4	60.0	54.2 – 65.9
ANNUAL INCOME	<\$25,000	44.3	33.8 – 54.8	54.4	48.8 – 60.0	47.4	42.4 – 52.5
	\$25,000-\$49,999	52.8	36.4 – 69.2	56.3	48.7 – 63.8	54.9	48.3 – 61.6
	\$50,000 or More	47.7	32.7 – 62.6	69.1 *	63.2 – 75.0	63.4	54.8 – 72.0
MARITAL STATUS	Married/Couple	55.9	45.7 – 66.1	61.5	57.0 – 66.0	55.3	50.4 – 60.3
	Not Married/Couple	40.8	31.6 – 50.0	55.0 *	50.2 – 59.7	48.9	43.9 – 54.0

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Diabetes

Average age at which diabetes was diagnosed

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	49.3	47.2 – 51.5	50.4	49.4 – 51.5	49.4	48.4 – 50.4
SEX	Men	49.7	46.6 – 52.9	50.5	49.1 – 51.9	49.4	48.0 – 50.7
	Women	48.9	46.4 – 51.4	50.3	48.8 – 51.8	49.4	48.0 – 50.8
RACE/ETHNICITY	Non-Hisp. White	52.2	49.2 – 55.1	51.9	50.7 – 53.0	51.1	50.1 – 52.0
	Non-Hisp. Black	44.4	38.7 – 50.1	45.5	42.9 – 48.1	42.8	40.6 – 45.0
	Hispanic	46.6	42.6 – 50.6	41.9	37.1 – 46.7	40.2 *	38.0 – 42.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.0	48.3 – 55.8	51.6	50.0 – 53.2	50.9	49.5 – 52.3
	Non-Hisp. White Women	52.4	49.0 – 55.8	52.2	50.5 – 54.0	51.3	49.9 – 52.6
	Non-Hisp. Black Men			47.4	46.0 – 48.8	41.0	37.6 – 44.4
	Non-Hisp. Black Women	47.6	42.8 – 52.4	44.1	40.2 – 47.9	44.8	42.0 – 47.5
	Hispanic Men			42.2	37.1 – 47.2	42.0	36.5 – 47.4
	Hispanic Women	46.0	40.9 – 51.1	41.7	37.1 – 46.2	38.8 *	37.4 – 40.3
AGE GROUP	18-44			30.8	28.9 – 32.7	31.6	29.2 – 34.0
	45-64	45.8	43.5 – 48.2	45.6	44.6 – 46.7	45.7	44.7 – 46.6
	65 & Older	59.7	57.5 – 61.9	61.0	60.1 – 61.9	59.9	58.9 – 60.9
EDUCATION LEVEL	<High School	50.0	44.4 – 55.6	49.2	45.6 – 52.8	48.3	46.0 – 50.6
	H.S. / GED	51.5	47.5 – 55.5	49.5	47.5 – 51.6	49.1	47.6 – 50.7
	>High School	48.5	45.9 – 51.1	51.2	50.0 – 52.4	50.0	48.8 – 51.3
ANNUAL INCOME	<\$25,000	51.8	48.7 – 54.9	49.2	47.3 – 51.1	48.1	46.7 – 49.6
	\$25,000-\$49,999	50.7	47.2 – 54.2	51.4	49.3 – 53.5	49.8	48.0 – 51.6
	\$50,000 or More	44.9	40.2 – 49.5	50.1	48.6 – 51.6	48.6	46.7 – 50.5
MARITAL STATUS	Married/Couple	48.3	45.4 – 51.2	50.0	48.8 – 51.3	48.5	47.3 – 49.7
	Not Married/Couple	50.6	47.5 – 53.8	51.1	49.5 – 52.7	51.2	49.7 – 52.6

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	21.0	19.1 – 23.0	26.4 *	25.3 – 27.5	27.3 *	25.9 – 28.7
SEX	Men	19.4	16.2 – 22.5	25.4 *	23.6 – 27.2	25.8 *	23.6 – 28.0
	Women	22.5	20.1 – 25.0	27.3 *	26.0 – 28.7	29.0 *	27.4 – 30.7
RACE/ETHNICITY	Non-Hisp. White	23.9	21.4 – 26.3	27.1	25.9 – 28.3	28.5 *	26.8 – 30.2
	Non-Hisp. Black	21.2	15.3 – 27.2	23.1	19.2 – 27.0	21.9	17.8 – 26.0
	Hispanic	15.5	11.4 – 19.6	22.0	15.7 – 28.4	15.2	11.6 – 18.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.5	16.8 – 24.2	25.9	24.0 – 27.7	26.7	24.2 – 29.3
	Non-Hisp. White Women	27.0	23.8 – 30.2	28.3	26.8 – 29.7	30.5	28.5 – 32.4
	Non-Hisp. Black Men	21.2	11.1 – 31.2	23.2	16.7 – 29.7	22.1	15.0 – 29.1
	Non-Hisp. Black Women	21.3	14.2 – 28.4	23.1	18.2 – 27.9	21.7	17.4 – 25.9
	Hispanic Men	15.3	8.6 – 22.1	22.4	10.5 – 34.3	12.2	7.6 – 16.7
AGE GROUP	Hispanic Women	15.6	10.8 – 20.4	21.7	16.7 – 26.6	18.9	13.3 – 24.5
	18-44	13.6	10.3 – 17.0	18.6	16.4 – 20.8	18.0	15.8 – 20.2
	45-64	22.0	19.0 – 25.1	30.0 *	28.2 – 31.8	32.4 *	29.8 – 35.0
EDUCATION LEVEL	65 & Older	31.5	27.9 – 35.1	32.7	31.2 – 34.1	34.2	32.1 – 36.3
	<High School	21.9	14.0 – 29.9	33.5	29.1 – 37.9	32.2	28.4 – 36.0
	H.S. / GED	22.1	17.9 – 26.3	26.8	24.8 – 28.9	28.2	25.7 – 30.8
ANNUAL INCOME	>High School	20.6	18.3 – 22.9	25.6 *	24.2 – 27.0	25.2 *	23.2 – 27.2
	<\$25,000	34.2	29.2 – 39.3	41.5	38.8 – 44.2	38.2	35.5 – 41.0
	\$25,000-\$49,999	19.8	15.6 – 24.0	25.9	23.7 – 28.0	26.4	23.6 – 29.3
MARITAL STATUS	\$50,000 or More	13.9	11.6 – 16.3	18.0 *	16.5 – 19.5	17.3	15.1 – 19.4
	Married/Couple	17.6	15.3 – 19.8	23.8 *	22.4 – 25.2	24.7 *	22.8 – 26.5
	Not Married/Couple	26.7	23.1 – 30.3	31.4	29.6 – 33.3	32.0	29.7 – 34.3

Percentage of adults who use special equipment because of a health problem

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	7.5	6.4 – 8.6	10.4 *	9.7 – 11.1	10.9 *	9.9 – 11.9
SEX	Men	6.3	4.7 – 8.0	10.8 *	9.7 – 11.9	11.0 *	9.3 – 12.6
	Women	8.6	7.2 – 10.1	10.0	9.2 – 10.8	10.8	9.9 – 11.7
RACE/ETHNICITY	Non-Hisp. White	8.6	7.1 – 10.0	10.6	9.8 – 11.3	10.9	9.8 – 12.1
	Non-Hisp. Black	11.3	7.0 – 15.6	13.0	9.9 – 16.1	12.5	8.4 – 16.6
	Hispanic	3.8	2.0 – 5.6	6.1	3.9 – 8.2	3.9	2.2 – 5.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.3	5.1 – 9.6	11.0 *	9.8 – 12.2	10.9	9.0 – 12.8
	Non-Hisp. White Women	9.8	7.9 – 11.6	10.2	9.3 – 11.0	11.0	10.0 – 12.0
	Non-Hisp. Black Men	8.9	2.9 – 14.9	16.8	10.7 – 22.8	13.6	6.2 – 21.0
	Non-Hisp. Black Women	13.2	7.3 – 19.2	10.4	7.4 – 13.4	11.4	8.3 – 14.6
	Hispanic Men	3.5	0.5 – 6.5	5.3	1.8 – 8.9	4.0	1.3 – 6.6
AGE GROUP	Hispanic Women	4.1	2.1 – 6.0	6.7	4.1 – 9.3	3.7	2.0 – 5.5
	18-44	2.7	1.3 – 4.0	3.2	2.4 – 4.1	4.6	3.4 – 5.7
	45-64	6.6	4.8 – 8.3	11.8 *	10.5 – 13.0	12.8 *	10.8 – 14.8
EDUCATION LEVEL	65 & Older	18.2	15.3 – 21.1	19.0	17.8 – 20.2	18.6	17.2 – 20.0
	<High School	9.0	4.9 – 13.1	15.4	12.4 – 18.4	15.2	12.6 – 17.8
	H.S. / GED	8.3	5.8 – 10.8	11.7	10.3 – 13.0	10.7	9.4 – 11.9
ANNUAL INCOME	>High School	7.1	5.8 – 8.4	9.3 *	8.5 – 10.1	9.8	8.1 – 11.4
	<\$25,000	14.4	11.2 – 17.5	18.8	17.0 – 20.7	18.4	16.1 – 20.6
	\$25,000-\$49,999	6.2	3.9 – 8.4	9.4	8.2 – 10.7	8.1	6.8 – 9.4
MARITAL STATUS	\$50,000 or More	4.2	2.8 – 5.6	5.4	4.6 – 6.2	5.9	4.2 – 7.6
	Married/Couple	5.7	4.4 – 7.0	8.8 *	8.0 – 9.6	9.0 *	7.7 – 10.3
	Not Married/Couple	10.6	8.5 – 12.7	13.4	12.2 – 14.6	14.3 *	12.9 – 15.8

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Family Planning

Percentage of females less than 45 years old or males less than 60 years old who report that they or their partner take measures to prevent pregnancy

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	53.9	49.5 – 58.3	58.1	55.8 – 60.4	56.2	53.6 – 58.8
SEX	Men	49.8	44.3 – 55.4	52.5	49.5 – 55.5	51.8	48.6 – 55.1
	Women	63.3	56.8 – 69.7	69.3	66.1 – 72.4	67.9	64.4 – 71.5
RACE/ETHNICITY	Non-Hisp. White	56.4	50.7 – 62.1	58.6	56.1 – 61.2	55.4	52.3 – 58.5
	Non-Hisp. Black	51.6	39.9 – 63.2	56.4	49.1 – 63.7	55.9	48.1 – 63.7
	Hispanic	53.1	44.0 – 62.3	61.0	51.8 – 70.2	64.7	57.5 – 71.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	50.8	43.8 – 57.8	53.2	50.0 – 56.5	50.6	46.7 – 54.5
	Non-Hisp. White Women	71.3	63.2 – 79.4	70.8	67.0 – 74.5	69.1	64.8 – 73.4
	Non-Hisp. Black Men	49.7	34.6 – 64.7	50.0	39.3 – 60.6	52.7	41.9 – 63.5
	Non-Hisp. Black Women	55.7	38.9 – 72.5	63.5	54.1 – 72.9	62.1	52.9 – 71.4
	Hispanic Men	48.5	36.5 – 60.5	52.6	39.4 – 65.9	65.0	55.6 – 74.5
	Hispanic Women	62.3	49.7 – 74.9	74.1	66.2 – 81.9	63.9	54.3 – 73.4
AGE GROUP	18-44	56.8	51.3 – 62.3	63.5	60.7 – 66.4	59.9	56.9 – 63.0
	45-64	48.2	40.6 – 55.8	46.3	42.3 – 50.3	48.6	43.8 – 53.4
EDUCATION LEVEL	<High School	59.8	41.3 – 78.3	46.2	38.2 – 54.3	52.0	45.4 – 58.5
	H.S. / GED	45.2	35.9 – 54.5	58.9	54.5 – 63.2	54.8	50.6 – 59.1
	>High School	56.3	51.1 – 61.4	59.2	56.4 – 62.1	58.7	55.1 – 62.3
ANNUAL INCOME	<\$25,000	43.2	32.9 – 53.5	48.0	43.0 – 53.0	53.1	48.4 – 57.7
	\$25,000-\$49,999	48.6	38.2 – 59.0	62.5	57.9 – 67.1	53.5	48.8 – 58.2
	\$50,000 or More	63.7	57.9 – 69.5	64.4	61.2 – 67.6	62.5	58.1 – 67.0
MARITAL STATUS	Married/Couple	65.2	60.0 – 70.4	66.8	64.0 – 69.6	66.4	63.4 – 69.3
	Not Married/Couple	34.6	27.6 – 41.5	42.2	38.3 – 46.0	40.2	36.0 – 44.4

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Health Care Access & Coverage

Percentage of adults who have a personal doctor

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	81.3	79.0 – 83.5	82.4	81.3 – 83.4	79.1	77.5 – 80.7
SEX	Men	79.5	75.8 – 83.2	78.8	76.9 – 80.6	73.6	71.0 – 76.2
	Women	82.9	80.2 – 85.5	85.7	84.6 – 86.9	85.5	84.0 – 87.0
RACE/ETHNICITY	Non-Hisp. White	85.9	83.6 – 88.3	84.4	83.2 – 85.5	81.2 *	79.4 – 83.0
	Non-Hisp. Black	79.6	73.0 – 86.2	78.4	73.9 – 82.9	80.5	75.9 – 85.0
	Hispanic	72.0	66.3 – 77.7	68.9	63.2 – 74.6	56.8 *	50.8 – 62.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.9	78.9 – 86.9	80.9	78.9 – 82.8	76.7	73.7 – 79.7
	Non-Hisp. White Women	88.7	86.2 – 91.2	87.6	86.5 – 88.8	86.4	84.7 – 88.0
	Non-Hisp. Black Men	78.3	67.2 – 89.3	71.6	63.2 – 80.0	72.8	64.8 – 80.7
	Non-Hisp. Black Women	80.6	72.8 – 88.5	83.2	78.5 – 87.8	88.4	84.9 – 91.9
AGE GROUP	Hispanic Men	71.1	61.9 – 80.4	63.5	53.5 – 73.6	42.3 *	33.7 – 51.0
	Hispanic Women	72.9	66.1 – 79.6	74.1	68.1 – 80.0	74.6	68.2 – 81.1
	18-44	67.1	62.2 – 71.9	68.2	65.7 – 70.7	65.0	62.0 – 68.1
EDUCATION LEVEL	45-64	85.5	82.6 – 88.4	87.2	86.0 – 88.5	83.6	81.4 – 85.9
	65 & Older	96.7	95.5 – 97.8	95.7	95.0 – 96.3	95.1	94.4 – 95.9
	<High School	69.6	59.5 – 79.7	67.1	62.0 – 72.2	66.1	61.5 – 70.6
ANNUAL INCOME	H.S. / GED	75.3	70.1 – 80.6	77.8	75.4 – 80.2	76.0	73.2 – 78.8
	>High School	84.5	82.0 – 87.0	86.0	84.9 – 87.2	85.3	83.4 – 87.2
	<\$25,000	67.8	62.1 – 73.5	73.4	70.9 – 75.8	70.3	67.5 – 73.1
MARITAL STATUS	\$25,000-\$49,999	78.7	73.4 – 84.0	81.9	79.7 – 84.1	83.3	80.7 – 85.9
	\$50,000 or More	89.0	86.5 – 91.5	89.1	87.7 – 90.5	87.4	84.8 – 90.0
	Married/Couple	85.1	82.6 – 87.7	85.7	84.5 – 86.8	82.7	81.0 – 84.4
	Not Married/Couple	74.7	70.5 – 78.9	76.1	74.0 – 78.3	72.5	69.5 – 75.4

Percentage of adults who could not see a doctor at least once in the past year due to cost

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	17.2	15.1 – 19.2	17.1	16.0 – 18.2	19.5	18.3 – 20.7
SEX	Men	14.3	11.1 – 17.4	16.1	14.2 – 18.0	17.0	15.3 – 18.8
	Women	19.9	17.2 – 22.5	18.1	16.8 – 19.3	22.4	20.8 – 24.0
RACE/ETHNICITY	Non-Hisp. White	10.7	8.8 – 12.7	14.6 *	13.5 – 15.7	17.4 *	16.0 – 18.7
	Non-Hisp. Black	21.4	14.9 – 27.8	22.3	18.0 – 26.6	23.6	19.4 – 27.9
	Hispanic	27.5	22.2 – 32.8	34.1	27.4 – 40.8	35.3	29.9 – 40.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.8	5.8 – 11.8	13.5	11.7 – 15.3	14.9 *	12.9 – 16.9
	Non-Hisp. White Women	12.6	10.0 – 15.2	15.6	14.3 – 16.9	20.2 *	18.4 – 22.0
	Non-Hisp. Black Men	25.6	13.9 – 37.2	24.2	16.3 – 32.1	20.6	13.7 – 27.4
	Non-Hisp. Black Women	18.0	11.4 – 24.7	20.9	16.2 – 25.6	26.7	21.6 – 31.7
AGE GROUP	Hispanic Men	20.0	12.1 – 27.8	34.8	22.8 – 46.8	32.2	25.6 – 38.9
	Hispanic Women	34.7	27.8 – 41.7	33.4	27.2 – 39.5	39.1	30.6 – 47.6
	18-44	24.3	19.9 – 28.7	25.8	23.4 – 28.3	26.9	24.4 – 29.3
EDUCATION LEVEL	45-64	17.3	14.5 – 20.2	17.5	15.9 – 19.0	20.7	18.7 – 22.7
	65 & Older	4.7	2.4 – 7.1	3.9	3.3 – 4.5	4.9	4.1 – 5.7
	<High School	28.1	18.7 – 37.5	32.3	27.2 – 37.3	37.1	32.9 – 41.3
ANNUAL INCOME	H.S. / GED	23.9	18.9 – 29.0	20.6	18.4 – 22.7	20.2	18.0 – 22.4
	>High School	13.8	11.6 – 16.0	13.9	12.6 – 15.3	13.8	12.4 – 15.3
	<\$25,000	36.7	31.2 – 42.2	35.8	32.9 – 38.7	34.7	32.1 – 37.4
MARITAL STATUS	\$25,000-\$49,999	18.3	13.8 – 22.8	18.9	16.6 – 21.1	18.3	15.7 – 20.9
	\$50,000 or More	5.9	4.0 – 7.8	6.0	5.0 – 7.0	6.3	5.0 – 7.7
	Married/Couple	13.7	11.4 – 16.1	13.8	12.5 – 15.1	17.2	15.8 – 18.7
	Not Married/Couple	22.9	19.0 – 26.7	23.4	21.4 – 25.5	23.6	21.3 – 25.8

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Health Care Access & Coverage

Percentage of adults who had a medical checkup in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	70.1	67.6 – 72.7	69.9	68.6 – 71.1	66.2	64.6 – 67.8
SEX	Men	67.9	63.8 – 71.9	65.9	63.8 – 68.0	62.6	59.9 – 65.2
	Women	72.2	69.2 – 75.3	73.5	72.1 – 74.9	70.4	68.6 – 72.2
RACE/ETHNICITY	Non-Hisp. White	74.3	71.5 – 77.2	70.8	69.5 – 72.2	66.7 *	64.8 – 68.6
	Non-Hisp. Black	71.6	64.7 – 78.6	72.2	67.4 – 77.0	72.1	67.1 – 77.2
	Hispanic	59.9	53.8 – 65.9	58.7	52.1 – 65.4	55.5	49.5 – 61.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	71.4	66.7 – 76.2	67.4	65.2 – 69.6	64.1	61.0 – 67.2
	Non-Hisp. White Women	77.0	73.8 – 80.3	74.0	72.4 – 75.5	69.7 *	67.6 – 71.7
	Non-Hisp. Black Men	65.5	53.6 – 77.4	63.0	54.3 – 71.8	65.9	57.4 – 74.4
	Non-Hisp. Black Women	76.4	68.4 – 84.4	78.6	73.7 – 83.5	78.5	73.5 – 83.4
	Hispanic Men	58.7	49.0 – 68.5	52.4	41.2 – 63.6	44.0	35.3 – 52.7
AGE GROUP	Hispanic Women	61.0	53.6 – 68.3	64.7	58.3 – 71.2	69.9	62.9 – 76.9
	18-44	55.8	50.8 – 60.8	52.4	49.8 – 55.0	52.5	49.4 – 55.6
	45-64	71.4	67.8 – 75.0	73.7	71.9 – 75.4	68.2	65.6 – 70.8
EDUCATION LEVEL	65 & Older	92.4	90.4 – 94.4	89.5	88.6 – 90.4	86.0 *	84.8 – 87.3
	<High School	65.4	55.4 – 75.5	56.0	50.9 – 61.1	56.4	51.8 – 61.0
	H.S. / GED	65.5	60.1 – 71.0	68.7	66.3 – 71.1	64.8	62.0 – 67.7
ANNUAL INCOME	>High School	72.2	69.3 – 75.2	71.8	70.3 – 73.4	70.2	68.0 – 72.4
	<\$25,000	65.3	59.7 – 70.8	62.0	59.2 – 64.8	59.5	56.6 – 62.4
	\$25,000-\$49,999	69.4	63.9 – 75.0	71.4	69.0 – 73.8	69.0	65.9 – 72.1
MARITAL STATUS	\$50,000 or More	73.3	69.7 – 76.9	73.9	72.0 – 75.8	71.2	68.3 – 74.2
	Married/Couple	72.8	69.7 – 75.8	71.8	70.3 – 73.4	68.7	66.7 – 70.6
	Not Married/Couple	65.8	61.4 – 70.1	66.0	63.8 – 68.2	61.6	58.8 – 64.5

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	84.2	82.4 – 85.9	82.5	81.6 – 83.4	77.6 *	76.1 – 79.0
SEX	Men	85.6	82.9 – 88.3	82.7	81.2 – 84.1	77.7 *	75.4 – 79.9
	Women	82.9	80.6 – 85.1	82.3	81.2 – 83.5	77.4 *	75.8 – 79.0
RACE/ETHNICITY	Non-Hisp. White	86.6	84.7 – 88.6	83.6 *	82.6 – 84.6	79.4 *	77.8 – 80.9
	Non-Hisp. Black	81.4	76.0 – 86.8	78.6	74.8 – 82.3	71.2	66.0 – 76.5
	Hispanic	80.4	76.2 – 84.6	77.7	73.0 – 82.4	68.7 *	62.9 – 74.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.6	84.5 – 90.6	83.4	81.9 – 85.0	79.0 *	76.4 – 81.6
	Non-Hisp. White Women	85.7	83.3 – 88.2	83.7	82.6 – 84.9	79.8 *	78.3 – 81.3
	Non-Hisp. Black Men	83.3	74.8 – 91.8	80.2	74.0 – 86.4	73.8	66.1 – 81.4
	Non-Hisp. Black Women	79.9	72.9 – 86.9	77.4	72.7 – 82.1	68.7	61.7 – 75.8
	Hispanic Men	83.8	77.6 – 90.1	77.9	69.8 – 85.9	71.4	63.4 – 79.4
AGE GROUP	Hispanic Women	77.2	71.6 – 82.7	77.5	72.5 – 82.6	65.4	56.8 – 73.9
	18-44	91.2	88.5 – 93.8	89.0	87.4 – 90.6	85.5 *	83.5 – 87.4
	45-64	83.7	80.9 – 86.5	79.8	78.2 – 81.4	73.0 *	70.2 – 75.8
EDUCATION LEVEL	65 & Older	73.0	69.5 – 76.6	77.0	75.7 – 78.3	71.9	70.1 – 73.6
	<High School	66.1	57.1 – 75.1	62.0	57.4 – 66.6	57.7	53.3 – 62.1
	H.S. / GED	76.3	71.8 – 80.8	77.0	75.0 – 79.0	74.7	72.3 – 77.2
ANNUAL INCOME	>High School	88.7	87.0 – 90.4	87.0	86.1 – 88.0	85.5	83.7 – 87.3
	<\$25,000	68.5	63.7 – 73.3	65.6	63.2 – 68.1	61.6	58.9 – 64.4
	\$25,000-\$49,999	85.6	82.0 – 89.1	83.8	82.0 – 85.7	80.3	77.0 – 83.6
MARITAL STATUS	\$50,000 or More	93.8	92.1 – 95.4	91.9	90.9 – 93.0	91.2	89.4 – 93.0
	Married/Couple	87.4	85.4 – 89.4	84.9	83.8 – 86.0	80.2 *	78.3 – 82.0
	Not Married/Couple	78.7	75.4 – 81.9	77.9	76.3 – 79.6	72.8 *	70.6 – 75.1

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	93.0	91.6 – 94.4	93.1	92.3 – 93.9	93.3	92.6 – 93.9
SEX	Men	92.3	89.9 – 94.7	92.2	90.9 – 93.5	93.4	92.4 – 94.4
	Women	93.6	92.0 – 95.2	93.9	93.1 – 94.7	93.1	92.1 – 94.0
RACE/ETHNICITY	Non-Hisp. White	92.6	90.8 – 94.4	93.1	92.3 – 93.9	93.4	92.6 – 94.2
	Non-Hisp. Black	91.0	86.2 – 95.7	93.5	91.1 – 95.9	93.6	91.7 – 95.5
	Hispanic	95.0	92.4 – 97.7	94.8	90.8 – 98.7	94.1	91.5 – 96.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.4	89.6 – 95.3	92.4	91.0 – 93.7	93.3	92.1 – 94.4
	Non-Hisp. White Women	92.7	90.5 – 94.9	93.8	92.9 – 94.8	93.5	92.5 – 94.6
	Non-Hisp. Black Men	88.2	79.4 – 97.1	93.2	88.8 – 97.5	95.4	92.7 – 98.1
	Non-Hisp. Black Women	93.0	88.1 – 97.9	93.8	91.2 – 96.4	91.9	89.3 – 94.5
	Hispanic Men	94.7	89.9 – 99.5	92.2	84.5 – 99.9	96.6	94.0 – 99.3
AGE GROUP	Hispanic Women	95.4	92.9 – 97.9	97.2	95.7 – 98.7	90.8	86.0 – 95.6
	18-44	93.4	90.6 – 96.2	92.5	91.0 – 93.9	92.9	91.5 – 94.2
	45-64	91.1	88.8 – 93.4	91.4	90.0 – 92.7	91.8	90.6 – 92.9
EDUCATION LEVEL	65 & Older	96.1	94.8 – 97.4	96.6	96.1 – 97.2	96.4	95.8 – 97.1
	<High School	90.5	83.8 – 97.2	83.1	78.5 – 87.6	87.3	84.4 – 90.2
	H.S. / GED	90.9	87.8 – 94.1	92.9	91.6 – 94.2	92.5	91.3 – 93.7
ANNUAL INCOME	>High School	93.9	92.3 – 95.5	94.1	93.2 – 95.0	95.4	94.7 – 96.2
	<\$25,000	83.1	78.6 – 87.6	86.3	84.4 – 88.2	86.4	84.7 – 88.1
	\$25,000-\$49,999	93.1	89.9 – 96.3	94.5	93.3 – 95.8	95.2	93.9 – 96.4
MARITAL STATUS	\$50,000 or More	97.4	96.2 – 98.6	96.5	95.5 – 97.6	98.0	97.3 – 98.7
	Married/Couple	96.2	95.0 – 97.4	95.4	94.6 – 96.2	95.9	95.2 – 96.6
	Not Married/Couple	87.5	84.3 – 90.6	88.7	87.1 – 90.2	88.5	87.0 – 90.0

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	79.2	76.9 – 81.5	80.0	78.8 – 81.1	77.8	76.4 – 79.2
SEX	Men	77.6	73.7 – 81.6	78.2	76.3 – 80.2	76.6	74.4 – 78.8
	Women	80.6	78.0 – 83.2	81.6	80.4 – 82.8	79.1	77.5 – 80.7
RACE/ETHNICITY	Non-Hisp. White	83.9	81.4 – 86.3	82.4	81.3 – 83.4	80.3	78.8 – 81.8
	Non-Hisp. Black	70.9	64.0 – 77.9	68.6	63.7 – 73.4	64.9	60.0 – 69.9
	Hispanic	74.2	68.1 – 80.3	71.5	64.4 – 78.6	71.4	65.7 – 77.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.7	77.6 – 85.8	81.2	79.4 – 83.0	78.6	76.2 – 81.1
	Non-Hisp. White Women	85.9	83.2 – 88.5	83.4	82.2 – 84.7	82.2	80.7 – 83.7
	Non-Hisp. Black Men	74.6	63.0 – 86.2	64.4	55.5 – 73.2	65.2	56.8 – 73.6
	Non-Hisp. Black Women	68.2	59.7 – 76.6	71.6	66.3 – 76.9	64.7	59.2 – 70.1
	Hispanic Men	70.6	60.1 – 81.0	64.1	51.4 – 76.7	71.2	63.4 – 79.1
AGE GROUP	Hispanic Women	77.6	71.2 – 84.0	78.3	73.1 – 83.6	71.6	63.2 – 80.1
	18-44	80.4	75.7 – 85.0	78.9	76.4 – 81.3	78.5	76.0 – 81.1
	45-64	79.4	76.0 – 82.9	80.6	79.0 – 82.2	76.5	74.2 – 78.8
EDUCATION LEVEL	65 & Older	76.8	73.2 – 80.5	80.9	79.7 – 82.2	79.0	77.3 – 80.6
	<High School	61.0	50.4 – 71.6	56.2	50.9 – 61.5	57.4	52.9 – 62.0
	H.S. / GED	72.9	67.6 – 78.2	75.4	73.2 – 77.6	74.9	72.8 – 77.1
ANNUAL INCOME	>High School	83.0	80.4 – 85.7	84.3	83.0 – 85.6	85.4	83.9 – 87.0
	<\$25,000	62.0	56.5 – 67.6	64.9	62.0 – 67.8	64.9	62.1 – 67.6
	\$25,000-\$49,999	78.8	73.2 – 84.4	80.7	78.6 – 82.8	78.8	76.3 – 81.3
MARITAL STATUS	\$50,000 or More	87.4	84.4 – 90.4	89.6	88.3 – 90.8	89.8	87.8 – 91.8
	Married/Couple	84.6	82.0 – 87.3	84.8	83.4 – 86.1	83.5	82.0 – 85.0
	Not Married/Couple	69.9	65.5 – 74.2	70.8	68.7 – 72.9	67.4	64.7 – 70.0

Percentage of adults with good physical health

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	88.9	87.4 – 90.5	86.5 *	85.7 – 87.3	85.3 *	84.4 – 86.3
SEX	Men	89.8	87.3 – 92.3	87.5	86.3 – 88.8	86.7	85.4 – 88.1
	Women	88.1	86.2 – 90.0	85.5	84.4 – 86.6	83.7 *	82.4 – 85.1
RACE/ETHNICITY	Non-Hisp. White	88.1	86.2 – 90.0	86.6	85.7 – 87.5	85.7	84.7 – 86.7
	Non-Hisp. Black	88.2	83.4 – 93.0	86.8	83.8 – 89.8	87.1	84.2 – 90.0
	Hispanic	91.0	87.9 – 94.0	87.9	84.7 – 91.2	84.4	79.2 – 89.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	89.0	85.9 – 92.1	87.3	86.0 – 88.7	86.8	85.2 – 88.3
	Non-Hisp. White Women	87.3	84.8 – 89.7	85.9	84.7 – 87.1	84.4	83.1 – 85.7
	Non-Hisp. Black Men	86.5	78.2 – 94.8	86.4	81.1 – 91.7	88.5	84.0 – 93.1
	Non-Hisp. Black Women	89.5	83.8 – 95.1	87.1	83.5 – 90.6	85.7	82.1 – 89.4
	Hispanic Men	94.1	89.4 – 98.9	91.8	86.9 – 96.8	90.3	86.2 – 94.3
AGE GROUP	Hispanic Women	88.0	84.1 – 91.9	84.2	80.1 – 88.3	77.2	67.5 – 86.9
	18-44	93.9	91.4 – 96.4	91.5	90.2 – 92.9	90.8	89.3 – 92.4
	45-64	87.3	84.7 – 89.8	83.4	81.9 – 84.9	82.1 *	80.4 – 83.8
EDUCATION LEVEL	65 & Older	83.9	81.1 – 86.6	83.9	82.7 – 85.1	81.5	80.0 – 83.0
	<High School	83.9	77.4 – 90.4	75.0	70.9 – 79.0	75.5	72.2 – 78.8
	H.S. / GED	84.5	80.6 – 88.3	83.7	82.0 – 85.5	83.1	81.3 – 85.0
ANNUAL INCOME	>High School	90.8	89.1 – 92.5	88.8	87.9 – 89.8	89.7	88.7 – 90.7
	<\$25,000	80.3	76.0 – 84.6	73.2 *	70.9 – 75.5	75.6	73.6 – 77.6
	\$25,000-\$49,999	89.1	85.6 – 92.6	87.5	85.8 – 89.1	87.4	85.4 – 89.5
MARITAL STATUS	\$50,000 or More	93.6	91.9 – 95.3	93.1	92.1 – 94.0	93.4	92.2 – 94.5
	Married/Couple	91.2	89.5 – 92.9	88.5	87.5 – 89.5	87.7 *	86.6 – 88.7
	Not Married/Couple	85.0	82.0 – 88.0	82.6	81.1 – 84.0	81.1	79.2 – 83.0

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Health Status & Quality of Life

Percentage of adults with good mental health

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	88.3	86.6 – 90.0	88.3	87.5 – 89.1	86.5	85.3 – 87.7
SEX	Men	88.8	86.0 – 91.6	89.7	88.5 – 91.0	87.6	85.6 – 89.5
	Women	87.8	85.7 – 89.8	87.0	86.0 – 88.0	85.3	84.1 – 86.5
RACE/ETHNICITY	Non-Hisp. White	89.2	87.3 – 91.1	88.3	87.4 – 89.2	86.7	85.4 – 88.1
	Non-Hisp. Black	92.3	88.5 – 96.2	89.4	86.5 – 92.2	86.5	82.9 – 90.1
	Hispanic	83.7	79.1 – 88.4	88.9	85.9 – 91.9	88.6	85.0 – 92.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.5	87.6 – 93.3	89.5	88.1 – 90.9	88.1	85.8 – 90.4
	Non-Hisp. White Women	88.0	85.5 – 90.5	87.3	86.1 – 88.4	85.2	83.9 – 86.6
	Non-Hisp. Black Men	94.6	89.3 – 99.9	90.6	86.1 – 95.1	86.1	80.0 – 92.3
	Non-Hisp. Black Women	90.6	85.2 – 95.9	88.5	84.8 – 92.2	86.8	83.0 – 90.6
	Hispanic Men	83.6	75.9 – 91.3	93.9	90.2 – 97.6	90.3	85.5 – 95.1
AGE GROUP	Hispanic Women	83.9	78.7 – 89.1	84.1	79.6 – 88.5	86.4	81.2 – 91.7
	18-44	88.1	84.7 – 91.5	87.0	85.4 – 88.6	84.6	82.1 – 87.1
	45-64	87.1	84.6 – 89.7	86.1	84.7 – 87.4	85.0	83.4 – 86.7
EDUCATION LEVEL	65 & Older	91.2	88.6 – 93.8	93.5	92.7 – 94.3	92.5	91.5 – 93.5
	<High School	82.8	74.7 – 90.9	74.5	70.2 – 78.9	75.2	70.6 – 79.7
	H.S. / GED	85.7	81.6 – 89.7	87.1	85.5 – 88.7	85.3	83.6 – 87.0
ANNUAL INCOME	>High School	89.6	87.7 – 91.5	90.2	89.3 – 91.1	90.6	89.2 – 92.1
	<\$25,000	77.0	72.0 – 82.0	77.4	75.2 – 79.6	77.9	75.8 – 79.9
	\$25,000-\$49,999	88.4	84.8 – 91.9	89.2	87.5 – 90.8	88.3	85.5 – 91.1
MARITAL STATUS	\$50,000 or More	94.2	92.4 – 95.9	93.6	92.6 – 94.6	93.3	91.2 – 95.4
	Married/Couple	90.2	88.2 – 92.3	91.2	90.3 – 92.1	89.2	87.9 – 90.5
	Not Married/Couple	84.9	81.8 – 88.0	82.6	81.0 – 84.2	81.7	79.4 – 84.0

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	4.9	4.3 – 5.6	5.3	4.9 – 5.6	5.9	5.6 – 6.3
SEX	Men	5.6	4.3 – 6.9	5.5	4.9 – 6.0	6.2	5.6 – 6.7
	Women	4.5	3.8 – 5.1	5.1	4.7 – 5.4	5.7 *	5.3 – 6.1
RACE/ETHNICITY	Non-Hisp. White	4.7	4.0 – 5.4	5.1	4.7 – 5.4	5.9 *	5.5 – 6.3
	Non-Hisp. Black	4.6	2.7 – 6.6	6.2	5.1 – 7.3	6.1	5.0 – 7.2
	Hispanic	6.1	4.4 – 7.7	5.3	3.9 – 6.6	4.9	3.8 – 6.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.9	3.6 – 6.2	5.4	4.8 – 6.0	6.2	5.6 – 6.9
	Non-Hisp. White Women	4.5	3.7 – 5.3	4.9	4.5 – 5.2	5.6	5.2 – 6.1
	Non-Hisp. Black Men	4.8	1.5 – 8.2	7.6	5.5 – 9.6	6.6	4.5 – 8.6
	Non-Hisp. Black Women	4.5	2.1 – 6.9	5.4	4.2 – 6.6	5.8	4.8 – 6.8
	Hispanic Men	8.2	4.6 – 11.8	4.8	2.7 – 6.9	4.2	3.0 – 5.3
AGE GROUP	Hispanic Women	4.7	3.3 – 6.0	5.7	4.3 – 7.1	5.6	3.9 – 7.4
	18-44	4.0	2.8 – 5.3	3.7	3.2 – 4.2	4.1	3.6 – 4.7
	45-64	5.1	4.1 – 6.2	6.8 *	6.2 – 7.3	7.4 *	6.9 – 8.0
EDUCATION LEVEL	65 & Older	5.9	4.9 – 7.0	5.4	4.9 – 5.8	6.5	5.9 – 7.0
	<High School	5.7	2.8 – 8.7	9.0	7.6 – 10.3	8.4	7.3 – 9.5
	H.S. / GED	5.6	4.2 – 7.0	6.1	5.5 – 6.8	6.3	5.7 – 6.8
ANNUAL INCOME	>High School	4.6	3.9 – 5.4	4.4	4.0 – 4.7	4.6	4.2 – 5.1
	<\$25,000	7.9	6.3 – 9.4	8.5	7.8 – 9.3	8.6	8.0 – 9.2
	\$25,000-\$49,999	5.3	3.8 – 6.9	4.4	3.8 – 4.9	4.9	4.3 – 5.5
MARITAL STATUS	\$50,000 or More	2.8	2.0 – 3.5	3.1	2.7 – 3.5	3.0	2.5 – 3.5
	Married/Couple	4.0	3.3 – 4.7	4.5	4.1 – 4.9	5.2 *	4.8 – 5.6
	Not Married/Couple	6.3	5.1 – 7.5	6.4	5.9 – 6.9	7.1	6.5 – 7.7

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	3.7	3.3 – 4.1	4.3 *	4.1 – 4.5	4.7 *	4.4 – 5.0
SEX	Men	3.5	2.8 – 4.2	4.0	3.7 – 4.3	4.3	3.9 – 4.6
	Women	3.9	3.5 – 4.4	4.7 *	4.4 – 4.9	5.2 *	4.9 – 5.5
RACE/ETHNICITY	Non-Hisp. White	3.9	3.4 – 4.4	4.3	4.1 – 4.6	4.6	4.3 – 4.9
	Non-Hisp. Black	3.7	2.6 – 4.9	4.3	3.5 – 5.0	4.4	3.7 – 5.2
	Hispanic	3.4	2.6 – 4.2	4.1	3.4 – 4.8	4.8	4.0 – 5.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.8	2.9 – 4.6	4.0	3.7 – 4.4	4.3	3.9 – 4.7
	Non-Hisp. White Women	4.0	3.5 – 4.6	4.6	4.3 – 4.9	5.0 *	4.7 – 5.3
	Non-Hisp. Black Men	4.1	1.9 – 6.2	4.3	3.0 – 5.6	3.6	2.7 – 4.6
	Non-Hisp. Black Women	3.5	2.2 – 4.7	4.2	3.4 – 5.1	5.2	4.5 – 5.9
AGE GROUP	Hispanic Men	2.5	1.1 – 4.0	3.3	2.3 – 4.2	3.2	2.2 – 4.2
	Hispanic Women	4.2	3.2 – 5.1	4.9	4.0 – 5.7	6.8 *	5.5 – 8.1
	18-44	2.5	1.9 – 3.2	3.0	2.7 – 3.4	3.2	2.8 – 3.5
	45-64	4.1	3.4 – 4.7	5.1 *	4.8 – 5.5	5.6 *	5.2 – 6.1
EDUCATION LEVEL	65 & Older	5.0	4.3 – 5.7	5.1	4.8 – 5.3	5.7	5.3 – 6.1
	<High School	5.5	3.9 – 7.1	7.3	6.4 – 8.3	7.6	6.7 – 8.5
	H.S. / GED	4.7	3.8 – 5.6	5.1	4.6 – 5.5	5.3	4.9 – 5.7
ANNUAL INCOME	>High School	3.3	2.8 – 3.7	3.7	3.5 – 4.0	3.5	3.2 – 3.7
	<\$25,000	6.0	4.9 – 7.2	7.9 *	7.4 – 8.5	7.6	7.1 – 8.1
	\$25,000-\$49,999	3.9	3.0 – 4.7	4.0	3.6 – 4.4	4.0	3.6 – 4.5
MARITAL STATUS	\$50,000 or More	2.4	2.0 – 2.9	2.6	2.3 – 2.8	2.3	2.1 – 2.6
	Married/Couple	3.1	2.7 – 3.6	3.7	3.5 – 4.0	4.0 *	3.8 – 4.3
	Not Married/Couple	4.8	4.0 – 5.5	5.5	5.2 – 5.9	5.9	5.4 – 6.4

Average number of unhealthy mental days in the past 30 days

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	3.7	3.2 – 4.1	3.8	3.6 – 4.0	4.3	3.9 – 4.6
SEX	Men	3.4	2.7 – 4.1	3.4	3.1 – 3.7	3.9	3.4 – 4.4
	Women	3.9	3.4 – 4.4	4.2	3.9 – 4.4	4.6	4.3 – 4.9
RACE/ETHNICITY	Non-Hisp. White	3.5	3.0 – 4.0	3.8	3.5 – 4.0	4.2	3.8 – 4.6
	Non-Hisp. Black	2.9	1.9 – 4.0	3.7	3.0 – 4.4	3.9	3.2 – 4.6
	Hispanic	4.4	3.4 – 5.5	3.6	2.9 – 4.4	4.2	3.2 – 5.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.3	2.5 – 4.1	3.4	3.1 – 3.8	3.8	3.2 – 4.4
	Non-Hisp. White Women	3.7	3.2 – 4.3	4.1	3.8 – 4.4	4.6	4.3 – 5.0
	Non-Hisp. Black Men	2.0	0.5 – 3.5	3.5	2.4 – 4.6	3.5	2.5 – 4.5
	Non-Hisp. Black Women	3.6	2.2 – 5.1	3.8	3.1 – 4.6	4.3	3.5 – 5.1
AGE GROUP	Hispanic Men	3.9	2.2 – 5.6	2.5	1.7 – 3.3	4.1	2.8 – 5.3
	Hispanic Women	5.0	3.7 – 6.2	4.7	3.7 – 5.7	4.4	3.0 – 5.8
	18-44	3.7	2.9 – 4.5	4.3	3.9 – 4.7	4.9	4.3 – 5.6
	45-64	4.0	3.3 – 4.7	4.4	4.1 – 4.8	4.6	4.2 – 5.0
EDUCATION LEVEL	65 & Older	2.8	2.1 – 3.5	2.1	1.9 – 2.3	2.5	2.2 – 2.7
	<High School	5.7	3.5 – 7.9	7.4	6.3 – 8.5	7.4	6.1 – 8.7
	H.S. / GED	4.5	3.5 – 5.4	4.2	3.8 – 4.6	4.5	4.1 – 5.0
ANNUAL INCOME	>High School	3.2	2.7 – 3.7	3.3	3.0 – 3.5	3.2	2.8 – 3.5
	<\$25,000	6.9	5.7 – 8.1	6.8	6.3 – 7.4	6.7	6.2 – 7.2
	\$25,000-\$49,999	3.6	2.7 – 4.6	3.7	3.3 – 4.1	3.7	3.0 – 4.5
MARITAL STATUS	\$50,000 or More	2.1	1.7 – 2.5	2.3	2.0 – 2.5	2.3	1.8 – 2.9
	Married/Couple	3.2	2.6 – 3.7	3.0	2.8 – 3.2	3.6	3.2 – 4.0
	Not Married/Couple	4.5	3.8 – 5.2	5.3	4.9 – 5.7	5.5	4.9 – 6.0

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	49.8	46.6 – 53.1	47.5	45.8 – 49.2	46.0	44.0 – 48.0
SEX	Men	46.8	41.6 – 51.9	44.5	41.8 – 47.2	41.8	38.8 – 44.9
	Women	52.8	48.9 – 56.8	50.4	48.4 – 52.5	51.2	48.8 – 53.5
RACE/ETHNICITY	Non-Hisp. White	40.9	36.9 – 44.8	43.2	41.4 – 45.1	42.7	40.3 – 45.0
	Non-Hisp. Black	64.0	55.8 – 72.3	71.5	66.5 – 76.5	65.1	59.6 – 70.7
	Hispanic	56.0	48.9 – 63.0	57.4	50.4 – 64.4	50.5	44.2 – 56.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.5	33.4 – 45.6	41.4	38.4 – 44.3	38.8	35.4 – 42.3
	Non-Hisp. White Women	42.3	37.4 – 47.2	45.1	42.8 – 47.4	47.4	44.7 – 50.1
	Non-Hisp. Black Men	52.8	38.6 – 67.0	66.8	57.8 – 75.7	61.8	51.9 – 71.7
	Non-Hisp. Black Women	73.0	64.5 – 81.6	75.1	69.7 – 80.6	68.5	63.7 – 73.3
AGE GROUP	Hispanic Men	54.4	43.1 – 65.6	49.0	36.6 – 61.3	43.0	33.7 – 52.3
	Hispanic Women	57.5	49.0 – 66.0	65.8	58.8 – 72.7	60.8	53.4 – 68.2
	18-44	54.7	49.5 – 59.9	58.9	56.2 – 61.5	56.4	53.4 – 59.4
	45-64	46.0	41.8 – 50.1	36.5 *	34.4 – 38.6	35.5 *	33.0 – 38.0
EDUCATION LEVEL	<High School	43.7	30.1 – 57.3	51.7	45.0 – 58.4	45.2	40.0 – 50.3
	H.S. / GED	42.9	36.0 – 49.9	43.9	40.7 – 47.2	46.1	42.8 – 49.4
	>High School	52.7	49.0 – 56.5	48.6	46.5 – 50.7	46.3	43.3 – 49.3
ANNUAL INCOME	<\$25,000	53.9	46.7 – 61.0	55.2	51.5 – 58.8	55.1	51.7 – 58.4
	\$25,000-\$49,999	55.4	47.9 – 63.0	49.7	46.2 – 53.3	44.4	40.7 – 48.2
	\$50,000 or More	49.1	44.6 – 53.6	43.9	41.4 – 46.4	41.5	37.9 – 45.1
MARITAL STATUS	Married/Couple	50.1	46.1 – 54.1	45.0	42.9 – 47.1	42.2 *	39.8 – 44.7
	Not Married/Couple	49.6	44.0 – 55.1	52.7	49.7 – 55.6	53.1	49.7 – 56.6

Percentage of adults less than 65 years who think they can get AIDS virus from mosquitos

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	17.5	15.0 – 20.0	20.1	18.5 – 21.7	24.2 *	22.4 – 25.9
SEX	Men	16.8	12.9 – 20.7	23.2	20.6 – 25.9	26.7 *	23.9 – 29.4
	Women	18.1	15.0 – 21.3	17.1	15.3 – 18.9	21.3	19.2 – 23.3
RACE/ETHNICITY	Non-Hisp. White	16.6	13.5 – 19.7	17.4	15.7 – 19.1	21.4	19.6 – 23.2
	Non-Hisp. Black	21.4	14.1 – 28.7	36.2 *	29.7 – 42.8	38.0 *	31.0 – 45.1
	Hispanic	18.8	13.1 – 24.4	28.3	21.3 – 35.2	34.0 *	27.0 – 41.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.4	11.6 – 21.2	20.7	17.9 – 23.5	23.5	20.7 – 26.3
	Non-Hisp. White Women	16.8	12.7 – 20.8	14.3	12.3 – 16.2	18.9	16.8 – 21.0
	Non-Hisp. Black Men	22.4	8.7 – 36.0	43.3	31.4 – 55.2	44.3	32.6 – 55.9
	Non-Hisp. Black Women	20.7	12.9 – 28.6	31.4	24.2 – 38.5	31.4	25.1 – 37.7
AGE GROUP	Hispanic Men	17.1	8.3 – 25.9	30.2	18.5 – 41.9	39.4 *	28.3 – 50.5
	Hispanic Women	20.3	13.1 – 27.5	26.5	18.8 – 34.3	27.5	19.9 – 35.1
	18-44	16.7	12.7 – 20.7	23.4	20.7 – 26.1	29.3 *	26.5 – 32.2
	45-64	18.2	15.0 – 21.4	17.2	15.4 – 19.0	19.5	17.7 – 21.2
EDUCATION LEVEL	<High School	35.4	21.9 – 48.9	49.6	41.8 – 57.3	43.3	37.3 – 49.4
	H.S. / GED	29.1	22.0 – 36.2	28.4	24.7 – 32.0	31.0	27.8 – 34.2
	>High School	12.7	10.3 – 15.1	14.8	13.1 – 16.6	15.4	13.3 – 17.4
ANNUAL INCOME	<\$25,000	27.6	20.9 – 34.2	33.9	29.9 – 37.8	34.3	30.8 – 37.7
	\$25,000-\$49,999	20.4	14.4 – 26.5	21.4	17.8 – 25.1	22.4	19.2 – 25.6
	\$50,000 or More	11.8	8.8 – 14.7	11.8	9.9 – 13.6	13.5	11.2 – 15.9
MARITAL STATUS	Married/Couple	14.5	11.7 – 17.3	16.5	14.8 – 18.3	20.4 *	18.4 – 22.3
	Not Married/Couple	22.7	17.9 – 27.4	27.1	23.9 – 30.2	31.2 *	27.9 – 34.5

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	32.1	29.7 – 34.4	35.5	34.3 – 36.7	37.9 *	36.3 – 39.4
SEX	Men	33.7	29.8 – 37.6	38.2	36.2 – 40.2	39.3	36.6 – 41.9
	Women	30.6	27.7 – 33.4	33.0	31.6 – 34.4	36.3 *	34.5 – 38.0
RACE/ETHNICITY	Non-Hisp. White	32.7	30.0 – 35.5	36.4	35.1 – 37.7	38.5 *	36.7 – 40.3
	Non-Hisp. Black	42.2	34.6 – 49.9	40.6	35.7 – 45.5	44.8	39.7 – 50.0
	Hispanic	25.7	20.5 – 30.8	23.0	18.2 – 27.7	20.9	15.6 – 26.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.8	30.2 – 39.5	39.6	37.4 – 41.7	40.4	37.4 – 43.5
	Non-Hisp. White Women	30.8	27.5 – 34.1	33.4	32.0 – 34.9	36.3 *	34.4 – 38.3
	Non-Hisp. Black Men	41.3	28.4 – 54.2	38.3	30.0 – 46.5	40.3	31.8 – 48.7
	Non-Hisp. Black Women	42.9	33.5 – 52.3	42.2	36.3 – 48.1	49.1	43.6 – 54.5
	Hispanic Men	27.1	18.6 – 35.6	27.2	18.7 – 35.7	20.7	12.5 – 28.9
AGE GROUP	Hispanic Women	24.4	18.3 – 30.5	18.7	14.3 – 23.1	21.2	15.3 – 27.1
	18-44	10.6	7.7 – 13.6	14.7	12.8 – 16.5	16.5 *	14.4 – 18.7
	45-64	34.4	30.6 – 38.3	38.1	36.1 – 40.1	43.4 *	40.3 – 46.4
EDUCATION LEVEL	65 & Older	62.8	59.1 – 66.5	60.9	59.3 – 62.5	63.4	61.3 – 65.6
	<High School	41.4	31.2 – 51.6	40.1	35.2 – 45.1	40.9	36.9 – 44.9
	H.S. / GED	37.9	32.6 – 43.1	38.7	36.4 – 41.0	39.3	36.8 – 41.8
ANNUAL INCOME	>High School	29.3	26.6 – 32.1	33.7 *	32.3 – 35.2	36.0 *	33.7 – 38.4
	<\$25,000	42.9	37.4 – 48.4	42.1	39.4 – 44.8	43.7	40.8 – 46.5
	\$25,000-\$49,999	32.8	27.5 – 38.1	38.5	36.0 – 41.0	39.1	36.0 – 42.2
MARITAL STATUS	\$50,000 or More	25.7	22.3 – 29.1	29.7	27.9 – 31.5	30.9	28.1 – 33.7
	Married/Couple	31.1	28.0 – 34.1	34.7	33.2 – 36.2	37.2 *	35.1 – 39.3
	Not Married/Couple	33.9	30.0 – 37.7	37.1	35.1 – 39.1	39.0	36.5 – 41.5

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Immunization

Percentage of adults who received a flu shot in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	33.6	31.2 – 35.9	39.1 *	37.9 – 40.3	34.7	33.2 – 36.2
SEX	Men	32.4	28.5 – 36.2	38.1	36.1 – 40.0	32.5	30.1 – 34.9
	Women	34.7	31.8 – 37.5	40.0 *	38.5 – 41.4	37.2	35.4 – 39.1
RACE/ETHNICITY	Non-Hisp. White	40.3	37.3 – 43.3	42.2	40.9 – 43.5	36.4	34.7 – 38.2
	Non-Hisp. Black	22.6	16.9 – 28.4	25.0	21.1 – 28.8	30.9	26.0 – 35.8
	Hispanic	24.9	19.5 – 30.4	26.2	21.4 – 31.0	24.2	19.3 – 29.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.5	30.8 – 40.1	41.1	38.9 – 43.2	33.9	31.1 – 36.8
	Non-Hisp. White Women	44.9	41.2 – 48.6	43.3	41.7 – 44.9	39.3	37.2 – 41.4
	Non-Hisp. Black Men	24.4	13.7 – 35.0	25.2	18.6 – 31.7	30.7	22.5 – 38.9
	Non-Hisp. Black Women	21.4	15.1 – 27.7	24.8	20.1 – 29.5	31.1	25.4 – 36.7
	Hispanic Men	27.5	18.5 – 36.6	25.2	17.5 – 32.9	22.6	15.3 – 29.9
AGE GROUP	Hispanic Women	22.4	16.2 – 28.5	27.2	21.5 – 32.9	26.3	19.9 – 32.8
	18-44	24.0	19.4 – 28.5	21.5	19.5 – 23.5	19.4	17.1 – 21.7
	45-64	28.9	25.4 – 32.3	36.6 *	34.7 – 38.5	33.2	30.4 – 36.0
EDUCATION LEVEL	65 & Older	61.1	57.3 – 64.9	68.1 *	66.7 – 69.6	64.0	62.0 – 66.0
	<High School	33.7	24.6 – 42.9	27.4	23.4 – 31.4	25.2	21.9 – 28.5
	H.S. / GED	29.1	24.4 – 33.7	35.4	33.1 – 37.6	31.7	29.5 – 34.0
ANNUAL INCOME	>High School	35.2	32.3 – 38.1	41.8 *	40.3 – 43.3	39.7	37.4 – 42.1
	<\$25,000	30.3	25.6 – 35.0	33.5	31.2 – 35.8	31.0	28.3 – 33.6
	\$25,000-\$49,999	34.0	28.4 – 39.6	40.9	38.4 – 43.3	37.0	33.9 – 40.1
MARITAL STATUS	\$50,000 or More	33.4	29.8 – 36.9	40.7 *	38.7 – 42.6	37.3	34.2 – 40.5
	Married/Couple	33.3	30.4 – 36.3	40.6 *	39.1 – 42.1	37.0	35.0 – 39.0
	Not Married/Couple	33.7	29.7 – 37.7	36.1	34.2 – 38.0	30.8	28.6 – 33.0

Percentage of adults age 65 and older who received a flu shot in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	61.1	57.3 – 64.9	68.1 *	66.7 – 69.6	64.0	62.3 – 65.7
SEX	Men	62.6	56.2 – 68.9	69.8	67.5 – 72.1	64.8	62.0 – 67.5
	Women	60.0	55.3 – 64.7	66.7 *	64.9 – 68.6	63.4	61.2 – 65.6
RACE/ETHNICITY	Non-Hisp. White	69.2	65.3 – 73.1	70.3	68.8 – 71.7	65.7	63.8 – 67.5
	Non-Hisp. Black	39.2	25.7 – 52.7	43.8	34.4 – 53.1	47.9	39.2 – 56.7
	Hispanic	43.3	31.4 – 55.2	49.2	39.3 – 59.1	58.3	45.8 – 70.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.4	61.9 – 75.0	72.0	69.7 – 74.3	66.7	63.8 – 69.5
	Non-Hisp. White Women	69.8	64.9 – 74.6	68.9	67.0 – 70.7	64.9	62.5 – 67.2
	Non-Hisp. Black Men	40.4	19.3 – 61.5	47.8	32.8 – 62.8	42.8	27.5 – 58.1
	Non-Hisp. Black Women	38.6	21.5 – 55.7	41.4	29.4 – 53.4	51.8	42.7 – 60.9
	Hispanic Men	50.6	30.9 – 70.4	49.0	33.2 – 64.9	59.3	38.8 – 79.8
AGE GROUP	Hispanic Women	36.5	23.7 – 49.2	49.3	37.2 – 61.5	57.5	42.3 – 72.7
	65 & Older	61.1	57.3 – 64.9	68.1 *	66.7 – 69.6	64.0	62.3 – 65.7
	<High School	52.1	38.5 – 65.6	58.9	52.9 – 64.8	54.0	48.5 – 59.4
EDUCATION LEVEL	H.S. / GED	57.2	49.4 – 64.9	64.2	61.4 – 66.9	62.8	60.1 – 65.5
	>High School	65.2	60.7 – 69.7	71.0	69.3 – 72.8	68.1	65.6 – 70.6
	<\$25,000	50.4	43.1 – 57.7	61.5 *	58.5 – 64.5	58.4	55.3 – 61.4
ANNUAL INCOME	\$25,000-\$49,999	61.6	54.2 – 69.0	69.9	67.1 – 72.6	67.8	64.5 – 71.1
	\$50,000 or More	68.8	61.8 – 75.8	72.3	69.5 – 75.1	71.7	68.1 – 75.3
	Married/Couple	62.7	57.3 – 68.2	69.8	67.9 – 71.8	67.4	65.1 – 69.6
MARITAL STATUS	Not Married/Couple	58.9	53.7 – 64.0	65.2	63.0 – 67.3	58.8	56.1 – 61.5

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	26.6	24.4 – 28.8	33.5 *	32.4 – 34.7	31.6 *	30.2 – 33.1
SEX	Men	26.6	22.8 – 30.3	33.2 *	31.3 – 35.1	31.7	29.2 – 34.2
	Women	26.7	24.1 – 29.3	33.8 *	32.4 – 35.2	31.6 *	30.0 – 33.3
RACE/ETHNICITY	Non-Hisp. White	33.2	30.3 – 36.1	36.3	35.0 – 37.5	34.0	32.3 – 35.7
	Non-Hisp. Black	17.9	12.6 – 23.2	19.5	15.9 – 23.1	22.9	18.9 – 26.8
	Hispanic	19.4	14.6 – 24.2	19.2	14.3 – 24.1	16.2	12.1 – 20.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.3	28.4 – 38.1	36.1	34.0 – 38.2	34.0	31.0 – 36.9
	Non-Hisp. White Women	33.1	29.7 – 36.6	36.4	34.9 – 37.9	34.0	32.0 – 35.9
	Non-Hisp. Black Men	12.2	3.9 – 20.5	15.6	10.7 – 20.5	23.7	16.9 – 30.6
	Non-Hisp. Black Women	22.0	15.1 – 28.8	22.3	17.3 – 27.2	22.1	17.9 – 26.2
	Hispanic Men	22.0	13.6 – 30.5	18.1	10.2 – 26.0	14.7	8.5 – 20.8
	Hispanic Women	17.0	12.0 – 21.9	20.3	14.4 – 26.2	18.2	12.9 – 23.5
AGE GROUP	18-44	14.4	10.4 – 18.4	14.2	12.2 – 16.2	14.3	12.1 – 16.4
	45-64	16.6	13.8 – 19.4	23.1 *	21.4 – 24.7	25.3 *	22.6 – 28.0
	65 & Older	66.3	62.6 – 70.0	72.3 *	70.8 – 73.7	68.4	66.5 – 70.3
EDUCATION LEVEL	<High School	33.1	23.4 – 42.8	33.9	29.4 – 38.5	27.1	23.9 – 30.2
	H.S. / GED	27.2	22.5 – 32.0	32.0	29.9 – 34.1	31.0	28.9 – 33.2
	>High School	25.9	23.3 – 28.5	34.1 *	32.7 – 35.5	33.4 *	31.2 – 35.7
ANNUAL INCOME	<\$25,000	36.1	30.8 – 41.4	37.6	35.1 – 40.2	33.5	30.7 – 36.2
	\$25,000-\$49,999	26.9	22.4 – 31.5	36.2 *	33.8 – 38.5	34.2	31.1 – 37.3
	\$50,000 or More	18.9	15.9 – 21.9	27.6 *	25.8 – 29.4	27.0 *	24.2 – 29.8
MARITAL STATUS	Married/Couple	25.0	22.3 – 27.7	31.8 *	30.4 – 33.2	30.9 *	29.1 – 32.8
	Not Married/Couple	29.6	25.8 – 33.4	37.0 *	35.0 – 39.0	33.1	30.8 – 35.4

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	66.3	62.6 – 70.0	72.3 *	70.9 – 73.7	68.4	66.7 – 70.0
SEX	Men	66.0	59.8 – 72.1	71.5	69.2 – 73.9	67.8	65.1 – 70.5
	Women	66.5	62.0 – 71.1	72.9 *	71.1 – 74.7	68.8	66.8 – 70.9
RACE/ETHNICITY	Non-Hisp. White	71.0	67.1 – 74.8	74.0	72.6 – 75.5	70.2	68.4 – 71.9
	Non-Hisp. Black	48.3	34.2 – 62.5	50.0	40.2 – 59.8	51.3	42.4 – 60.2
	Hispanic	60.2	48.2 – 72.1	45.9	35.4 – 56.4	50.8	37.9 – 63.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.1	62.4 – 75.7	72.9	70.5 – 75.3	69.3	66.5 – 72.2
	Non-Hisp. White Women	72.2	67.7 – 76.8	74.9	73.1 – 76.7	70.9	68.7 – 73.0
	Non-Hisp. Black Men	25.2	8.7 – 41.8	49.0	33.1 – 64.9	58.1 *	42.1 – 74.1
	Non-Hisp. Black Women	58.6	41.9 – 75.4	50.5	38.1 – 63.0	46.4	37.4 – 55.4
	Hispanic Men	71.4	54.5 – 88.3	59.3	43.3 – 75.3	41.1	20.3 – 61.8
	Hispanic Women	50.6	36.0 – 65.2	34.0	22.9 – 45.0	59.2	44.1 – 74.3
AGE GROUP	65 & Older	66.3	62.6 – 70.0	72.3 *	70.9 – 73.7	68.4	66.7 – 70.0
EDUCATION LEVEL	<High School	59.5	46.4 – 72.7	70.6	65.4 – 75.9	62.0	57.1 – 67.0
	H.S. / GED	64.2	56.8 – 71.6	68.7	65.9 – 71.4	67.4	64.7 – 70.0
	>High School	69.3	65.0 – 73.6	74.4	72.6 – 76.2	71.0	68.6 – 73.4
ANNUAL INCOME	<\$25,000	62.9	55.9 – 69.8	71.9	69.2 – 74.6	66.8	63.9 – 69.7
	\$25,000-\$49,999	67.6	60.5 – 74.6	71.9	69.2 – 74.6	72.0	68.9 – 75.0
	\$50,000 or More	66.2	59.0 – 73.5	73.5	70.6 – 76.3	67.5	63.6 – 71.4
MARITAL STATUS	Married/Couple	67.6	62.5 – 72.8	72.0	70.0 – 74.0	68.8	66.6 – 71.0
	Not Married/Couple	64.5	59.4 – 69.6	72.8 *	70.8 – 74.8	67.7	65.3 – 70.2

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Injury Prevention

Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic beverages

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	1.8	1.1 – 2.4	2.0	1.4 – 2.7	1.6	1.0 – 2.1
SEX	Men	2.7	1.5 – 3.9	3.3	2.1 – 4.6	2.3	1.4 – 3.3
	Women	0.9	0.3 – 1.4	0.8	0.5 – 1.1	0.7	0.4 – 1.0
RACE/ETHNICITY	Non-Hisp. White	2.6	1.5 – 3.7	1.9	1.4 – 2.4	1.7	1.1 – 2.3
	Non-Hisp. Black	0.3	0.0 – 0.8	0.9	0.1 – 1.6	0.5	0.0 – 1.1
	Hispanic	1.2	0.0 – 2.4	5.1	0.0 – 11.7	2.1	0.0 – 4.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.0	2.1 – 6.0	3.0	2.1 – 3.9	2.4	1.3 – 3.5
	Non-Hisp. White Women	1.3	0.3 – 2.2	0.9	0.6 – 1.2	0.8	0.4 – 1.2
	Non-Hisp. Black Men	0.3	0.0 – 0.8	1.4	0.0 – 3.1	0.7	0.0 – 1.9
	Non-Hisp. Black Women	0.4	0.0 – 1.0	0.5	0.0 – 1.0	0.2	0.0 – 0.5
	Hispanic Men	1.9	0.0 – 4.0	9.9	0.0 – 22.7	3.7	0.0 – 7.8
AGE GROUP	Hispanic Women	0.5	0.0 – 1.6	0.5	0.0 – 1.2	0.1	0.0 – 0.3
	18-44	2.7	1.2 – 4.2	3.5	1.8 – 5.1	2.1	0.9 – 3.3
	45-64	1.7	0.8 – 2.6	1.5	1.0 – 2.0	1.7	1.1 – 2.3
EDUCATION LEVEL	65 & Older	0.3	0.0 – 0.6	0.7	0.4 – 1.1	0.4	0.1 – 0.6
	<High School	0.9	0.0 – 2.6	1.9	0.0 – 4.7	0.9	0.3 – 1.5
	H.S. / GED	1.7	0.3 – 3.1	1.3	0.7 – 2.0	1.4	0.2 – 2.6
ANNUAL INCOME	>High School	1.9	1.1 – 2.7	2.4	1.5 – 3.3	1.9	1.3 – 2.5
	<\$25,000	1.5	0.1 – 2.9	2.4	0.2 – 4.5	2.0	0.6 – 3.4
	\$25,000-\$49,999	0.7	0.1 – 1.4	1.5	0.8 – 2.1	0.8	0.4 – 1.2
MARITAL STATUS	\$50,000 or More	2.4	1.3 – 3.6	2.3	1.6 – 2.9	2.2	1.4 – 3.0
	Married/Couple	1.4	0.7 – 2.2	1.9	1.0 – 2.8	1.3	0.9 – 1.7
	Not Married/Couple	2.3	1.1 – 3.5	2.3	1.4 – 3.2	2.1	0.8 – 3.3

Percentage of adults 45 years of age and older who had a fall-related injury in the past 3 months

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	5.1	3.9 – 6.4	6.1	5.4 – 6.7	6.5	5.8 – 7.1
SEX	Men	4.5	2.3 – 6.7	5.3	4.3 – 6.3	5.2	4.3 – 6.0
	Women	5.7	4.2 – 7.2	6.7	5.8 – 7.6	7.8	6.8 – 8.8
RACE/ETHNICITY	Non-Hisp. White	6.0	4.3 – 7.7	5.9	5.2 – 6.6	5.9	5.3 – 6.6
	Non-Hisp. Black	4.7	1.0 – 8.4	7.2	4.4 – 10.0	8.1	5.0 – 11.2
	Hispanic	2.3	0.7 – 3.9	4.5	2.0 – 6.9	5.9	1.7 – 10.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.0	2.3 – 7.7	5.3	4.2 – 6.3	4.7	3.8 – 5.5
	Non-Hisp. White Women	7.0	4.8 – 9.1	6.5	5.5 – 7.5	7.3	6.3 – 8.3
	Non-Hisp. Black Men	4.1	0.0 – 12.0	5.7	0.8 – 10.7	7.1	2.6 – 11.5
	Non-Hisp. Black Women	5.0	1.2 – 8.9	8.4	5.1 – 11.6	8.9	4.7 – 13.2
	Hispanic Men	1.0	0.0 – 2.8	2.6	0.0 – 5.7	2.4	0.1 – 4.6
AGE GROUP	Hispanic Women	3.2	0.8 – 5.7	6.3	2.5 – 10.1	8.9	1.5 – 16.2
	45-64	5.2	3.4 – 6.9	6.8	5.8 – 7.9	7.2	6.2 – 8.1
	65 & Older	5.3	3.7 – 6.8	4.9	4.3 – 5.6	5.2	4.4 – 6.1
EDUCATION LEVEL	<High School	8.0	1.0 – 15.0	9.8	6.4 – 13.2	10.8	8.5 – 13.2
	H.S. / GED	7.5	4.0 – 11.0	6.3	5.0 – 7.5	6.4	5.4 – 7.4
	>High School	4.1	2.9 – 5.2	5.6	4.8 – 6.5	5.4	4.5 – 6.3
ANNUAL INCOME	<\$25,000	7.9	4.6 – 11.1	11.3	9.5 – 13.1	11.6	10.0 – 13.2
	\$25,000-\$49,999	5.7	2.5 – 8.9	5.2	3.8 – 6.6	5.4	4.3 – 6.6
	\$50,000 or More	4.0	2.2 – 5.8	3.5	2.7 – 4.2	2.7	2.0 – 3.3
MARITAL STATUS	Married/Couple	4.7	3.1 – 6.4	5.1	4.3 – 5.9	5.1	4.4 – 5.8
	Not Married/Couple	5.9	3.7 – 8.1	8.1	6.9 – 9.2	9.3	8.0 – 10.7

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Injury Prevention

Percentage of adults who "always" or "nearly always" used seat belts when driving or riding in a car

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	96.3	95.3 – 97.4	95.4	94.7 – 96.0	92.4 *	91.3 – 93.4
SEX	Men	96.0	94.3 – 97.6	93.5	92.4 – 94.7	90.4 *	88.6 – 92.3
	Women	96.6	95.3 – 98.0	97.1	96.5 – 97.6	94.6	93.7 – 95.5
RACE/ETHNICITY	Non-Hisp. White	96.9	95.9 – 98.0	95.8	95.1 – 96.5	92.6 *	91.3 – 93.8
	Non-Hisp. Black	95.7	92.9 – 98.5	92.0	89.2 – 94.8	89.8	86.0 – 93.6
	Hispanic	96.4	94.0 – 98.8	95.8	93.8 – 97.9	93.2	89.8 – 96.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	96.3	94.5 – 98.2	94.0	92.8 – 95.2	90.4 *	88.3 – 92.6
	Non-Hisp. White Women	97.5	96.4 – 98.5	97.5	97.0 – 98.1	95.0 *	93.9 – 96.0
	Non-Hisp. Black Men	95.5	90.6 – 100.0	89.9	84.8 – 95.0	87.7	80.7 – 94.8
	Non-Hisp. Black Women	95.8	92.5 – 99.1	93.5	90.3 – 96.6	91.8	88.9 – 94.7
	Hispanic Men	97.4	95.1 – 99.7	94.2	90.6 – 97.8	90.9	85.3 – 96.5
AGE GROUP	Hispanic Women	95.5	91.4 – 99.6	97.5	95.2 – 99.7	96.0	93.6 – 98.4
	18-44	93.8	91.2 – 96.4	92.5	91.0 – 93.9	87.7 *	85.2 – 90.2
	45-64	98.0	97.1 – 98.9	96.6	95.8 – 97.5	95.2 *	94.3 – 96.2
EDUCATION LEVEL	65 & Older	97.2	96.1 – 98.4	97.5	97.1 – 98.0	95.4	94.5 – 96.3
	<High School	92.3	87.1 – 97.6	89.5	85.5 – 93.5	87.5	83.0 – 92.0
	H.S. / GED	95.8	93.4 – 98.2	93.2	91.7 – 94.7	90.7 *	88.7 – 92.8
ANNUAL INCOME	>High School	96.9	95.7 – 98.0	96.9	96.3 – 97.5	94.9 *	94.1 – 95.7
	<\$25,000	95.4	93.6 – 97.3	93.1	91.6 – 94.5	89.5 *	86.9 – 92.1
	\$25,000-\$49,999	96.0	93.7 – 98.3	94.9	93.3 – 96.5	92.8	90.9 – 94.8
MARITAL STATUS	\$50,000 or More	97.3	95.8 – 98.7	97.0	96.3 – 97.8	94.5 *	93.3 – 95.6
	Married/Couple	96.9	95.7 – 98.0	96.4	95.7 – 97.0	94.0 *	93.0 – 94.9
	Not Married/Couple	95.4	93.5 – 97.4	93.5	92.2 – 94.8	89.5 *	87.1 – 91.9

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Oral Health

Percentage of adults who visited a dentist or a dental clinic in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	66.1	63.6 – 68.6	64.9	63.6 – 66.1	54.3 *	52.6 – 56.1
SEX	Men	67.7	63.7 – 71.6	63.0	61.0 – 65.1	51.0 *	48.2 – 53.8
	Women	64.7	61.6 – 67.8	66.6	65.2 – 68.1	58.1 *	56.2 – 60.1
RACE/ETHNICITY	Non-Hisp. White	73.6	70.9 – 76.4	66.8 *	65.5 – 68.1	56.4 *	54.4 – 58.4
	Non-Hisp. Black	55.5	48.2 – 62.7	56.5	51.7 – 61.3	42.7 *	37.5 – 47.8
	Hispanic	58.6	52.7 – 64.6	58.0	51.9 – 64.1	47.4	41.3 – 53.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.4	69.0 – 77.8	64.7 *	62.5 – 66.9	52.8 *	49.6 – 56.0
	Non-Hisp. White Women	73.9	70.6 – 77.2	68.8 *	67.3 – 70.4	60.6 *	58.5 – 62.6
	Non-Hisp. Black Men	54.7	42.5 – 66.9	54.4	46.1 – 62.8	40.9	32.7 – 49.0
	Non-Hisp. Black Women	56.1	47.3 – 64.8	57.9	52.2 – 63.6	44.5	38.3 – 50.8
	Hispanic Men	64.1	54.7 – 73.5	58.4	48.0 – 68.7	46.3 *	37.9 – 54.7
AGE GROUP	Hispanic Women	53.5	46.2 – 60.8	57.6	51.0 – 64.3	48.8	40.0 – 57.6
	18-44	62.4	57.5 – 67.3	59.4	56.8 – 62.0	50.4 *	47.4 – 53.5
	45-64	66.8	63.2 – 70.5	67.1	65.2 – 69.0	54.0 *	51.0 – 57.0
EDUCATION LEVEL	65 & Older	70.9	67.2 – 74.6	69.4	67.9 – 70.8	61.5 *	59.5 – 63.4
	<High School	43.1	33.0 – 53.1	33.5	29.0 – 38.1	26.3 *	23.1 – 29.6
	H.S. / GED	53.5	48.0 – 59.0	55.5	53.1 – 58.0	48.1	45.0 – 51.2
ANNUAL INCOME	>High School	72.8	70.0 – 75.6	72.3	70.9 – 73.7	67.1 *	64.8 – 69.5
	<\$25,000	45.9	40.5 – 51.2	42.4	39.7 – 45.1	35.0 *	32.3 – 37.6
	\$25,000-\$49,999	63.1	57.4 – 68.8	62.4	59.9 – 65.0	55.5	51.9 – 59.1
MARITAL STATUS	\$50,000 or More	77.7	74.3 – 81.1	80.2	78.5 – 81.9	73.3	70.1 – 76.4
	Married/Couple	69.3	66.2 – 72.4	70.1	68.6 – 71.5	58.9 *	56.7 – 61.1
	Not Married/Couple	60.5	56.3 – 64.7	55.0	52.8 – 57.2	46.1 *	43.3 – 48.9

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	51.5	48.9 – 54.1	53.2	51.9 – 54.5	60.3 *	58.6 – 62.0
SEX	Men	49.3	45.1 – 53.5	52.6	50.5 – 54.7	59.4 *	56.6 – 62.1
	Women	53.5	50.4 – 56.7	53.8	52.2 – 55.3	61.3 *	59.3 – 63.4
RACE/ETHNICITY	Non-Hisp. White	47.7	44.6 – 50.8	53.5 *	52.1 – 54.9	59.2 *	57.2 – 61.1
	Non-Hisp. Black	63.1	55.8 – 70.5	60.2	55.3 – 65.2	70.5	65.8 – 75.2
	Hispanic	50.2	44.1 – 56.3	44.9	38.6 – 51.2	54.2	47.9 – 60.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.4	43.4 – 53.4	53.3	51.0 – 55.5	58.4 *	55.2 – 61.6
	Non-Hisp. White Women	47.0	43.4 – 50.7	53.8 *	52.1 – 55.4	60.0 *	57.9 – 62.2
	Non-Hisp. Black Men	56.7	44.4 – 69.1	58.8	50.2 – 67.4	67.6	59.9 – 75.4
	Non-Hisp. Black Women	68.1	59.3 – 76.8	61.3	55.3 – 67.2	73.4	68.0 – 78.8
	Hispanic Men	45.4	35.7 – 55.1	45.7	35.0 – 56.5	52.4	43.7 – 61.1
AGE GROUP	Hispanic Women	54.9	47.6 – 62.2	44.1	37.4 – 50.9	56.5	47.5 – 65.4
	18-44	35.2	30.4 – 39.9	33.2	30.7 – 35.6	41.1	38.1 – 44.1
	45-64	53.9	50.0 – 57.9	56.6	54.5 – 58.6	66.9 *	64.1 – 69.6
EDUCATION LEVEL	65 & Older	75.4	71.8 – 78.9	77.9	76.6 – 79.1	82.2 *	80.7 – 83.6
	<High School	63.9	53.2 – 74.5	73.2	68.5 – 77.9	78.2	73.9 – 82.6
	H.S. / GED	62.3	56.8 – 67.8	62.8	60.3 – 65.3	67.5	64.8 – 70.2
ANNUAL INCOME	>High School	46.6	43.5 – 49.7	47.0	45.4 – 48.6	49.7	47.2 – 52.1
	<\$25,000	68.4	63.1 – 73.6	67.8	64.9 – 70.7	72.2	69.3 – 75.1
	\$25,000-\$49,999	59.5	53.6 – 65.4	60.1	57.4 – 62.7	65.0	61.7 – 68.3
MARITAL STATUS	\$50,000 or More	40.6	36.7 – 44.5	40.3	38.3 – 42.3	44.9	41.4 – 48.3
	Married/Couple	49.4	46.1 – 52.7	52.3	50.6 – 53.9	60.2 *	58.1 – 62.3
	Not Married/Couple	55.2	50.8 – 59.5	55.3	53.1 – 57.5	60.8	57.8 – 63.8

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Oral Health

Percentage of adults who had their teeth cleaned in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	63.3	60.8 – 65.8	60.4	59.1 – 61.6	49.7 *	47.9 – 51.4
SEX	Men	62.6	58.5 – 66.6	58.7	56.6 – 60.8	47.8 *	45.0 – 50.6
	Women	64.0	61.0 – 67.1	61.9	60.4 – 63.4	51.8 *	49.8 – 53.9
RACE/ETHNICITY	Non-Hisp. White	70.3	67.5 – 73.1	62.6 *	61.2 – 63.9	51.5 *	49.5 – 53.5
	Non-Hisp. Black	51.1	43.8 – 58.5	48.8	43.9 – 53.7	39.6	34.5 – 44.7
	Hispanic	58.1	52.1 – 64.1	55.1	48.8 – 61.3	46.7	40.6 – 52.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.3	64.7 – 74.0	60.4 *	58.2 – 62.6	49.3 *	46.1 – 52.6
	Non-Hisp. White Women	71.2	67.8 – 74.6	64.6 *	63.0 – 66.2	53.9 *	51.8 – 56.1
	Non-Hisp. Black Men	46.8	34.5 – 59.2	44.8	36.4 – 53.1	37.4	29.4 – 45.4
	Non-Hisp. Black Women	54.5	45.6 – 63.3	51.6	45.8 – 57.4	41.8	35.7 – 47.9
	Hispanic Men	58.4	48.7 – 68.0	57.2	46.8 – 67.5	49.1	40.6 – 57.6
AGE GROUP	Hispanic Women	57.9	50.8 – 65.1	53.0	46.1 – 59.9	43.7	34.9 – 52.6
	18-44	60.9	56.0 – 65.9	55.8	53.2 – 58.4	47.8 *	44.7 – 50.8
	45-64	63.6	59.8 – 67.3	62.3	60.4 – 64.3	48.6 *	45.6 – 51.7
EDUCATION LEVEL	65 & Older	66.7	62.9 – 70.6	63.8	62.3 – 65.3	54.5 *	52.5 – 56.6
	<High School	33.9	24.1 – 43.7	25.8	21.5 – 30.1	20.1 *	17.4 – 22.8
	H.S. / GED	49.2	43.7 – 54.7	50.5	48.1 – 52.9	43.3	40.3 – 46.4
ANNUAL INCOME	>High School	71.1	68.3 – 73.9	68.3	66.8 – 69.8	63.1 *	60.8 – 65.4
	<\$25,000	39.7	34.4 – 45.0	34.0	31.4 – 36.7	27.9 *	25.4 – 30.3
	\$25,000-\$49,999	60.5	54.8 – 66.3	57.4	54.9 – 60.0	52.0	48.4 – 55.6
MARITAL STATUS	\$50,000 or More	76.2	72.7 – 79.6	77.8	76.1 – 79.6	70.1	67.0 – 73.2
	Married/Couple	67.1	64.0 – 70.2	65.6	64.0 – 67.1	54.4 *	52.1 – 56.6
	Not Married/Couple	56.7	52.4 – 61.0	50.5	48.3 – 52.7	41.4 *	38.6 – 44.2

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Overweight & Obesity

Percentage of adults who are overweight

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	38.3	35.8 – 40.9	37.4	36.2 – 38.7	37.3	35.5 – 39.0
SEX	Men	44.4	40.2 – 48.5	43.5	41.4 – 45.5	43.3	40.6 – 45.9
	Women	32.5	29.5 – 35.5	31.5	30.1 – 33.0	30.0	28.3 – 31.7
RACE/ETHNICITY	Non-Hisp. White	38.3	35.2 – 41.3	37.8	36.4 – 39.1	37.9	36.0 – 39.9
	Non-Hisp. Black	35.9	28.7 – 43.0	37.2	32.5 – 42.0	35.0	29.8 – 40.2
	Hispanic	39.0	33.0 – 44.9	33.1	27.6 – 38.7	33.0	26.5 – 39.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.2	42.2 – 52.2	44.6	42.4 – 46.8	45.0	41.9 – 48.1
	Non-Hisp. White Women	29.7	26.3 – 33.1	31.0	29.4 – 32.6	29.5	27.6 – 31.3
	Non-Hisp. Black Men	31.1	20.1 – 42.2	40.2	32.0 – 48.3	38.3	30.0 – 46.7
	Non-Hisp. Black Women	39.7	30.6 – 48.8	35.0	29.3 – 40.7	31.5	25.4 – 37.6
	Hispanic Men	42.4	32.8 – 52.1	33.2	24.1 – 42.2	33.0	23.9 – 42.1
	Hispanic Women	35.5	28.4 – 42.6	33.1	26.6 – 39.6	32.9	23.9 – 41.9
AGE GROUP	18-44	35.0	30.1 – 39.9	32.7	30.3 – 35.1	35.6	32.5 – 38.7
	45-64	37.7	33.8 – 41.6	40.9	38.9 – 43.0	37.5	34.6 – 40.4
	65 & Older	45.5	41.6 – 49.3	39.2 *	37.7 – 40.7	39.7	37.7 – 41.8
EDUCATION LEVEL	<High School	27.7	19.1 – 36.3	34.9	30.0 – 39.7	32.6	27.8 – 37.3
	H.S. / GED	40.3	34.8 – 45.7	35.8	33.4 – 38.1	37.4	34.3 – 40.5
	>High School	38.9	35.8 – 41.9	38.5	36.9 – 40.1	38.5	36.2 – 40.8
ANNUAL INCOME	<\$25,000	39.1	33.7 – 44.5	31.2 *	28.9 – 33.6	34.4	31.4 – 37.5
	\$25,000-\$49,999	35.9	30.4 – 41.4	39.6	37.1 – 42.2	37.0	33.6 – 40.3
	\$50,000 or More	39.6	35.7 – 43.5	41.2	39.1 – 43.2	40.0	37.0 – 43.0
MARITAL STATUS	Married/Couple	40.4	37.2 – 43.7	40.2	38.6 – 41.8	38.5	36.3 – 40.7
	Not Married/Couple	34.9	30.8 – 39.0	32.2	30.2 – 34.1	34.8	32.0 – 37.6

Percentage of adults who are obese

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	26.5	24.1 – 28.8	27.4	26.2 – 28.6	30.7 *	29.2 – 32.2
SEX	Men	29.1	25.2 – 32.9	30.1	28.1 – 32.0	31.7	29.2 – 34.1
	Women	24.0	21.2 – 26.8	24.7	23.4 – 26.1	29.5 *	27.8 – 31.3
RACE/ETHNICITY	Non-Hisp. White	23.0	20.4 – 25.6	25.8	24.6 – 27.1	29.2 *	27.5 – 31.0
	Non-Hisp. Black	41.8	34.4 – 49.2	43.8	38.8 – 48.9	45.1	39.5 – 50.7
	Hispanic	28.5	22.9 – 34.1	30.9	25.4 – 36.5	31.0	25.4 – 36.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.8	22.4 – 31.2	29.2	27.1 – 31.3	31.1	28.3 – 33.8
	Non-Hisp. White Women	19.3	16.4 – 22.3	22.5	21.1 – 24.0	27.1 *	25.3 – 28.9
	Non-Hisp. Black Men	48.3	36.1 – 60.6	41.3	32.7 – 49.9	40.3	31.6 – 49.0
	Non-Hisp. Black Women	36.5	27.9 – 45.1	45.7	39.7 – 51.8	50.1	43.3 – 57.0
	Hispanic Men	29.9	21.0 – 38.8	34.9	25.2 – 44.5	29.5	21.6 – 37.4
	Hispanic Women	27.1	20.2 – 33.9	27.0	21.2 – 32.8	33.1	25.0 – 41.1
AGE GROUP	18-44	24.1	19.9 – 28.4	28.6	26.2 – 31.0	29.6	26.8 – 32.4
	45-64	31.1	27.3 – 34.9	29.5	27.6 – 31.4	34.6	32.0 – 37.3
	65 & Older	20.9	17.5 – 24.3	22.7	21.4 – 24.0	25.7	24.1 – 27.4
EDUCATION LEVEL	<High School	40.3	30.3 – 50.3	36.0	31.1 – 40.8	36.3	31.5 – 41.1
	H.S. / GED	25.7	20.9 – 30.4	30.6	28.2 – 32.9	32.2	29.5 – 34.9
	>High School	25.3	22.5 – 28.1	25.2	23.8 – 26.7	28.0	26.1 – 29.9
ANNUAL INCOME	<\$25,000	27.9	23.1 – 32.7	33.9	31.3 – 36.5	34.4	31.7 – 37.1
	\$25,000-\$49,999	30.0	24.6 – 35.5	27.5	25.2 – 29.9	32.6	28.9 – 36.2
	\$50,000 or More	24.3	20.7 – 27.8	24.2	22.4 – 26.0	28.2	25.7 – 30.8
MARITAL STATUS	Married/Couple	27.2	24.1 – 30.3	27.0	25.6 – 28.5	31.1	29.2 – 33.1
	Not Married/Couple	25.2	21.7 – 28.8	28.2	26.1 – 30.2	30.1	27.6 – 32.6

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Overweight & Obesity

Percentage of adults who are overweight or obese

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	64.8	62.3 – 67.3	64.8	63.6 – 66.1	68.0	66.4 – 69.5
SEX	Men	73.4	69.6 – 77.3	73.6	71.6 – 75.6	74.9	72.9 – 76.9
	Women	56.5	53.3 – 59.6	56.2	54.7 – 57.8	59.6	57.5 – 61.7
RACE/ETHNICITY	Non-Hisp. White	61.3	58.2 – 64.3	63.6	62.3 – 64.9	67.2 *	65.4 – 69.0
	Non-Hisp. Black	77.6	71.6 – 83.7	81.0	77.0 – 85.1	80.1	75.6 – 84.6
	Hispanic	67.4	61.6 – 73.3	64.1	56.7 – 71.4	64.0	57.6 – 70.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.0	69.5 – 78.4	73.8	71.9 – 75.8	76.0	73.9 – 78.2
	Non-Hisp. White Women	49.0	45.2 – 52.7	53.5	51.8 – 55.2	56.5 *	54.3 – 58.8
	Non-Hisp. Black Men	79.4	69.8 – 89.1	81.5	74.5 – 88.4	78.6	71.0 – 86.2
	Non-Hisp. Black Women	76.2	68.5 – 83.9	80.7	76.0 – 85.5	81.6	77.1 – 86.1
AGE GROUP	Hispanic Men	72.3	63.0 – 81.7	68.0	55.1 – 81.0	62.5	54.2 – 70.8
	Hispanic Women	62.6	55.5 – 69.7	60.1	52.5 – 67.7	66.0	55.8 – 76.2
	18-44	59.2	54.1 – 64.2	61.3	58.6 – 63.9	65.2	62.3 – 68.1
EDUCATION LEVEL	45-64	68.8	65.2 – 72.4	70.5	68.6 – 72.3	72.2	69.9 – 74.4
	65 & Older	66.4	62.9 – 69.9	61.9	60.4 – 63.4	65.5	63.4 – 67.5
	<High School	68.0	57.5 – 78.4	70.8	66.2 – 75.4	68.8	64.9 – 72.7
ANNUAL INCOME	H.S. / GED	65.9	60.8 – 71.1	66.3	64.0 – 68.7	69.6	66.9 – 72.4
	>High School	64.2	61.2 – 67.2	63.7	62.2 – 65.3	66.5	64.4 – 68.5
	<\$25,000	67.0	61.8 – 72.2	65.1	62.4 – 67.9	68.8	66.4 – 71.2
MARITAL STATUS	\$25,000-\$49,999	66.0	60.2 – 71.7	67.2	64.8 – 69.6	69.6	66.3 – 72.9
	\$50,000 or More	63.9	60.1 – 67.6	65.4	63.4 – 67.4	68.3	65.6 – 70.9
	Married/Couple	67.7	64.6 – 70.7	67.2	65.7 – 68.8	69.6	67.7 – 71.5
	Not Married/Couple	60.1	55.8 – 64.4	60.3	58.1 – 62.5	64.9	62.3 – 67.6

Reactions to Race

Percentage of adults who think they would get better medical care if they belonged to a different race/ethnic group

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	10.4	8.7 – 12.1	10.8	9.8 – 11.8	13.9 *	12.8 – 15.0
SEX	Men	10.1	7.3 – 12.9	10.9	9.1 – 12.7	13.2	11.4 – 14.9
	Women	10.6	8.5 – 12.8	10.7	9.7 – 11.8	14.7 *	13.3 – 16.2
RACE/ETHNICITY	Non-Hisp. White	6.7	5.1 – 8.4	8.3	7.4 – 9.1	11.2 *	9.9 – 12.4
	Non-Hisp. Black	24.3	17.4 – 31.2	30.4	25.5 – 35.3	27.7	22.9 – 32.5
	Hispanic	8.4	4.9 – 11.8	17.3	9.5 – 25.1	25.6 *	21.2 – 30.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.6	3.3 – 7.9	8.1	6.7 – 9.4	9.9 *	8.1 – 11.8
	Non-Hisp. White Women	7.8	5.5 – 10.1	8.4	7.4 – 9.5	12.7 *	11.1 – 14.3
	Non-Hisp. Black Men	31.5	18.5 – 44.5	33.1	24.3 – 41.8	25.0	16.5 – 33.6
	Non-Hisp. Black Women	19.8	12.0 – 27.5	28.6	23.0 – 34.3	30.1	25.0 – 35.1
AGE GROUP	Hispanic Men	6.2	1.0 – 11.4	21.0	6.6 – 35.4	32.0 *	25.1 – 39.0
	Hispanic Women	10.5	5.8 – 15.1	13.6	9.0 – 18.1	16.2	11.6 – 20.9
	18-44	10.8	7.5 – 14.0	15.4	13.0 – 17.8	17.3 *	15.1 – 19.5
EDUCATION LEVEL	45-64	12.0	9.2 – 14.9	10.2	9.0 – 11.4	14.0	12.2 – 15.8
	65 & Older	6.4	4.3 – 8.6	5.0	4.2 – 5.7	7.3	6.3 – 8.4
	<High School	19.8	11.3 – 28.3	19.3	14.9 – 23.8	28.5	24.6 – 32.4
ANNUAL INCOME	H.S. / GED	14.6	10.4 – 18.8	13.3	11.3 – 15.3	15.5	13.2 – 17.8
	>High School	8.1	6.3 – 10.0	8.8	7.6 – 10.0	8.8	7.7 – 9.9
	<\$25,000	22.8	17.4 – 28.1	19.7	16.7 – 22.7	23.6	21.1 – 26.1
MARITAL STATUS	\$25,000-\$49,999	11.9	7.9 – 15.9	11.5	9.6 – 13.3	12.1	9.9 – 14.3
	\$50,000 or More	4.4	2.9 – 5.9	5.1	4.2 – 6.0	6.5	5.3 – 7.8
	Married/Couple	8.9	6.9 – 10.9	9.4	8.2 – 10.7	12.0	10.9 – 13.2
	Not Married/Couple	13.0	9.7 – 16.2	13.5	11.7 – 15.2	17.2	14.9 – 19.6

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Tobacco Use & Exposure

Percentage of adults who are current smokers

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	12.8	11.0 – 14.6	19.8 *	18.6 – 20.9	22.8 *	21.3 – 24.2
SEX	Men	14.3	11.1 – 17.4	20.7 *	18.7 – 22.7	24.4 *	22.0 – 26.8
	Women	11.5	9.6 – 13.3	18.9 *	17.7 – 20.2	20.8 *	19.3 – 22.4
RACE/ETHNICITY	Non-Hisp. White	14.5	12.3 – 16.7	19.9 *	18.7 – 21.1	23.3 *	21.6 – 25.0
	Non-Hisp. Black	11.2	6.9 – 15.4	16.8	13.2 – 20.3	19.0	13.9 – 24.2
	Hispanic	10.8	6.4 – 15.2	21.5	14.3 – 28.7	14.9	10.8 – 19.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.8	10.3 – 17.2	19.3 *	17.3 – 21.2	24.1 *	21.3 – 26.9
	Non-Hisp. White Women	15.2	12.3 – 18.0	20.5 *	19.0 – 21.9	22.5 *	20.7 – 24.3
	Non-Hisp. Black Men	15.1	6.7 – 23.5	23.6	16.6 – 30.7	28.0	19.1 – 36.9
	Non-Hisp. Black Women	8.0	4.6 – 11.4	11.9	8.7 – 15.2	9.8	6.5 – 13.2
	Hispanic Men	14.5	6.5 – 22.5	30.9	18.2 – 43.7	16.4	10.3 – 22.5
	Hispanic Women	7.3	3.7 – 10.9	12.4	8.4 – 16.4	13.0	8.0 – 18.0
AGE GROUP	18-44	14.8	11.0 – 18.6	23.8 *	21.3 – 26.2	28.5 *	25.7 – 31.3
	45-64	13.6	11.0 – 16.2	23.4 *	21.6 – 25.2	25.0 *	22.6 – 27.5
	65 & Older	8.0	5.9 – 10.1	8.7	7.8 – 9.5	8.7	7.7 – 9.7
EDUCATION LEVEL	<High School	19.7	12.4 – 27.1	34.5 *	29.6 – 39.5	32.9 *	28.9 – 37.0
	H.S. / GED	20.7	16.1 – 25.2	26.3	24.0 – 28.7	26.5	23.8 – 29.2
	>High School	9.5	7.5 – 11.4	15.3 *	13.9 – 16.6	17.0 *	15.1 – 18.9
ANNUAL INCOME	<\$25,000	19.9	15.6 – 24.3	30.3 *	27.5 – 33.1	32.4 *	29.8 – 35.1
	\$25,000-\$49,999	12.3	7.7 – 16.9	21.5 *	19.1 – 23.8	21.9 *	18.5 – 25.4
	\$50,000 or More	9.9	7.5 – 12.3	12.9	11.3 – 14.4	14.6	12.1 – 17.2
MARITAL STATUS	Married/Couple	9.8	7.8 – 11.8	17.1 *	15.7 – 18.5	18.6 *	16.9 – 20.3
	Not Married/Couple	17.9	14.4 – 21.4	24.9 *	22.9 – 26.9	30.3 *	27.7 – 32.9

Percentage of adults who are former smokers

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	27.8	25.6 – 30.1	31.4 *	30.3 – 32.5	29.6	27.9 – 31.3
SEX	Men	31.2	27.5 – 35.0	35.0	33.2 – 36.9	34.1	31.4 – 36.8
	Women	24.7	22.2 – 27.2	28.1	26.8 – 29.3	24.4	22.9 – 26.0
RACE/ETHNICITY	Non-Hisp. White	34.1	31.2 – 36.9	34.5	33.2 – 35.7	31.4	29.4 – 33.4
	Non-Hisp. Black	16.4	11.1 – 21.7	15.7	12.6 – 18.8	17.5	13.8 – 21.1
	Hispanic	22.5	17.5 – 27.5	20.3	16.1 – 24.5	24.4	19.9 – 28.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.9	30.2 – 39.5	37.7	35.7 – 39.8	36.4	33.2 – 39.6
	Non-Hisp. White Women	33.3	30.0 – 36.7	31.4	29.9 – 32.9	25.7 *	23.9 – 27.4
	Non-Hisp. Black Men	18.1	9.2 – 26.9	20.8	14.9 – 26.7	19.3	13.9 – 24.8
	Non-Hisp. Black Women	15.1	8.7 – 21.4	12.1	8.8 – 15.3	15.6	10.7 – 20.5
	Hispanic Men	30.3	21.5 – 39.1	22.9	15.7 – 30.1	28.5	21.9 – 35.1
	Hispanic Women	15.0	10.4 – 19.5	17.7	13.0 – 22.4	19.3	13.5 – 25.1
AGE GROUP	18-44	14.7	11.3 – 18.1	18.5	16.6 – 20.4	17.2	14.9 – 19.6
	45-64	29.7	26.1 – 33.3	31.7	29.8 – 33.5	32.7	29.4 – 35.9
	65 & Older	46.8	42.9 – 50.6	49.9	48.3 – 51.5	45.8	43.7 – 47.9
EDUCATION LEVEL	<High School	24.4	16.4 – 32.4	34.1	29.7 – 38.5	26.4	22.4 – 30.5
	H.S. / GED	27.6	22.9 – 32.2	31.6	29.5 – 33.7	29.0	26.2 – 31.8
	>High School	28.4	25.7 – 31.1	31.0	29.7 – 32.4	31.0	28.6 – 33.5
ANNUAL INCOME	<\$25,000	23.4	19.2 – 27.7	30.5 *	28.2 – 32.8	27.0	24.6 – 29.4
	\$25,000-\$49,999	29.7	24.7 – 34.6	32.4	30.2 – 34.6	30.4	27.1 – 33.6
	\$50,000 or More	29.4	25.8 – 32.9	31.7	29.9 – 33.6	31.7	28.2 – 35.2
MARITAL STATUS	Married/Couple	29.7	26.8 – 32.7	33.6	32.2 – 35.1	33.8	31.5 – 36.2
	Not Married/Couple	24.8	21.5 – 28.1	27.3	25.6 – 29.0	22.3	20.4 – 24.1

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida BRFSS Supplemental Report No. 2: Comparison of Health Indicators among Urban/Suburban/Rural

Tobacco Use & Exposure

Percentage of adults who have never smoked

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	59.4	56.8 – 61.9	48.8 *	47.5 – 50.1	47.6 *	45.9 – 49.4
SEX	Men	54.5	50.3 – 58.6	44.3 *	42.2 – 46.4	41.4 *	38.8 – 44.1
	Women	63.9	61.0 – 66.7	53.0 *	51.5 – 54.5	54.8 *	52.9 – 56.6
RACE/ETHNICITY	Non-Hisp. White	51.4	48.4 – 54.5	45.7 *	44.3 – 47.0	45.3 *	43.2 – 47.3
	Non-Hisp. Black	72.4	66.1 – 78.7	67.5	63.2 – 71.9	63.5	58.1 – 68.9
	Hispanic	66.7	60.8 – 72.5	58.3	51.6 – 65.0	60.7	55.1 – 66.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.4	46.4 – 56.4	43.0 *	40.8 – 45.2	39.5 *	36.5 – 42.6
	Non-Hisp. White Women	51.5	47.8 – 55.2	48.1	46.5 – 49.8	51.8	49.7 – 54.0
	Non-Hisp. Black Men	66.8	55.7 – 77.9	55.6	47.3 – 63.8	52.7	44.0 – 61.4
	Non-Hisp. Black Women	76.9	70.0 – 83.9	76.0	71.6 – 80.4	74.6	69.0 – 80.1
	Hispanic Men	55.2	45.4 – 65.0	46.1	35.5 – 56.8	55.1	46.9 – 63.3
AGE GROUP	Hispanic Women	77.7	72.2 – 83.3	69.9	64.0 – 75.8	67.6	60.3 – 75.0
	18-44	70.5	65.9 – 75.1	57.8 *	55.1 – 60.4	54.3 *	51.2 – 57.3
	45-64	56.7	52.8 – 60.6	44.9 *	42.9 – 46.9	42.3 *	39.3 – 45.3
EDUCATION LEVEL	65 & Older	45.2	41.4 – 49.0	41.4	39.9 – 43.0	45.5	43.4 – 47.6
	<High School	55.9	46.1 – 65.6	31.4 *	26.9 – 35.9	40.6 *	35.9 – 45.3
	H.S. / GED	51.8	46.3 – 57.2	42.1 *	39.7 – 44.5	44.5	41.6 – 47.5
ANNUAL INCOME	>High School	62.1	59.1 – 65.1	53.7 *	52.1 – 55.3	52.0 *	49.5 – 54.5
	<\$25,000	56.6	51.4 – 61.9	39.2 *	36.7 – 41.8	40.6 *	37.7 – 43.4
	\$25,000-\$49,999	58.0	52.3 – 63.8	46.2 *	43.6 – 48.7	47.7 *	44.1 – 51.3
MARITAL STATUS	\$50,000 or More	60.7	56.9 – 64.5	55.4	53.3 – 57.4	53.7	50.2 – 57.1
	Married/Couple	60.5	57.3 – 63.6	49.3 *	47.7 – 50.9	47.6 *	45.3 – 49.9
	Not Married/Couple	57.3	53.1 – 61.4	47.8 *	45.6 – 50.0	47.5 *	44.8 – 50.1

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		Urban		Suburban		Rural	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	58.5	50.6 – 66.4	61.3	58.1 – 64.5	57.7	54.3 – 61.1
SEX	Men	58.6	46.0 – 71.1	63.2	58.0 – 68.4	55.3	50.3 – 60.3
	Women	58.4	49.8 – 67.0	59.3	55.6 – 62.9	60.8	56.7 – 65.0
RACE/ETHNICITY	Non-Hisp. White	55.4	47.2 – 63.6	58.6	55.2 – 62.0	56.8	53.0 – 60.5
	Non-Hisp. Black	71.1	52.0 – 90.1	72.3	61.5 – 83.1	74.0	59.4 – 88.6
	Hispanic	52.9	30.9 – 74.9	72.4	57.4 – 87.4	50.8	36.2 – 65.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.9	43.8 – 70.0	58.2	52.6 – 63.7	53.3	47.6 – 59.0
	Non-Hisp. White Women	54.2	43.9 – 64.5	59.0	55.0 – 63.0	61.0	56.5 – 65.5
	Non-Hisp. Black Men			77.5	62.0 – 93.0	70.3	51.2 – 89.4
	Non-Hisp. Black Women	74.6	57.6 – 91.6	65.1	51.0 – 79.2	84.5	76.6 – 92.4
	Hispanic Men			82.1	64.9 – 99.3	53.3	32.8 – 73.8
AGE GROUP	Hispanic Women			50.7	34.6 – 66.8	46.9	27.3 – 66.5
	18-44	60.4	45.8 – 75.0	65.2	59.6 – 70.7	60.4	54.4 – 66.4
	45-64	56.7	46.6 – 66.8	60.3	56.0 – 64.7	55.7	51.5 – 59.9
EDUCATION LEVEL	65 & Older	58.3	45.6 – 70.9	50.4	45.1 – 55.7	51.3	45.9 – 56.8
	<High School	60.2	40.6 – 79.7	62.2	53.3 – 71.0	59.3	52.4 – 66.1
	H.S. / GED	65.2	53.5 – 76.9	59.5	54.1 – 64.9	57.4	52.7 – 62.2
ANNUAL INCOME	>High School	53.5	42.2 – 64.7	62.3	57.8 – 66.7	56.8	50.4 – 63.1
	<\$25,000	62.3	50.7 – 74.0	64.3	59.1 – 69.4	63.8	59.1 – 68.4
	\$25,000-\$49,999	49.6	29.0 – 70.2	58.4	52.0 – 64.8	54.8	48.9 – 60.7
MARITAL STATUS	\$50,000 or More	53.5	40.6 – 66.3	60.0	54.3 – 65.7	50.9	41.7 – 60.1
	Married/Couple	59.1	48.3 – 69.8	62.4	58.0 – 66.8	57.8	53.9 – 61.7
	Not Married/Couple	58.4	46.9 – 69.9	59.8	55.1 – 64.4	57.6	51.9 – 63.3

* Indicates that the difference observed compared to the 2010 urban measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Clinical Breast Exam	A medical exam where a doctor, nurse, or other health professional feels the breasts for lumps.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Behavior Groups	Those who have had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
HIV	Human immunodeficiency virus (HIV) is a retrovirus that causes acquired immunodeficiency syndrome (AIDS), a condition in humans in which the immune system begins to fail, leading to life-threatening opportunistic infections.
Hysterectomy	An operation to remove the uterus (womb) in women.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Mammogram	An x-ray of each breast to look for breast cancer.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Myocardial Infarction	Commonly known as a heart attack, is the interruption of blood supply to a part of the heart, causing heart cells to die.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Retinopathy	A complication of diabetes that results from damage to the blood vessels of the light-sensitive tissue at the back of the eye (retina).
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Tobacco Cessation Services	Medical and/or psychobehavioral treatment that seeks to reduce or eliminate the use of tobacco products.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-11. Reduce hip fractures among older adults

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-3. Reduce stroke deaths

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-2. Reduce coronary heart disease deaths

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-5. Reduce the proportion of persons in the population with hypertension

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy
- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease

OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Sleep

SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

TU-6. Increase smoking cessation during pregnancy

TU-1. Reduce tobacco use by adults

TU-4. Increase smoking cessation attempts by adult smokers

TU-5. Increase recent smoking cessation success by adult smokers

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Kimberly Cohen, JD, MSW
Cizao Ren, M.D., PH.D
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org