



Florida Behavioral Risk Factor Surveillance System (BRFSS)
State and County Data Summary
2013



Rick Scott
Governor

John H. Armstrong, MD, FACS
Surgeon General and Secretary of Health

Introduction

The Florida Department of Health is pleased to release the 2013 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Summary. This summary provides a statewide overview on a variety of health indicators for 2013.

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.

The 2013 BRFSS was the fourth county-level survey conducted. It was previously conducted in 2002, 2007, and 2010. The 2013 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of county health department (CHD) programs by offering options to add county-developed questions and increase sample sizes. This surveillance effort would not have been possible without the support of Florida's 67 CHDs. Over 34,000 interviews were completed statewide in the 2013 calendar year, with a target sample size of 500 completed surveys in each county.

The 2013 BRFSS provides counties and the state with a rich data source to estimate the prevalence of multiple chronic diseases and personal health behaviors that contribute to morbidity and mortality among Florida adults. The following data tables present the survey data on a variety of indicators related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures with very wide 95% CIs should be interpreted with caution.

The prevalence rates in this report are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type. Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2013 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

**Florida BRFSS State and County Data Summary 2013
Table of Contents**

Health Status	
Arthritis	1
Asthma	3
Cancer Prevalence	5
Cardiovascular Disease	7
Cholesterol Awareness	11
Chronic Obstructive Pulmonary Disease	12
Depression	13
Diabetes	14
Disability	21
Hypertension Awareness	23
Kidney Disease	24
Overweight and Obesity	25
Vision Impairment	29
Health-Related Behaviors	
Alcohol Consumption	30
Tobacco Use and Exposure	31
Physical Activity and Nutrition	35
Health-Related Prevention	
Cancer Screening/Breast	40
Cancer Screening/Cervical	42
Cancer Screening/Colorectal	43
HIV/AIDS Screening	45
Immunization	46
Injury Prevention	51
Health-Related Quality of Life	52
Health Care Access and Coverage	58
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Florida BRFSS State and County Data Summary 2013

Arthritis

Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	26.0	25.1 - 26.9		
Alachua	21.1	17.0 - 25.1	*	
Baker	33.6	26.0 - 41.2		
Bay	31.4	27.0 - 35.8		*
Bradford	30.9	23.5 - 38.3		
Brevard	28.8	24.2 - 33.5		
Broward	20.3	16.4 - 24.1	*	
Calhoun	29.7	23.3 - 36.1		
Charlotte	36.2	30.6 - 41.7		*
Citrus	42.7	36.8 - 48.6		*
Clay	24.8	20.0 - 29.7		
Collier	26.9	22.1 - 31.8		
Columbia	33.7	27.3 - 40.1		*
DeSoto	31.6	21.6 - 41.6		
Dixie	42.4	34.5 - 50.3		*
Duval	25.5	22.2 - 28.7		
Escambia	26.4	22.7 - 30.2		
Flagler	26.4	21.4 - 31.4		
Franklin	32.4	23.8 - 41.0		
Gadsden	29.5	23.3 - 35.8		
Gilchrist	37.0	28.5 - 45.5		*
Glades	35.9	21.3 - 50.4		
Gulf	29.5	22.2 - 36.8		
Hamilton	28.2	21.3 - 35.1		
Hardee	18.8	13.1 - 24.4	*	
Hendry	37.4	21.6 - 53.3		
Hernando	41.1	33.7 - 48.6		*
Highlands	34.6	29.0 - 40.2		*
Hillsborough	22.8	19.2 - 26.4		
Holmes	34.7	28.2 - 41.2		*
Indian River	34.5	28.7 - 40.3		*
Jackson	27.3	20.8 - 33.7		
Jefferson	32.6	25.8 - 39.5		
Lafayette	32.2	20.6 - 43.8		
Lake	32.2	27.1 - 37.3		*
Lee	31.8	27.8 - 35.8		*
Leon	16.4	13.1 - 19.7	*	
Levy	37.0	30.9 - 43.1		*
Liberty	27.5	20.5 - 34.6		
Madison	27.5	21.3 - 33.7		
Manatee	31.2	26.3 - 36.0		
Marion	31.0	26.5 - 35.5		
Martin	27.9	22.8 - 33.0		
Miami-Dade	19.7	16.1 - 23.4	*	
Monroe	24.3	18.8 - 29.7		
Nassau	32.9	26.9 - 38.9		
Okaloosa	29.4	25.0 - 33.7		
Okeechobee	30.5	22.4 - 38.5		
Orange	22.5	18.9 - 26.0		
Osceola	22.4	17.5 - 27.4		
Palm Beach	22.9	18.6 - 27.3		
Pasco	32.7	27.6 - 37.7		*
Pinellas	30.8	26.2 - 35.4		
Polk	28.5	23.7 - 33.2		
Putnam	40.1	31.8 - 48.5		*
Saint Johns	24.1	19.6 - 28.6		
Saint Lucie	31.4	26.5 - 36.2		
Santa Rosa	26.3	21.8 - 30.7		
Sarasota	31.1	26.7 - 35.5		
Seminole	22.2	17.6 - 26.8		
Sumter	37.1	30.8 - 43.4		*
Suwannee	31.9	25.9 - 38.0		
Taylor	37.9	28.7 - 47.2		*
Union	31.1	19.5 - 42.8		
Volusia	34.0	29.4 - 38.7		*
Wakulla	30.8	24.0 - 37.7		
Walton	30.3	24.5 - 36.0		
Washington	36.4	28.7 - 44.1		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Arthritis

Percentage of adults who are limited in any way in any usual activities because of arthritis

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	12.8	12.1 - 13.5		
Alachua	9.7	7.2 - 12.2		
Baker	14.3	9.7 - 18.8		
Bay	15.9	12.6 - 19.3		
Bradford	15.7	10.3 - 21.1		
Brevard	13.2	10.0 - 16.4		
Broward	12.3	9.0 - 15.6		
Calhoun	18.1	13.2 - 23.0		
Charlotte	16.0	12.0 - 19.9		
Citrus	23.7	18.5 - 28.9		*
Clay	15.5	11.2 - 19.9		
Collier	10.8	7.4 - 14.3		
Columbia	20.3	15.1 - 25.5		*
DeSoto	19.5	10.2 - 28.7		
Dixie	28.0	20.7 - 35.3		*
Duval	11.9	9.6 - 14.2		
Escambia	14.2	11.3 - 17.1		
Flagler	13.9	10.2 - 17.6		
Franklin	18.8	11.0 - 26.5		
Gadsden	19.4	13.7 - 25.0		*
Gilchrist	23.3	16.1 - 30.5		*
Glades	18.8	8.8 - 28.7		
Gulf	16.0	10.7 - 21.4		
Hamilton	18.6	12.3 - 24.9		
Hardee	10.2	6.7 - 13.8		
Hendry	15.4	6.1 - 24.7		
Hernando	19.8	14.0 - 25.6		*
Highlands	16.6	12.4 - 20.7		
Hillsborough	12.6	9.6 - 15.5		
Holmes	18.9	14.3 - 23.5		*
Indian River	15.8	11.7 - 19.9		
Jackson	11.7	7.9 - 15.4		
Jefferson	18.2	12.8 - 23.6		
Lafayette	15.0	7.0 - 23.1		
Lake	13.8	10.0 - 17.6		
Lee	13.7	10.9 - 16.4		
Leon	7.9	5.6 - 10.2	*	
Levy	20.9	16.2 - 25.5		*
Liberty	18.1	12.2 - 24.0		
Madison	16.6	11.0 - 22.2		
Manatee	14.9	11.3 - 18.6		
Marion	15.6	11.9 - 19.4		
Martin	12.2	8.7 - 15.6		
Miami-Dade	9.2	6.4 - 12.1	*	
Monroe	12.4	8.5 - 16.3		
Nassau	16.2	11.6 - 20.8		
Okaloosa	15.5	12.1 - 19.0		
Okeechobee	18.4	12.0 - 24.8		
Orange	9.7	7.2 - 12.3		
Osceola	12.9	8.9 - 16.9		
Palm Beach	10.0	7.2 - 12.8		
Pasco	15.4	11.8 - 19.1		
Pinellas	14.6	11.1 - 18.2		
Polk	14.8	11.1 - 18.5		
Putnam	21.8	16.1 - 27.5		*
Saint Johns	10.7	7.3 - 14.1		
Saint Lucie	13.0	9.6 - 16.4		
Santa Rosa	15.3	11.5 - 19.1		
Sarasota	12.5	9.3 - 15.7		
Seminole	10.1	7.0 - 13.1		
Sumter	15.6	11.3 - 19.9		
Suwannee	15.5	11.2 - 19.7		
Taylor	21.8	15.6 - 28.0		*
Union	23.6	11.8 - 35.4		
Volusia	15.8	12.5 - 19.1		
Wakulla	16.4	10.6 - 22.1		
Walton	17.3	12.6 - 22.0		
Washington	20.8	14.9 - 26.7		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Asthma

Percentage of adults who currently have asthma

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	8.3	7.6 - 8.9		
Alachua	12.9	8.4 - 17.4		
Baker	14.2	7.8 - 20.5		
Bay	8.4	5.7 - 11.1		
Bradford	8.0	4.0 - 12.0		
Brevard	7.7	4.7 - 10.6		
Broward	6.7	4.1 - 9.3		
Calhoun	8.5	5.3 - 11.7		
Charlotte	7.5	4.2 - 10.9		
Citrus	9.6	5.5 - 13.7		
Clay	7.8	4.3 - 11.3		
Collier	3.2	1.8 - 4.6	*	
Columbia	7.1	4.2 - 9.9		
DeSoto	4.6	2.4 - 6.7	*	
Dixie	14.7	9.0 - 20.3		*
Duval	10.0	7.7 - 12.3		
Escambia	8.1	5.8 - 10.4		
Flagler	6.1	2.7 - 9.6		
Franklin	10.5	3.0 - 18.1		
Gadsden	7.8	4.9 - 10.7		
Gilchrist	8.8	4.4 - 13.1		
Glades	13.4	2.4 - 24.4		
Gulf	10.8	5.3 - 16.2		
Hamilton	12.7	7.7 - 17.6		
Hardee	5.5	3.1 - 7.9		
Hendry	13.7	1.2 - 26.1		
Hernando	12.1	6.1 - 18.1		
Highlands	11.3	6.8 - 15.7		
Hillsborough	9.2	6.6 - 11.8		
Holmes	7.5	4.7 - 10.2		
Indian River	8.4	3.8 - 13.1		
Jackson	9.8	4.4 - 15.3		
Jefferson	10.5	4.2 - 16.9		
Lafayette	8.5	2.8 - 14.3		
Lake	8.7	5.8 - 11.6		
Lee	11.1	7.7 - 14.5		
Leon	7.9	5.0 - 10.8		
Levy	9.5	5.2 - 13.8		
Liberty	9.3	5.0 - 13.6		
Madison	10.4	4.1 - 16.6		
Manatee	9.8	6.4 - 13.1		
Marion	6.8	4.6 - 8.9		
Martin	7.4	4.3 - 10.5		
Miami-Dade	7.9	5.0 - 10.7		
Monroe	3.8	1.7 - 5.9	*	
Nassau	10.3	5.0 - 15.7		
Okaloosa	8.5	5.7 - 11.4		
Okeechobee	11.7	4.8 - 18.7		
Orange	7.7	5.2 - 10.2		
Osceola	9.3	5.1 - 13.4		
Palm Beach	6.4	3.2 - 9.6		
Pasco	9.2	6.1 - 12.4		
Pinellas	7.2	4.7 - 9.6		
Polk	10.9	7.7 - 14.2		
Putnam	7.1	3.2 - 11.0		
Saint Johns	7.6	4.4 - 10.7		
Saint Lucie	5.8	3.4 - 8.2		
Santa Rosa	9.0	5.6 - 12.5		
Sarasota	5.5	3.4 - 7.6	*	
Seminole	8.4	4.3 - 12.5		
Sumter	10.2	5.5 - 15.0		
Suwannee	9.6	5.6 - 13.6		
Taylor	12.0	6.2 - 17.8		
Union	8.3	3.5 - 13.1		
Volusia	10.5	7.1 - 13.9		
Wakulla	9.3	5.3 - 13.4		
Walton	6.9	3.1 - 10.7		
Washington	14.1	8.0 - 20.3		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Asthma

Percentage of adults who have ever been told they had asthma

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	13.5	12.7 - 14.4		
Alachua	20.4	15.4 - 25.5		*
Baker	17.4	10.9 - 23.9		
Bay	13.2	9.9 - 16.5		
Bradford	10.9	6.0 - 15.7		
Brevard	13.0	9.3 - 16.8		
Broward	11.3	8.0 - 14.6		
Calhoun	12.4	7.6 - 17.3		
Charlotte	13.9	9.6 - 18.2		
Citrus	13.8	9.3 - 18.3		
Clay	14.2	9.2 - 19.2		
Collier	7.8	5.0 - 10.6	*	
Columbia	13.9	9.5 - 18.4		
DeSoto	15.1	3.5 - 26.7		
Dixie	20.5	13.9 - 27.0		
Duval	17.6	14.6 - 20.7		*
Escambia	13.4	10.4 - 16.5		
Flagler	10.4	5.9 - 14.8		
Franklin	20.1	10.3 - 29.9		
Gadsden	9.9	6.6 - 13.1		
Gilchrist	18.2	11.0 - 25.4		
Glades	19.3	7.1 - 31.4		
Gulf	20.5	10.9 - 30.1		
Hamilton	20.8	13.8 - 27.8		
Hardee	10.4	5.9 - 14.9		
Hendry	15.9	3.4 - 28.4		
Hernando	19.4	12.9 - 25.9		
Highlands	15.3	10.4 - 20.3		
Hillsborough	15.1	11.7 - 18.5		
Holmes	11.8	7.9 - 15.7		
Indian River	14.3	9.1 - 19.5		
Jackson	12.3	6.6 - 18.0		
Jefferson	15.7	8.6 - 22.8		
Lafayette	16.1	7.7 - 24.4		
Lake	12.3	8.7 - 15.9		
Lee	14.8	11.2 - 18.4		
Leon	15.4	10.9 - 19.9		
Levy	14.6	9.7 - 19.6		
Liberty	19.2	9.9 - 28.5		
Madison	13.5	7.1 - 19.9		
Manatee	16.0	11.7 - 20.3		
Marion	12.6	9.3 - 15.9		
Martin	13.3	8.5 - 18.1		
Miami-Dade	13.9	10.3 - 17.5		
Monroe	11.5	5.6 - 17.5		
Nassau	14.2	8.5 - 19.9		
Okaloosa	14.8	11.1 - 18.6		
Okeechobee	17.5	9.5 - 25.5		
Orange	14.3	11.0 - 17.7		
Osceola	15.5	10.4 - 20.6		
Palm Beach	10.4	6.5 - 14.4		
Pasco	12.6	9.0 - 16.3		
Pinellas	10.9	7.9 - 13.8		
Polk	15.6	11.6 - 19.5		
Putnam	13.3	7.7 - 18.9		
Saint Johns	13.4	9.4 - 17.5		
Saint Lucie	10.5	6.9 - 14.0		
Santa Rosa	14.3	10.4 - 18.3		
Sarasota	9.3	6.5 - 12.1	*	
Seminole	10.7	6.4 - 15.1		
Sumter	13.0	7.9 - 18.2		
Suwannee	12.4	8.0 - 16.8		
Taylor	13.4	7.6 - 19.3		
Union	16.2	8.5 - 24.0		
Volusia	15.8	11.6 - 20.1		
Wakulla	15.8	10.7 - 21.0		
Walton	10.6	6.4 - 14.9		
Washington	18.3	11.8 - 24.8		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cancer Prevalence

Percentage of adults who have ever been told they had skin cancer

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	9.2	8.7 - 9.7		
Alachua	8.8	5.8 - 11.7		
Baker	9.4	6.1 - 12.6		
Bay	10.3	7.6 - 13.0		
Bradford	8.4	4.8 - 12.0		
Brevard	14.5	11.3 - 17.6		*
Broward	6.5	4.9 - 8.2	*	
Calhoun	12.5	8.5 - 16.4		
Charlotte	14.5	10.8 - 18.3		*
Citrus	18.9	14.5 - 23.3		*
Clay	10.3	7.4 - 13.1		
Collier	15.6	12.4 - 18.9		*
Columbia	12.4	8.7 - 16.0		
DeSoto	8.9	5.9 - 11.9		
Dixie	12.8	9.0 - 16.6		
Duval	7.6	5.8 - 9.3		
Escambia	6.9	5.1 - 8.8		
Flagler	12.2	8.1 - 16.4		
Franklin	18.6	12.4 - 24.8		*
Gadsden	6.9	4.4 - 9.3		
Gilchrist	15.1	10.1 - 20.2		*
Glades	10.5	5.8 - 15.3		
Gulf	12.9	9.0 - 16.9		
Hamilton	8.3	4.8 - 11.8		
Hardee	9.7	6.0 - 13.5		
Hendry	11.8	0.0 - 24.1		
Hernando	13.5	9.5 - 17.6		
Highlands	16.6	12.8 - 20.5		*
Hillsborough	7.3	5.2 - 9.4		
Holmes	15.1	10.8 - 19.4		*
Indian River	19.7	15.3 - 24.2		*
Jackson	12.5	9.0 - 16.1		
Jefferson	10.1	6.8 - 13.4		
Lafayette	12.7	5.5 - 20.0		
Lake	13.9	10.6 - 17.1		*
Lee	11.5	8.8 - 14.2		
Leon	8.5	5.5 - 11.4		
Levy	13.5	10.0 - 17.0		*
Liberty	8.3	5.4 - 11.3		
Madison	7.9	5.1 - 10.8		
Manatee	14.9	11.6 - 18.3		*
Marion	9.6	7.2 - 12.1		
Martin	21.7	17.1 - 26.3		*
Miami-Dade	2.5	1.6 - 3.4	*	
Monroe	8.9	6.2 - 11.6		
Nassau	12.3	8.7 - 15.9		
Okaloosa	10.2	7.7 - 12.7		
Okeechobee	12.4	8.1 - 16.8		
Orange	5.8	4.1 - 7.5	*	
Osceola	5.2	3.0 - 7.5	*	
Palm Beach	11.5	8.4 - 14.6		
Pasco	12.1	8.7 - 15.4		
Pinellas	10.3	7.7 - 12.9		
Polk	9.3	6.8 - 11.7		
Putnam	15.3	7.1 - 23.6		
Saint Johns	11.2	8.5 - 13.9		
Saint Lucie	11.6	8.7 - 14.4		
Santa Rosa	10.1	7.5 - 12.6		
Sarasota	16.6	13.1 - 20.1		*
Seminole	8.9	6.0 - 11.8		
Sumter	14.9	10.9 - 18.8		*
Suwannee	14.2	9.8 - 18.5		*
Taylor	9.0	6.2 - 11.7		
Union	12.3	0.7 - 23.9		
Volusia	10.7	8.1 - 13.2		
Wakulla	12.2	8.2 - 16.3		
Walton	10.7	7.7 - 13.6		
Washington	14.7	10.1 - 19.3		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cancer Prevalence

Percentage of adults who have ever been told they had any other type of cancer except skin cancer

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	7.6	7.1 - 8.1		
Alachua	7.8	4.8 - 10.8		
Baker	12.2	6.6 - 17.8		
Bay	7.5	5.0 - 9.9		
Bradford	8.5	5.1 - 11.9		
Brevard	8.1	5.7 - 10.5		
Broward	6.8	4.9 - 8.7		
Calhoun	6.2	3.9 - 8.6		
Charlotte	11.8	8.3 - 15.4		*
Citrus	13.8	10.3 - 17.2		*
Clay	7.9	5.3 - 10.5		
Collier	9.9	6.4 - 13.3		
Columbia	10.9	6.7 - 15.1		
DeSoto	5.2	3.2 - 7.2		
Dixie	11.5	7.8 - 15.2		
Duval	6.4	4.5 - 8.2		
Escambia	7.5	5.6 - 9.4		
Flagler	9.8	6.8 - 12.9		
Franklin	10.6	6.2 - 15.1		
Gadsden	7.9	4.9 - 10.9		
Gilchrist	7.8	2.9 - 12.7		
Glades	8.4	3.2 - 13.6		
Gulf	5.6	2.9 - 8.3		
Hamilton	5.5	3.4 - 7.5		
Hardee	3.3	1.7 - 4.8	*	
Hendry	5.4	2.4 - 8.3		
Hernando	11.7	7.9 - 15.6		
Highlands	13.2	9.6 - 16.8		*
Hillsborough	5.9	3.8 - 7.9		
Holmes	8.1	5.3 - 10.9		
Indian River	10.8	7.3 - 14.2		
Jackson	8.4	4.9 - 11.9		
Jefferson	5.3	3.3 - 7.4		
Lafayette	4.3	2.2 - 6.4	*	
Lake	10.1	7.5 - 12.7		
Lee	9.4	7.0 - 11.8		
Leon	7.0	4.8 - 9.2		
Levy	12.5	6.9 - 18.1		
Liberty	4.8	2.2 - 7.5		
Madison	9.5	5.8 - 13.1		
Manatee	8.7	5.9 - 11.4		
Marion	11.9	8.9 - 14.8		*
Martin	9.8	6.9 - 12.6		
Miami-Dade	4.0	2.0 - 5.9	*	
Monroe	6.4	3.7 - 9.0		
Nassau	8.6	5.8 - 11.4		
Okaloosa	7.8	5.4 - 10.3		
Okeechobee	9.0	5.4 - 12.6		
Orange	4.6	3.0 - 6.1	*	
Osceola	5.4	3.0 - 7.8		
Palm Beach	7.6	5.4 - 9.8		
Pasco	10.9	7.7 - 14.0		
Pinellas	10.1	7.3 - 12.8		
Polk	7.7	5.4 - 9.9		
Putnam	8.6	5.7 - 11.5		
Saint Johns	8.9	6.3 - 11.5		
Saint Lucie	9.4	6.5 - 12.3		
Santa Rosa	7.5	4.9 - 10.0		
Sarasota	11.8	8.8 - 14.9		*
Seminole	6.6	4.0 - 9.1		
Sumter	12.7	8.8 - 16.6		*
Suwannee	9.7	6.3 - 13.1		
Taylor	4.3	2.2 - 6.4	*	
Union	3.4	1.7 - 5.1	*	
Volusia	8.4	6.1 - 10.6		
Wakulla	4.6	2.8 - 6.4	*	
Walton	7.0	3.6 - 10.4		
Washington	8.9	5.5 - 12.3		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cardiovascular Disease

Percentage of adults who have ever been told they had angina or coronary heart disease

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	5.0	4.6 - 5.4		
Alachua	4.2	1.7 - 6.8		
Baker	2.7	1.1 - 4.3	*	
Bay	6.6	4.5 - 8.7		
Bradford	3.2	1.3 - 5.2		
Brevard	5.2	3.0 - 7.5		
Broward	3.5	1.5 - 5.4		
Calhoun	7.1	4.3 - 9.9		
Charlotte	8.5	5.6 - 11.5		*
Citrus	11.4	7.7 - 15.2		*
Clay	3.4	1.9 - 5.0		
Collier	6.0	3.7 - 8.4		
Columbia	6.6	3.8 - 9.4		
DeSoto	7.3	3.9 - 10.7		
Dixie	10.9	7.0 - 14.9		*
Duval	3.8	2.6 - 5.1		
Escambia	5.0	3.4 - 6.6		
Flagler	5.3	2.9 - 7.7		
Franklin	7.8	4.7 - 10.9		
Gadsden	4.5	2.6 - 6.5		
Gilchrist	6.1	3.1 - 9.0		
Glades	3.2	1.3 - 5.1		
Gulf	7.8	3.9 - 11.6		
Hamilton	8.0	3.6 - 12.5		
Hardee	9.7	3.9 - 15.5		
Hendry	6.1	0.0 - 13.8		
Hernando	9.1	5.7 - 12.6		*
Highlands	11.2	7.6 - 14.7		*
Hillsborough	4.4	2.7 - 6.1		
Holmes	9.3	5.6 - 13.0		*
Indian River	8.7	5.6 - 11.7		*
Jackson	7.3	4.5 - 10.1		
Jefferson	7.7	4.3 - 11.1		
Lafayette	3.5	1.4 - 5.5		
Lake	8.9	5.8 - 12.1		*
Lee	6.1	3.8 - 8.4		
Leon	2.8	1.4 - 4.2	*	
Levy	8.5	5.5 - 11.5		*
Liberty	6.8	4.2 - 9.4		
Madison	4.2	2.4 - 5.9		
Manatee	7.5	4.9 - 10.1		
Marion	6.7	4.3 - 9.2		
Martin	6.2	4.1 - 8.3		
Miami-Dade	2.7	1.4 - 3.9	*	
Monroe	2.0	0.9 - 3.0	*	
Nassau	4.6	2.5 - 6.7		
Okaloosa	6.0	3.9 - 8.1		
Okeechobee	8.7	4.6 - 12.9		
Orange	3.4	1.9 - 4.9		
Osceola	4.6	2.1 - 7.0		
Palm Beach	6.3	3.9 - 8.7		
Pasco	8.0	5.3 - 10.6		
Pinellas	5.2	3.0 - 7.4		
Polk	7.5	4.0 - 11.0		
Putnam	7.2	4.6 - 9.8		
Saint Johns	5.3	3.1 - 7.5		
Saint Lucie	4.4	2.7 - 6.0		
Santa Rosa	4.7	2.0 - 7.5		
Sarasota	6.9	4.6 - 9.1		
Seminole	3.0	1.6 - 4.3	*	
Sumter	8.4	5.2 - 11.6		
Suwannee	6.8	4.0 - 9.6		
Taylor	4.5	2.4 - 6.6		
Union	5.0	2.2 - 7.8		
Volusia	5.7	3.3 - 8.1		
Wakulla	5.6	2.7 - 8.5		
Walton	6.9	3.4 - 10.4		
Washington	10.7	5.9 - 15.5		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cardiovascular Disease

Percentage of adults who have ever been told they had a heart attack

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	5.6	5.1 - 6.1		
Alachua	4.3	1.5 - 7.1		
Baker	3.8	1.9 - 5.7		
Bay	5.0	2.9 - 7.1		
Bradford	5.5	2.6 - 8.5		
Brevard	5.4	3.3 - 7.5		
Broward	4.9	2.4 - 7.4		
Calhoun	5.4	3.1 - 7.6		
Charlotte	6.2	3.7 - 8.8		
Citrus	11.1	7.4 - 14.7		*
Clay	5.3	2.8 - 7.8		
Collier	5.9	3.3 - 8.6		
Columbia	8.0	5.0 - 11.1		
DeSoto	5.7	3.3 - 8.0		
Dixie	9.6	6.0 - 13.3		
Duval	5.3	3.5 - 7.2		
Escambia	5.7	4.0 - 7.4		
Flagler	4.8	2.4 - 7.1		
Franklin	7.6	4.1 - 11.2		
Gadsden	7.6	1.5 - 13.8		
Gilchrist	8.7	4.0 - 13.3		
Glades	8.8	1.3 - 16.4		
Gulf	7.7	4.3 - 11.1		
Hamilton	5.7	2.5 - 8.8		
Hardee	11.4	5.1 - 17.6		
Hendry	11.9	2.3 - 21.6		
Hernando	9.2	4.6 - 13.9		
Highlands	12.2	8.4 - 16.1		*
Hillsborough	5.5	3.4 - 7.5		
Holmes	6.9	4.4 - 9.4		
Indian River	8.7	5.7 - 11.7		
Jackson	9.3	5.9 - 12.6		
Jefferson	5.4	2.4 - 8.4		
Lafayette	4.1	1.7 - 6.5		
Lake	7.4	4.6 - 10.2		
Lee	6.9	4.5 - 9.3		
Leon	2.7	1.2 - 4.1	*	
Levy	8.7	5.6 - 11.8		
Liberty	5.7	3.4 - 8.0		
Madison	5.3	3.1 - 7.4		
Manatee	7.7	5.1 - 10.2		
Marion	7.7	5.3 - 10.2		
Martin	6.4	4.1 - 8.7		
Miami-Dade	4.1	2.3 - 5.9		
Monroe	1.8	0.7 - 3.0	*	
Nassau	3.7	2.0 - 5.4		
Okaloosa	5.3	2.8 - 7.9		
Okeechobee	9.2	5.3 - 13.2		
Orange	4.0	2.3 - 5.7		
Osceola	3.6	1.5 - 5.7		
Palm Beach	5.3	3.1 - 7.5		
Pasco	7.6	5.2 - 10.0		
Pinellas	6.9	4.5 - 9.4		
Polk	6.7	4.1 - 9.4		
Putnam	7.9	4.8 - 11.0		
Saint Johns	5.4	2.8 - 8.0		
Saint Lucie	5.9	3.8 - 8.0		
Santa Rosa	3.8	2.2 - 5.5		
Sarasota	7.2	4.7 - 9.6		
Seminole	3.9	2.0 - 5.8		
Sumter	5.7	3.2 - 8.2		
Suwannee	6.4	3.7 - 9.1		
Taylor	8.1	4.5 - 11.7		
Union	6.7	2.3 - 11.1		
Volusia	6.7	3.9 - 9.5		
Wakulla	3.6	2.1 - 5.2		
Walton	4.7	2.6 - 6.8		
Washington	6.7	3.0 - 10.3		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	3.7	3.3 - 4.1		
Alachua	3.7	1.1 - 6.3		
Baker	4.8	2.3 - 7.3		
Bay	4.1	2.2 - 6.0		
Bradford	4.9	1.7 - 8.1		
Brevard	6.0	3.8 - 8.3		
Broward	3.7	2.1 - 5.3		
Calhoun	3.4	1.8 - 5.0		
Charlotte	5.2	2.6 - 7.8		
Citrus	5.5	3.0 - 8.0		
Clay	3.3	1.6 - 4.9		
Collier	2.7	1.0 - 4.5		
Columbia	5.0	2.8 - 7.2		
DeSoto	3.0	1.4 - 4.6		
Dixie	6.1	2.9 - 9.3		
Duval	4.4	2.6 - 6.2		
Escambia	3.4	2.2 - 4.7		
Flagler	2.5	1.0 - 4.1		
Franklin	5.1	1.4 - 8.7		
Gadsden	3.8	1.7 - 6.0		
Gilchrist	3.2	1.0 - 5.4		
Glades	3.8	1.6 - 6.1		
Gulf	3.1	1.2 - 4.9		
Hamilton	5.1	2.2 - 7.9		
Hardee	3.3	0.6 - 6.1		
Hendry	5.1	0.0 - 11.1		
Hernando	3.9	1.8 - 6.0		
Highlands	4.8	2.3 - 7.2		
Hillsborough	4.5	2.7 - 6.2		
Holmes	3.7	2.0 - 5.3		
Indian River	5.1	2.9 - 7.4		
Jackson	3.8	2.1 - 5.5		
Jefferson	4.6	1.9 - 7.3		
Lafayette	3.2	1.0 - 5.5		
Lake	4.5	2.3 - 6.7		
Lee	4.6	3.0 - 6.1		
Leon	3.0	1.4 - 4.7		
Levy	5.5	3.1 - 7.9		
Liberty	2.2	0.9 - 3.5		
Madison	3.7	2.0 - 5.3		
Manatee	4.0	2.3 - 5.7		
Marion	6.5	4.1 - 8.8		*
Martin	4.5	2.3 - 6.7		
Miami-Dade	2.1	1.0 - 3.2	*	
Monroe	3.0	0.0 - 6.6		
Nassau	3.2	1.3 - 5.0		
Okaloosa	4.4	2.1 - 6.7		
Okeechobee	7.0	2.5 - 11.5		
Orange	2.8	1.5 - 4.0		
Osceola	1.6	0.7 - 2.6	*	
Palm Beach	2.2	0.9 - 3.5		
Pasco	3.9	2.1 - 5.7		
Pinellas	4.3	2.3 - 6.4		
Polk	4.2	1.4 - 6.9		
Putnam	11.1	2.3 - 19.9		
Saint Johns	2.7	1.4 - 4.0		
Saint Lucie	2.6	1.0 - 4.2		
Santa Rosa	2.0	1.1 - 2.9	*	
Sarasota	3.9	2.2 - 5.5		
Seminole	3.5	1.8 - 5.2		
Sumter	6.9	3.4 - 10.4		
Suwannee	9.1	3.3 - 14.8		
Taylor	4.1	1.9 - 6.4		
Union	4.7	0.6 - 8.7		
Volusia	4.1	1.6 - 6.6		
Wakulla	1.8	0.8 - 2.7	*	
Walton	3.9	2.2 - 5.7		
Washington	6.0	3.1 - 8.9		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cardiovascular Disease

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	10.3	9.7 - 10.9		
Alachua	8.1	5.0 - 11.2		
Baker	9.4	6.1 - 12.8		
Bay	11.9	8.8 - 15.0		
Bradford	9.5	5.5 - 13.6		
Brevard	12.3	9.1 - 15.5		
Broward	9.6	6.5 - 12.7		
Calhoun	10.6	7.3 - 13.9		
Charlotte	14.5	10.5 - 18.5		
Citrus	18.9	14.4 - 23.4		*
Clay	8.9	6.0 - 11.8		
Collier	11.6	8.1 - 15.0		
Columbia	13.7	9.7 - 17.7		
DeSoto	10.8	6.7 - 14.9		
Dixie	18.6	13.4 - 23.8		*
Duval	9.8	7.5 - 12.2		
Escambia	10.1	7.9 - 12.4		
Flagler	9.0	6.0 - 11.9		
Franklin	14.4	9.3 - 19.5		
Gadsden	12.3	5.9 - 18.6		
Gilchrist	12.8	7.5 - 18.0		
Glades	13.4	5.3 - 21.4		
Gulf	14.9	9.8 - 20.0		
Hamilton	12.9	7.7 - 18.1		
Hardee	15.3	8.7 - 21.8		
Hendry	14.1	4.4 - 23.9		
Hernando	16.2	10.9 - 21.4		
Highlands	17.1	12.8 - 21.3		*
Hillsborough	10.5	7.8 - 13.2		
Holmes	15.1	10.8 - 19.5		
Indian River	14.8	10.9 - 18.6		
Jackson	12.6	8.7 - 16.5		
Jefferson	12.6	8.2 - 16.9		
Lafayette	8.6	4.8 - 12.4		
Lake	14.3	10.6 - 18.0		
Lee	11.8	9.0 - 14.7		
Leon	6.2	4.0 - 8.5	*	
Levy	15.4	11.3 - 19.4		*
Liberty	9.8	6.6 - 12.9		
Madison	9.3	6.5 - 12.2		
Manatee	13.0	9.8 - 16.3		
Marion	14.4	11.0 - 17.8		*
Martin	11.9	8.6 - 15.2		
Miami-Dade	7.3	5.0 - 9.6	*	
Monroe	5.9	2.1 - 9.8		
Nassau	7.7	5.1 - 10.4		
Okaloosa	11.0	7.8 - 14.1		
Okeechobee	17.8	11.5 - 24.1		*
Orange	7.5	5.3 - 9.6	*	
Osceola	7.2	4.3 - 10.1		
Palm Beach	9.3	6.5 - 12.2		
Pasco	12.2	9.1 - 15.3		
Pinellas	11.2	8.1 - 14.3		
Polk	12.1	8.1 - 16.1		
Putnam	20.0	11.4 - 28.6		*
Saint Johns	9.1	6.1 - 12.0		
Saint Lucie	9.5	6.8 - 12.1		
Santa Rosa	7.9	4.9 - 11.0		
Sarasota	13.5	10.4 - 16.6		
Seminole	6.4	4.2 - 8.6	*	
Sumter	16.8	12.0 - 21.6		*
Suwannee	16.7	10.6 - 22.9		
Taylor	11.7	7.7 - 15.8		
Union	13.1	6.8 - 19.4		
Volusia	10.6	7.5 - 13.7		
Wakulla	8.0	4.9 - 11.1		
Walton	10.9	7.0 - 14.8		
Washington	16.9	11.4 - 22.4		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cholesterol Awareness

Percentage of adults who have ever been told they had high blood cholesterol

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	33.4	32.3 - 34.4		
Alachua	26.4	21.8 - 31.1	*	
Baker	29.9	23.4 - 36.4		
Bay	34.2	29.5 - 38.9		
Bradford	28.4	21.3 - 35.4		
Brevard	36.2	30.9 - 41.4		
Broward	28.4	23.9 - 32.9		
Calhoun	35.4	27.4 - 43.3		
Charlotte	40.8	34.9 - 46.7		*
Citrus	42.7	36.8 - 48.6		*
Clay	25.3	20.5 - 30.0	*	
Collier	33.3	28.0 - 38.6		
Columbia	39.2	32.1 - 46.2		
DeSoto	26.0	17.9 - 34.1		
Dixie	36.9	29.3 - 44.5		
Duval	33.1	29.5 - 36.7		
Escambia	29.6	25.7 - 33.5		
Flagler	35.3	29.2 - 41.4		
Franklin	36.7	28.1 - 45.4		
Gadsden	37.4	30.2 - 44.5		
Gilchrist	40.5	31.5 - 49.5		
Glades	46.6	30.5 - 62.7		
Gulf	39.5	30.4 - 48.7		
Hamilton	27.4	20.7 - 34.2		
Hardee	33.0	24.7 - 41.4		
Hendry	32.6	18.0 - 47.3		
Hernando	39.2	32.2 - 46.3		
Highlands	41.3	35.1 - 47.4		*
Hillsborough	33.2	28.9 - 37.5		
Holmes	38.7	30.5 - 46.8		
Indian River	39.9	33.7 - 46.1		
Jackson	33.5	26.6 - 40.4		
Jefferson	38.9	31.2 - 46.7		
Lafayette	27.6	17.7 - 37.5		
Lake	41.8	36.0 - 47.6		*
Lee	37.1	32.9 - 41.3		
Leon	27.5	22.9 - 32.1	*	
Levy	37.1	30.6 - 43.5		
Liberty	34.5	25.2 - 43.9		
Madison	39.3	31.7 - 47.0		
Manatee	34.1	29.1 - 39.0		
Marion	40.4	35.6 - 45.2		*
Martin	34.2	28.5 - 39.9		
Miami-Dade	27.8	23.5 - 32.0	*	
Monroe	33.5	26.1 - 40.8		
Nassau	31.6	25.9 - 37.4		
Okaloosa	30.0	25.8 - 34.2		
Okeechobee	32.9	24.7 - 41.2		
Orange	25.6	21.8 - 29.3	*	
Osceola	37.2	30.5 - 43.8		
Palm Beach	38.4	32.6 - 44.2		
Pasco	40.2	34.7 - 45.6		*
Pinellas	38.2	33.2 - 43.2		
Polk	34.6	29.2 - 40.0		
Putnam	34.6	27.7 - 41.5		
Saint Johns	30.4	25.5 - 35.3		
Saint Lucie	36.4	31.1 - 41.7		
Santa Rosa	33.6	28.4 - 38.7		
Sarasota	44.9	40.0 - 49.9		*
Seminole	37.4	31.4 - 43.4		
Sumter	44.5	37.4 - 51.6		*
Suwannee	31.3	24.7 - 37.9		
Taylor	30.3	23.1 - 37.5		
Union	49.2	36.0 - 62.4		*
Volusia	39.3	34.2 - 44.4		
Wakulla	30.4	24.0 - 36.8		
Walton	30.4	24.7 - 36.0		
Washington	34.7	27.1 - 42.4		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Chronic Obstructive Pulmonary Disease

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	7.4	6.9 - 7.9		
Alachua	7.5	3.5 - 11.6		
Baker	18.1	10.6 - 25.6		*
Bay	9.2	6.2 - 12.3		
Bradford	7.0	4.1 - 9.9		
Brevard	8.1	5.4 - 10.7		
Broward	6.3	3.9 - 8.7		
Calhoun	13.5	9.5 - 17.4		*
Charlotte	9.2	6.0 - 12.5		
Citrus	12.2	8.5 - 15.9		*
Clay	7.5	4.3 - 10.6		
Collier	4.2	2.5 - 5.9	*	
Columbia	9.5	6.5 - 12.5		
DeSoto	8.0	4.9 - 11.2		
Dixie	11.2	7.5 - 14.9		
Duval	7.8	5.8 - 9.9		
Escambia	7.5	5.3 - 9.6		
Flagler	7.2	4.5 - 9.8		
Franklin	12.1	6.6 - 17.5		
Gadsden	10.2	5.3 - 15.0		
Gilchrist	14.4	8.6 - 20.3		*
Glades	6.5	3.5 - 9.5		
Gulf	9.5	5.8 - 13.1		
Hamilton	11.3	6.4 - 16.3		
Hardee	6.5	3.3 - 9.7		
Hendry	4.4	1.4 - 7.4		
Hernando	14.3	9.1 - 19.4		*
Highlands	12.0	8.1 - 15.9		*
Hillsborough	6.7	4.4 - 8.9		
Holmes	12.0	8.0 - 16.0		*
Indian River	8.6	5.6 - 11.5		
Jackson	7.2	4.4 - 9.9		
Jefferson	7.4	3.7 - 11.2		
Lafayette	8.6	3.6 - 13.7		
Lake	7.0	4.7 - 9.4		
Lee	7.9	5.8 - 10.1		
Leon	4.8	2.6 - 7.0		
Levy	12.6	9.0 - 16.1		*
Liberty	6.7	3.8 - 9.6		
Madison	9.0	6.0 - 12.0		
Manatee	8.4	5.5 - 11.4		
Marion	7.6	5.4 - 9.7		
Martin	9.6	6.6 - 12.6		
Miami-Dade	6.1	3.4 - 8.8		
Monroe	4.6	1.9 - 7.3		
Nassau	7.4	4.0 - 10.7		
Okaloosa	10.8	7.6 - 13.9		
Okeechobee	17.0	9.5 - 24.6		*
Orange	4.9	3.2 - 6.6	*	
Osceola	6.9	4.2 - 9.6		
Palm Beach	5.5	3.4 - 7.6		
Pasco	10.8	7.8 - 13.7		
Pinellas	7.6	5.1 - 10.0		
Polk	10.4	7.4 - 13.4		
Putnam	10.9	7.2 - 14.5		
Saint Johns	6.3	3.9 - 8.7		
Saint Lucie	7.7	5.1 - 10.3		
Santa Rosa	7.4	4.5 - 10.4		
Sarasota	10.2	7.4 - 13.0		
Seminole	4.7	2.6 - 6.8	*	
Sumter	14.9	9.3 - 20.4		*
Suwannee	10.8	6.6 - 15.0		
Taylor	12.3	7.8 - 16.8		
Union	9.1	4.4 - 13.8		
Volusia	9.5	6.5 - 12.6		
Wakulla	9.9	6.1 - 13.6		
Walton	11.6	8.1 - 15.1		*
Washington	13.4	7.7 - 19.1		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Depression

Percentage of adults who have ever been told they had a depressive disorder

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	16.8	15.9 - 17.6		
Alachua	16.2	12.1 - 20.3		
Baker	20.3	13.8 - 26.9		
Bay	21.2	17.2 - 25.2		
Bradford	15.8	8.0 - 23.7		
Brevard	18.1	14.1 - 22.2		
Broward	14.6	10.9 - 18.4		
Calhoun	20.2	13.5 - 26.8		
Charlotte	18.7	13.8 - 23.6		
Citrus	26.4	20.9 - 31.9		*
Clay	19.4	14.5 - 24.3		
Collier	13.7	9.6 - 17.8		
Columbia	17.3	12.7 - 21.8		
DeSoto	9.1	6.0 - 12.3	*	
Dixie	25.3	18.8 - 31.8		*
Duval	20.7	17.3 - 24.0		
Escambia	17.1	14.0 - 20.2		
Flagler	14.8	9.8 - 19.9		
Franklin	18.2	11.0 - 25.5		
Gadsden	18.9	11.9 - 25.9		
Gilchrist	29.4	19.9 - 38.9		*
Glades	8.9	5.0 - 12.8	*	
Gulf	13.8	8.6 - 19.0		
Hamilton	18.2	12.2 - 24.3		
Hardee	11.9	7.3 - 16.4		
Hendry	24.5	9.0 - 40.1		
Hernando	22.5	15.2 - 29.7		
Highlands	18.0	12.3 - 23.6		
Hillsborough	18.1	14.7 - 21.6		
Holmes	21.2	15.4 - 26.9		
Indian River	17.8	13.0 - 22.6		
Jackson	18.3	12.9 - 23.6		
Jefferson	11.9	8.0 - 15.7	*	
Lafayette	15.5	9.1 - 22.0		
Lake	18.5	14.0 - 23.1		
Lee	18.3	15.0 - 21.6		
Leon	17.7	13.6 - 21.8		
Levy	25.2	18.4 - 32.0		*
Liberty	22.8	15.3 - 30.3		
Madison	15.0	10.4 - 19.6		
Manatee	20.8	16.1 - 25.4		
Marion	15.8	12.0 - 19.7		
Martin	13.9	10.0 - 17.8		
Miami-Dade	12.0	8.8 - 15.1	*	
Monroe	16.1	10.3 - 22.0		
Nassau	17.5	11.6 - 23.5		
Okaloosa	19.8	15.8 - 23.9		
Okeechobee	28.9	18.6 - 39.3		*
Orange	15.3	12.1 - 18.5		
Osceola	15.4	10.6 - 20.2		
Palm Beach	13.8	9.6 - 17.9		
Pasco	20.4	15.9 - 24.9		
Pinellas	20.4	16.1 - 24.7		
Polk	17.8	13.8 - 21.7		
Putnam	26.1	17.2 - 34.9		
Saint Johns	18.1	13.6 - 22.6		
Saint Lucie	16.0	12.0 - 19.9		
Santa Rosa	20.8	16.3 - 25.3		
Sarasota	18.6	14.7 - 22.5		
Seminole	17.2	12.7 - 21.7		
Sumter	17.6	11.4 - 23.8		
Suwannee	19.4	13.7 - 25.1		
Taylor	18.3	13.0 - 23.5		
Union	25.1	13.4 - 36.7		
Volusia	16.7	12.8 - 20.7		
Wakulla	19.0	12.5 - 25.5		
Walton	16.1	11.4 - 20.7		
Washington	22.7	16.2 - 29.2		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Diabetes

Percentage of adults who have ever been told they had diabetes

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	11.2	10.5 - 11.9		
Alachua	7.2	5.0 - 9.4	*	
Baker	13.4	7.9 - 18.9		
Bay	11.0	8.0 - 14.0		
Bradford	13.6	9.0 - 18.2		
Brevard	13.2	9.7 - 16.7		
Broward	10.7	7.3 - 14.0		
Calhoun	13.1	9.2 - 17.0		
Charlotte	16.0	11.5 - 20.4		
Citrus	15.2	11.1 - 19.3		
Clay	11.9	8.6 - 15.1		
Collier	7.6	4.7 - 10.5	*	
Columbia	13.0	9.2 - 16.8		
DeSoto	13.3	6.7 - 20.0		
Dixie	15.3	10.7 - 19.8		
Duval	12.1	9.4 - 14.7		
Escambia	12.6	9.6 - 15.5		
Flagler	9.8	6.9 - 12.8		
Franklin	12.1	6.7 - 17.6		
Gadsden	20.8	15.2 - 26.5		*
Gilchrist	5.6	2.6 - 8.5	*	
Glades	11.4	4.5 - 18.4		
Gulf	13.6	8.2 - 18.9		
Hamilton	10.9	6.6 - 15.1		
Hardee	19.2	12.6 - 25.7		*
Hendry	21.9	9.4 - 34.3		
Hernando	12.9	8.9 - 17.0		
Highlands	13.4	9.9 - 17.0		
Hillsborough	12.4	9.6 - 15.1		
Holmes	14.4	10.1 - 18.6		
Indian River	11.1	7.8 - 14.5		
Jackson	12.4	8.4 - 16.3		
Jefferson	9.0	5.8 - 12.3		
Lafayette	14.7	5.6 - 23.8		
Lake	15.2	11.5 - 19.0		
Lee	8.8	6.5 - 11.1		
Leon	6.9	4.5 - 9.2	*	
Levy	17.1	12.1 - 22.1		*
Liberty	16.6	7.9 - 25.3		
Madison	17.2	12.5 - 22.0		*
Manatee	9.9	6.7 - 13.0		
Marion	14.7	11.3 - 18.0		
Martin	12.2	8.7 - 15.8		
Miami-Dade	8.9	6.4 - 11.5		
Monroe	6.6	4.0 - 9.2	*	
Nassau	10.2	7.0 - 13.4		
Okaloosa	9.2	6.7 - 11.7		
Okeechobee	11.6	6.9 - 16.3		
Orange	10.3	7.5 - 13.0		
Osceola	14.2	10.1 - 18.2		
Palm Beach	11.0	7.6 - 14.4		
Pasco	11.0	7.9 - 14.1		
Pinellas	9.7	7.0 - 12.5		
Polk	16.1	12.4 - 19.8		*
Putnam	12.6	7.8 - 17.5		
Saint Johns	7.9	5.3 - 10.5		
Saint Lucie	11.5	8.3 - 14.6		
Santa Rosa	8.8	6.2 - 11.4		
Sarasota	10.3	7.5 - 13.2		
Seminole	9.0	5.9 - 12.0		
Sumter	16.2	11.6 - 20.8		
Suwannee	16.1	11.3 - 20.8		
Taylor	14.9	10.5 - 19.3		
Union	17.8	6.9 - 28.8		
Volusia	12.4	9.1 - 15.8		
Wakulla	12.5	8.0 - 17.1		
Walton	9.9	7.0 - 12.8		
Washington	12.8	8.1 - 17.5		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Diabetes

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	61.8	58.5 - 65.0		
Alachua	67.4	53.4 - 81.3		
Baker	89.0	80.9 - 97.0		*
Bay	47.2	33.0 - 61.4		
Bradford	59.7	43.8 - 75.5		
Brevard	71.7	59.6 - 83.8		
Broward	60.8	45.0 - 76.6		
Calhoun	62.1	48.1 - 76.1		
Charlotte	50.8	35.2 - 66.3		
Citrus	62.4	48.2 - 76.7		
Clay	58.5	44.2 - 72.9		
Collier	54.8	34.8 - 74.8		
Columbia	51.3	37.0 - 65.5		
DeSoto	62.7	42.5 - 82.9		
Dixie	64.6	49.5 - 79.6		
Duval	65.5	53.9 - 77.2		
Escambia	68.9	57.3 - 80.5		
Flagler	60.1	45.7 - 74.5		
Franklin	60.2	37.1 - 83.3		
Gadsden	75.5	65.3 - 85.7		*
Gilchrist	64.0	40.4 - 87.7		
Glades	44.7	18.4 - 71.1		
Gulf	51.7	30.9 - 72.6		
Hamilton	69.2	51.2 - 87.1		
Hardee	49.7	31.9 - 67.5		
Hendry	78.8	62.4 - 95.1		
Hernando	71.1	56.8 - 85.4		
Highlands	60.7	47.2 - 74.2		
Hillsborough	67.6	56.2 - 79.0		
Holmes	76.5	64.5 - 88.6		
Indian River	59.2	43.7 - 74.6		
Jackson	67.8	53.2 - 82.3		
Jefferson	72.9	57.2 - 88.6		
Lafayette	36.2	10.2 - 62.1		
Lake	68.5	57.1 - 79.8		
Lee	61.5	47.8 - 75.1		
Leon	68.7	52.3 - 85.0		
Levy	64.4	49.0 - 79.8		
Liberty	82.7	70.5 - 94.9		*
Madison	55.2	41.0 - 69.3		
Manatee	74.3	60.4 - 88.3		
Marion	64.1	51.9 - 76.3		
Martin	66.2	52.3 - 80.1		
Miami-Dade	66.8	51.3 - 82.4		
Monroe	67.0	49.0 - 85.1		
Nassau	61.7	44.6 - 78.8		
Okaloosa	54.1	40.5 - 67.6		
Okeechobee	71.6	52.1 - 91.1		
Orange	50.7	36.2 - 65.3		
Osceola	55.3	40.1 - 70.5		
Palm Beach	48.8	32.2 - 65.5		
Pasco	59.8	45.2 - 74.4		
Pinellas	52.2	36.9 - 67.6		
Polk	64.1	52.0 - 76.2		
Putnam	76.5	62.9 - 90.2		
Saint Johns	56.8	39.8 - 73.9		
Saint Lucie	56.7	42.3 - 71.2		
Santa Rosa	61.5	46.4 - 76.7		
Sarasota	54.4	38.9 - 69.8		
Seminole	52.0	33.7 - 70.4		
Sumter	71.4	57.3 - 85.5		
Suwannee	70.1	56.8 - 83.3		
Taylor	68.3	56.3 - 80.3		
Union	70.8	47.8 - 93.7		
Volusia	62.0	46.9 - 77.1		
Wakulla	62.0	42.2 - 81.8		
Walton	64.5	50.7 - 78.3		
Washington	62.0	41.7 - 82.3		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	69.3	65.8 - 72.9		
Alachua	73.3	58.9 - 87.7		
Baker	69.7	48.7 - 90.7		
Bay	63.4	46.6 - 80.1		
Bradford	71.1	54.1 - 88.2		
Brevard	71.6	57.7 - 85.5		
Broward	63.9	44.3 - 83.6		
Calhoun	69.1	53.3 - 84.9		
Charlotte	77.1	65.0 - 89.1		
Citrus	73.8	59.2 - 88.3		
Clay	55.5	39.8 - 71.1		
Collier	76.0	59.3 - 92.7		
Columbia	77.7	64.9 - 90.4		
DeSoto	42.6	17.9 - 67.3		
Dixie	79.8	66.7 - 92.9		
Duval	73.5	62.9 - 84.1		
Escambia	77.2	67.0 - 87.3		
Flagler	81.2	68.5 - 93.8		
Franklin	74.7	50.4 - 98.9		
Gadsden	73.9	55.9 - 91.8		
Gilchrist	84.4	70.7 - 98.1		
Glades	43.1	16.3 - 69.9		
Gulf	77.4	63.2 - 91.7		
Hamilton	55.7	31.9 - 79.5		
Hardee	64.9	46.2 - 83.6		
Hendry	90.3	80.3 - 100.0		*
Hernando	80.5	69.6 - 91.3		
Highlands	80.2	69.1 - 91.4		
Hillsborough	62.2	49.5 - 74.9		
Holmes	86.1	76.4 - 95.9		*
Indian River	75.2	59.6 - 90.8		
Jackson	89.0	81.1 - 96.8		*
Jefferson	69.6	53.1 - 86.2		
Lafayette	71.3	45.9 - 96.7		
Lake	81.3	70.9 - 91.8		
Lee	75.7	62.4 - 89.1		
Leon	53.5	35.7 - 71.3		
Levy	68.2	51.8 - 84.6		
Liberty	64.6	45.3 - 84.0		
Madison	72.1	59.6 - 84.7		
Manatee	60.7	42.2 - 79.3		
Marion	74.9	63.3 - 86.6		
Martin	63.0	49.3 - 76.7		
Miami-Dade	64.4	47.7 - 81.2		
Monroe	77.4	61.1 - 93.6		
Nassau	86.5	76.2 - 96.8		*
Okaloosa	82.7	70.4 - 95.1		
Okeechobee	74.0	53.4 - 94.6		
Orange	56.0	40.8 - 71.3		
Osceola	60.9	44.9 - 76.9		
Palm Beach	67.4	51.4 - 83.5		
Pasco	85.5	75.2 - 95.8		*
Pinellas	87.4	77.2 - 97.5		*
Polk	68.1	56.2 - 80.1		
Putnam	56.4	31.6 - 81.2		
Saint Johns	82.0	68.2 - 95.8		
Saint Lucie	73.6	59.4 - 87.8		
Santa Rosa	82.8	70.2 - 95.4		
Sarasota	75.4	62.8 - 88.1		
Seminole	77.0	62.8 - 91.1		
Sumter	83.7	71.8 - 95.6		
Suwannee	77.8	64.6 - 91.1		
Taylor	70.5	56.8 - 84.2		
Union	50.9	12.9 - 88.8		
Volusia	58.7	42.0 - 75.3		
Wakulla	83.4	71.9 - 94.9		
Walton	74.8	62.7 - 87.0		
Washington	76.1	63.7 - 88.5		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Diabetes

Percentage of adults with diabetes who had an annual foot exam

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	67.6	64.6 - 70.7		
Alachua	77.5	66.5 - 88.4		
Baker	65.3	45.6 - 84.9		
Bay	56.4	40.9 - 71.8		
Bradford	58.5	41.7 - 75.3		
Brevard	67.8	54.2 - 81.4		
Broward	66.6	50.7 - 82.5		
Calhoun	63.3	48.5 - 78.2		
Charlotte	64.8	51.2 - 78.3		
Citrus	69.3	54.9 - 83.6		
Clay	83.4	73.4 - 93.4		*
Collier	75.2	58.3 - 92.1		
Columbia	79.1	67.2 - 91.0		
DeSoto	68.8	45.9 - 91.6		
Dixie	79.7	68.4 - 91.1		
Duval	78.6	67.6 - 89.6		
Escambia	68.9	57.2 - 80.6		
Flagler	70.1	56.3 - 83.8		
Franklin	57.2	32.0 - 82.5		
Gadsden	89.0	81.9 - 96.1		*
Gilchrist	70.8	50.7 - 90.8		
Glades	38.6	16.2 - 61.0	*	
Gulf	72.6	56.8 - 88.5		
Hamilton	54.6	32.3 - 76.8		
Hardee	75.1	61.3 - 88.8		
Hendry	64.1	30.7 - 97.5		
Hernando	68.6	54.0 - 83.2		
Highlands	73.8	61.9 - 85.7		
Hillsborough	61.0	48.8 - 73.3		
Holmes	59.8	45.0 - 74.7		
Indian River	78.9	66.5 - 91.3		
Jackson	73.3	58.1 - 88.5		
Jefferson	79.4	65.8 - 93.0		
Lafayette	88.8	78.8 - 98.8		*
Lake	73.2	61.3 - 85.1		
Lee	57.5	43.6 - 71.5		
Leon	79.2	66.4 - 92.0		
Levy	73.9	60.3 - 87.5		
Liberty	48.7	17.9 - 79.4		
Madison	70.9	57.9 - 84.0		
Manatee	71.1	54.1 - 88.1		
Marion	64.6	52.5 - 76.8		
Martin	71.6	57.6 - 85.5		
Miami-Dade	66.3	52.2 - 80.4		
Monroe	54.9	35.8 - 74.1		
Nassau	86.0	76.4 - 95.5		*
Okaloosa	59.5	44.9 - 74.2		
Okeechobee	73.9	56.0 - 91.8		
Orange	58.3	44.3 - 72.3		
Osceola	62.7	48.4 - 77.0		
Palm Beach	70.4	56.5 - 84.4		
Pasco	65.2	50.5 - 79.9		
Pinellas	69.6	55.8 - 83.5		
Polk	57.3	44.8 - 69.9		
Putnam	70.3	52.8 - 87.8		
Saint Johns	79.8	67.8 - 91.9		
Saint Lucie	70.4	55.8 - 85.1		
Santa Rosa	61.1	45.6 - 76.7		
Sarasota	76.2	64.0 - 88.4		
Seminole	68.7	54.4 - 83.0		
Sumter	79.5	66.3 - 92.6		
Suwannee	63.5	49.5 - 77.6		
Taylor	77.2	66.6 - 87.7		
Union	83.5	67.8 - 99.3		
Volusia	55.1	40.1 - 70.1		
Wakulla	78.4	65.6 - 91.3		
Walton	62.4	48.6 - 76.2		
Washington	72.3	58.9 - 85.8		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Diabetes

Percentage of adults with diabetes who had an annual eye exam

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	69.7	66.5 - 72.9		
Alachua	78.7	67.0 - 90.4		
Baker	56.8	35.4 - 78.2		
Bay	58.5	44.0 - 73.0		
Bradford	78.5	67.6 - 89.4		
Brevard	76.6	63.3 - 90.0		
Broward	59.8	42.3 - 77.4		
Calhoun	67.7	53.7 - 81.7		
Charlotte	58.0	41.8 - 74.1		
Citrus	65.6	52.2 - 79.0		
Clay	64.6	50.6 - 78.7		
Collier	57.8	36.5 - 79.2		
Columbia	68.7	54.7 - 82.6		
DeSoto	55.1	27.9 - 82.4		
Dixie	75.1	62.0 - 88.2		
Duval	66.8	55.8 - 77.7		
Escambia	65.5	54.5 - 76.4		
Flagler	77.4	63.5 - 91.3		
Franklin	42.8	21.7 - 63.9	*	
Gadsden	87.6	80.5 - 94.8		*
Gilchrist	51.3	25.1 - 77.6		
Glades	38.4	14.4 - 62.5	*	
Gulf	59.6	40.3 - 78.9		
Hamilton	68.4	53.9 - 82.9		
Hardee	63.2	44.4 - 82.0		
Hendry	44.8	13.6 - 76.0		
Hernando	84.3	74.9 - 93.6		*
Highlands	73.9	61.3 - 86.5		
Hillsborough	73.4	62.6 - 84.2		
Holmes	56.7	41.6 - 71.7		
Indian River	69.8	55.8 - 83.8		
Jackson	67.7	51.6 - 83.8		
Jefferson	80.4	66.8 - 94.1		
Lafayette	73.0	50.8 - 95.2		
Lake	70.3	58.4 - 82.2		
Lee	61.8	48.6 - 74.9		
Leon	87.8	75.5 - 100.0		*
Levy	62.6	45.6 - 79.7		
Liberty	86.4	76.2 - 96.7		*
Madison	64.6	51.1 - 78.0		
Manatee	67.6	52.1 - 83.1		
Marion	64.7	52.8 - 76.6		
Martin	84.4	74.0 - 94.9		*
Miami-Dade	63.6	48.8 - 78.5		
Monroe	74.6	58.0 - 91.2		
Nassau	66.9	52.5 - 81.3		
Okaloosa	70.7	56.9 - 84.4		
Okeechobee	75.5	57.6 - 93.4		
Orange	68.2	54.7 - 81.8		
Osceola	57.6	42.9 - 72.2		
Palm Beach	79.4	64.5 - 94.4		
Pasco	81.6	69.8 - 93.4		
Pinellas	79.2	67.2 - 91.2		
Polk	74.5	63.0 - 86.0		
Putnam	57.2	35.9 - 78.5		
Saint Johns	81.9	68.8 - 95.0		
Saint Lucie	74.6	61.4 - 87.8		
Santa Rosa	76.5	62.6 - 90.4		
Sarasota	74.7	60.0 - 89.4		
Seminole	60.0	40.7 - 79.3		
Sumter	85.6	74.1 - 97.2		*
Suwannee	67.4	53.4 - 81.4		
Taylor	59.0	45.1 - 73.0		
Union	73.8	51.8 - 95.9		
Volusia	73.0	60.9 - 85.1		
Wakulla	79.6	67.6 - 91.5		
Walton	75.8	64.7 - 86.9		
Washington	51.2	32.5 - 69.8		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Diabetes

Percentage of adults with diabetes who ever had diabetes self-management education

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	49.6	46.2 - 53.0		
Alachua	58.5	43.5 - 73.4		
Baker	61.7	41.6 - 81.8		
Bay	58.4	44.6 - 72.2		
Bradford	54.7	38.4 - 71.1		
Brevard	54.4	40.0 - 68.9		
Broward	45.2	28.5 - 61.8		
Calhoun	34.4	21.6 - 47.3		
Charlotte	47.6	32.3 - 63.0		
Citrus	51.2	36.6 - 65.9		
Clay	51.1	36.6 - 65.6		
Collier	59.8	38.2 - 81.4		
Columbia	41.4	26.2 - 56.6		
DeSoto	22.7	9.4 - 35.9	*	
Dixie	46.1	31.1 - 61.2		
Duval	68.3	57.8 - 78.7		*
Escambia	74.5	63.2 - 85.9		*
Flagler	50.6	35.6 - 65.7		
Franklin	47.9	24.0 - 71.8		
Gadsden	69.1	57.3 - 80.9		*
Gilchrist	58.1	34.3 - 81.9		
Glades	29.2	8.5 - 49.8		
Gulf	45.4	25.1 - 65.6		
Hamilton	44.1	23.2 - 65.0		
Hardee	49.8	32.3 - 67.3		
Hendry	66.2	43.2 - 89.2		
Hernando	48.5	32.8 - 64.2		
Highlands	40.9	27.7 - 54.1		
Hillsborough	44.3	32.3 - 56.3		
Holmes	44.4	29.7 - 59.1		
Indian River	41.6	26.0 - 57.1		
Jackson	58.9	43.6 - 74.1		
Jefferson	46.6	29.1 - 64.2		
Lafayette	47.7	13.9 - 81.4		
Lake	49.2	35.9 - 62.5		
Lee	54.1	40.6 - 67.6		
Leon	67.2	48.9 - 85.5		
Levy	48.0	32.2 - 63.8		
Liberty	23.5	7.4 - 39.5	*	
Madison	55.7	42.2 - 69.3		
Manatee	57.7	40.5 - 74.9		
Marion	49.0	36.9 - 61.1		
Martin	35.8	21.5 - 50.0		
Miami-Dade	35.9	21.2 - 50.6		
Monroe	37.5	19.4 - 55.6		
Nassau	71.9	59.3 - 84.4		*
Okaloosa	52.0	37.6 - 66.5		
Okeechobee	33.7	16.6 - 50.7		
Orange	46.6	32.7 - 60.5		
Osceola	39.6	25.7 - 53.4		
Palm Beach	47.9	31.5 - 64.3		
Pasco	50.9	35.7 - 66.2		
Pinellas	53.1	37.9 - 68.3		
Polk	55.7	43.5 - 68.0		
Putnam	45.0	25.4 - 64.6		
Saint Johns	48.6	31.4 - 65.9		
Saint Lucie	46.2	32.0 - 60.5		
Santa Rosa	65.4	50.9 - 79.9		
Sarasota	67.9	53.9 - 82.0		*
Seminole	51.7	33.4 - 70.0		
Sumter	68.1	53.0 - 83.1		
Suwannee	54.3	38.6 - 69.9		
Taylor	39.4	26.7 - 52.1		
Union	22.5	5.1 - 39.8	*	
Volusia	56.2	41.9 - 70.5		
Wakulla	60.3	41.8 - 78.8		
Walton	57.1	43.1 - 71.1		
Washington	63.3	47.4 - 79.1		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Diabetes

Percentage of adults who have ever been told they had pre-diabetes

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	7.1	6.6 - 7.7		
Alachua	8.9	5.5 - 12.4		
Baker	12.6	7.1 - 18.1		
Bay	6.1	3.9 - 8.4		
Bradford	8.1	2.9 - 13.2		
Brevard	7.2	4.5 - 10.0		
Broward	8.6	5.2 - 11.9		
Calhoun	8.0	2.7 - 13.3		
Charlotte	6.8	3.8 - 9.7		
Citrus	9.3	5.5 - 13.1		
Clay	9.7	5.8 - 13.5		
Collier	6.8	3.9 - 9.6		
Columbia	8.5	3.9 - 13.2		
DeSoto	6.2	2.9 - 9.6		
Dixie	12.3	5.4 - 19.3		
Duval	8.7	6.6 - 10.8		
Escambia	7.7	5.3 - 10.2		
Flagler	8.0	5.0 - 11.0		
Franklin	12.9	6.0 - 19.8		
Gadsden	9.1	5.3 - 12.8		
Gilchrist	11.2	6.3 - 16.2		
Glades	4.7	1.4 - 8.0		
Gulf	5.2	2.6 - 7.8		
Hamilton	8.8	3.4 - 14.3		
Hardee	7.7	4.0 - 11.3		
Hendry	7.2	0.0 - 15.2		
Hernando	7.6	4.9 - 10.2		
Highlands	8.2	5.2 - 11.2		
Hillsborough	6.9	4.4 - 9.3		
Holmes	4.8	2.6 - 6.9		
Indian River	7.3	4.4 - 10.2		
Jackson	6.9	4.2 - 9.7		
Jefferson	10.2	5.6 - 14.9		
Lafayette	8.0	3.7 - 12.3		
Lake	10.1	6.9 - 13.3		
Lee	7.0	4.8 - 9.1		
Leon	6.0	3.9 - 8.2		
Levy	7.3	4.5 - 10.0		
Liberty	6.7	3.4 - 10.1		
Madison	6.5	4.0 - 9.1		
Manatee	5.9	3.7 - 8.1		
Marion	7.1	4.7 - 9.6		
Martin	4.5	2.5 - 6.4	*	
Miami-Dade	4.7	2.9 - 6.6	*	
Monroe	9.3	4.3 - 14.3		
Nassau	7.0	4.1 - 9.9		
Okaloosa	8.3	5.7 - 10.8		
Okeechobee	6.0	3.4 - 8.6		
Orange	8.2	5.6 - 10.7		
Osceola	7.0	4.2 - 9.8		
Palm Beach	4.5	2.7 - 6.2	*	
Pasco	5.6	3.6 - 7.6		
Pinellas	7.8	4.8 - 10.8		
Polk	9.3	6.0 - 12.6		
Putnam	11.6	3.1 - 20.0		
Saint Johns	7.0	4.2 - 9.8		
Saint Lucie	5.5	3.3 - 7.6		
Santa Rosa	7.8	4.8 - 10.7		
Sarasota	7.8	5.0 - 10.5		
Seminole	6.4	3.7 - 9.2		
Sumter	10.4	5.2 - 15.6		
Suwannee	4.6	2.4 - 6.7		
Taylor	11.3	6.1 - 16.5		
Union	10.7	5.8 - 15.6		
Volusia	10.1	6.8 - 13.5		
Wakulla	7.9	4.8 - 11.1		
Walton	7.2	3.2 - 11.3		
Washington	9.4	5.0 - 13.8		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	21.2	20.2 - 22.1		
Alachua	17.8	13.7 - 21.9		
Baker	31.1	22.2 - 39.9		*
Bay	23.2	19.3 - 27.2		
Bradford	27.6	19.7 - 35.5		
Brevard	21.0	16.7 - 25.2		
Broward	21.0	16.8 - 25.2		
Calhoun	25.9	19.8 - 32.0		
Charlotte	26.2	20.9 - 31.6		
Citrus	30.0	24.5 - 35.4		*
Clay	27.3	21.7 - 32.8		
Collier	17.0	12.6 - 21.5		
Columbia	27.9	22.0 - 33.8		
DeSoto	27.1	14.7 - 39.6		
Dixie	36.5	28.7 - 44.3		*
Duval	22.9	19.6 - 26.3		
Escambia	24.2	20.4 - 28.1		
Flagler	18.5	14.1 - 22.9		
Franklin	28.7	20.0 - 37.3		
Gadsden	22.0	16.2 - 27.8		
Gilchrist	32.3	23.3 - 41.2		*
Glades	17.3	9.4 - 25.2		
Gulf	30.8	22.1 - 39.6		
Hamilton	24.5	17.6 - 31.5		
Hardee	22.8	15.6 - 30.0		
Hendry	28.2	12.9 - 43.5		
Hernando	28.6	22.2 - 35.0		*
Highlands	25.7	20.1 - 31.3		
Hillsborough	21.6	17.7 - 25.4		
Holmes	30.2	23.6 - 36.8		*
Indian River	22.3	17.4 - 27.1		
Jackson	25.0	18.2 - 31.8		
Jefferson	28.6	20.7 - 36.4		
Lafayette	21.3	12.3 - 30.2		
Lake	20.7	16.2 - 25.2		
Lee	23.2	19.4 - 27.1		
Leon	15.5	11.6 - 19.4	*	
Levy	33.1	27.2 - 38.9		*
Liberty	26.6	19.5 - 33.7		
Madison	20.1	14.8 - 25.4		
Manatee	24.6	20.0 - 29.2		
Marion	21.9	17.7 - 26.1		
Martin	23.0	16.7 - 29.3		
Miami-Dade	18.6	14.4 - 22.7		
Monroe	19.7	14.3 - 25.2		
Nassau	22.3	16.2 - 28.3		
Okaloosa	24.8	20.4 - 29.2		
Okeechobee	28.5	19.9 - 37.1		
Orange	17.5	14.0 - 21.0		
Osceola	22.8	17.1 - 28.5		
Palm Beach	16.4	12.7 - 20.2	*	
Pasco	23.0	18.5 - 27.5		
Pinellas	19.5	15.5 - 23.4		
Polk	23.0	18.5 - 27.6		
Putnam	36.3	27.5 - 45.0		*
Saint Johns	21.6	16.8 - 26.4		
Saint Lucie	22.8	18.3 - 27.3		
Santa Rosa	22.9	18.6 - 27.2		
Sarasota	24.5	20.2 - 28.8		
Seminole	17.3	12.6 - 22.1		
Sumter	23.3	17.9 - 28.7		
Suwannee	25.5	19.8 - 31.2		
Taylor	25.2	19.1 - 31.4		
Union	32.7	19.1 - 46.4		
Volusia	23.1	19.0 - 27.1		
Wakulla	23.5	16.8 - 30.3		
Walton	22.0	16.8 - 27.2		
Washington	32.7	25.2 - 40.3		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Disability

Percentage of adults who use special equipment because of a health problem

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	8.8	8.2 - 9.3		
Alachua	9.2	6.0 - 12.3		
Baker	7.5	4.5 - 10.6		
Bay	9.7	7.2 - 12.3		
Bradford	10.3	6.2 - 14.4		
Brevard	10.6	7.8 - 13.4		
Broward	8.0	5.7 - 10.3		
Calhoun	10.8	7.0 - 14.6		
Charlotte	10.5	7.2 - 13.9		
Citrus	12.9	9.1 - 16.6		
Clay	9.5	6.5 - 12.4		
Collier	5.9	3.3 - 8.5		
Columbia	14.0	9.3 - 18.7		
DeSoto	8.2	5.3 - 11.2		
Dixie	19.5	12.8 - 26.3		*
Duval	9.2	7.0 - 11.4		
Escambia	10.2	7.4 - 13.1		
Flagler	7.6	5.1 - 10.1		
Franklin	19.8	11.8 - 27.7		*
Gadsden	12.7	8.7 - 16.6		
Gilchrist	14.8	8.9 - 20.6		
Glades	9.7	3.3 - 16.0		
Gulf	17.7	9.9 - 25.5		*
Hamilton	10.3	6.4 - 14.2		
Hardee	7.0	4.2 - 9.8		
Hendry	9.5	2.8 - 16.1		
Hernando	10.1	7.0 - 13.2		
Highlands	9.4	6.6 - 12.1		
Hillsborough	9.4	6.6 - 12.2		
Holmes	12.5	8.6 - 16.3		
Indian River	11.9	8.3 - 15.6		
Jackson	12.0	8.0 - 16.1		
Jefferson	10.8	7.1 - 14.4		
Lafayette	9.7	2.8 - 16.6		
Lake	7.6	5.3 - 10.0		
Lee	8.3	6.2 - 10.4		
Leon	6.2	4.1 - 8.2		
Levy	15.3	11.6 - 19.0		*
Liberty	12.8	8.1 - 17.5		
Madison	9.4	6.2 - 12.7		
Manatee	10.0	7.1 - 13.0		
Marion	10.1	7.2 - 13.0		
Martin	10.2	6.8 - 13.6		
Miami-Dade	7.1	4.4 - 9.8		
Monroe	7.4	4.7 - 10.0		
Nassau	8.4	5.5 - 11.2		
Okaloosa	8.6	5.9 - 11.4		
Okeechobee	11.8	6.6 - 17.0		
Orange	5.7	3.9 - 7.6	*	
Osceola	6.5	4.1 - 8.9		
Palm Beach	8.3	5.8 - 10.9		
Pasco	13.3	9.8 - 16.8		*
Pinellas	9.0	6.2 - 11.7		
Polk	9.7	6.7 - 12.8		
Putnam	18.2	9.7 - 26.6		*
Saint Johns	8.0	4.9 - 11.1		
Saint Lucie	10.0	6.8 - 13.2		
Santa Rosa	7.6	4.6 - 10.6		
Sarasota	11.7	8.6 - 14.8		
Seminole	7.9	5.0 - 10.7		
Sumter	11.3	7.4 - 15.3		
Suwannee	12.4	8.4 - 16.5		
Taylor	16.6	11.5 - 21.7		*
Union	18.1	6.8 - 29.4		
Volusia	10.5	7.9 - 13.1		
Wakulla	8.7	5.6 - 11.8		
Walton	6.0	3.8 - 8.3		
Washington	18.7	12.6 - 24.8		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Hypertension Awareness

Percentage of adults who have ever been told they had hypertension

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	34.6	33.5 - 35.7		
Alachua	29.0	24.1 - 33.9		
Baker	34.9	27.7 - 42.1		
Bay	37.8	33.0 - 42.6		
Bradford	46.3	36.9 - 55.6		*
Brevard	34.7	29.6 - 39.8		
Broward	27.4	23.1 - 31.6	*	
Calhoun	37.9	29.9 - 45.9		
Charlotte	46.2	40.0 - 52.3		*
Citrus	47.7	41.7 - 53.7		*
Clay	32.4	26.9 - 37.9		
Collier	34.6	29.3 - 39.9		
Columbia	38.5	31.8 - 45.3		
DeSoto	34.9	25.0 - 44.8		
Dixie	52.7	44.5 - 60.8		*
Duval	34.4	30.7 - 38.1		
Escambia	36.7	32.5 - 40.9		
Flagler	35.2	29.1 - 41.3		
Franklin	42.9	33.3 - 52.4		
Gadsden	47.9	40.1 - 55.7		*
Gilchrist	40.2	31.3 - 49.1		
Glades	39.8	25.5 - 54.0		
Gulf	45.0	35.6 - 54.4		
Hamilton	39.1	31.2 - 47.0		
Hardee	35.5	26.9 - 44.0		
Hendry	41.3	26.2 - 56.4		
Hernando	38.3	31.5 - 45.0		
Highlands	39.0	33.1 - 44.9		
Hillsborough	36.3	32.0 - 40.6		
Holmes	45.2	37.1 - 53.2		*
Indian River	35.3	29.6 - 41.0		
Jackson	44.8	36.2 - 53.4		*
Jefferson	42.7	34.8 - 50.6		
Lafayette	29.9	20.0 - 39.8		
Lake	39.0	33.4 - 44.6		
Lee	36.4	32.2 - 40.6		
Leon	25.8	21.3 - 30.4	*	
Levy	43.0	36.0 - 49.9		*
Liberty	38.1	29.4 - 46.8		
Madison	44.5	36.8 - 52.1		*
Manatee	32.7	27.8 - 37.6		
Marion	39.3	34.5 - 44.0		
Martin	36.2	30.2 - 42.2		
Miami-Dade	32.7	27.8 - 37.6		
Monroe	30.2	23.4 - 37.0		
Nassau	36.3	30.0 - 42.5		
Okaloosa	36.9	32.3 - 41.6		
Okeechobee	30.2	22.6 - 37.7		
Orange	29.9	25.8 - 34.0		
Osceola	32.0	25.8 - 38.2		
Palm Beach	34.4	29.0 - 39.9		
Pasco	37.0	31.7 - 42.2		
Pinellas	37.7	32.8 - 42.6		
Polk	41.6	36.0 - 47.2		*
Putnam	51.9	43.6 - 60.2		*
Saint Johns	32.5	27.6 - 37.4		
Saint Lucie	36.3	31.0 - 41.5		
Santa Rosa	31.0	26.1 - 35.9		
Sarasota	37.5	32.8 - 42.2		
Seminole	33.7	27.9 - 39.5		
Sumter	46.3	39.2 - 53.4		*
Suwannee	39.5	32.7 - 46.3		
Taylor	42.0	33.6 - 50.4		
Union	47.1	34.2 - 59.9		
Volusia	40.0	34.9 - 45.0		
Wakulla	33.3	26.5 - 40.0		
Walton	36.6	30.4 - 42.8		
Washington	43.4	35.1 - 51.6		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Kidney Disease

Percentage of adults who have ever been told they had kidney disease

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	3.5	3.0 - 3.9		
Alachua	3.9	1.2 - 6.5		
Baker	2.9	0.9 - 4.9		
Bay	4.0	1.7 - 6.3		
Bradford	3.4	0.9 - 5.8		
Brevard	2.7	1.4 - 4.1		
Broward	2.9	1.1 - 4.8		
Calhoun	4.0	2.1 - 5.9		
Charlotte	2.2	0.9 - 3.5		
Citrus	3.3	1.5 - 5.1		
Clay	1.3	0.1 - 2.4	*	
Collier	4.6	1.8 - 7.3		
Columbia	3.9	1.6 - 6.3		
DeSoto	2.9	1.1 - 4.7		
Dixie	4.8	2.4 - 7.1		
Duval	2.5	1.5 - 3.5		
Escambia	3.8	2.0 - 5.6		
Flagler	2.6	0.9 - 4.3		
Franklin	2.3	0.4 - 4.1		
Gadsden	2.6	1.1 - 4.0		
Gilchrist	1.5	0.1 - 2.9	*	
Glades	2.0	0.3 - 3.7		
Gulf	0.7	0.2 - 1.2	*	
Hamilton	3.5	0.5 - 6.5		
Hardee	7.0	1.9 - 12.1		
Hendry	15.4	0.4 - 30.4		
Hernando	3.5	1.5 - 5.5		
Highlands	4.6	2.3 - 6.8		
Hillsborough	2.4	1.2 - 3.6		
Holmes	2.6	1.2 - 4.0		
Indian River	3.0	1.5 - 4.5		
Jackson	3.2	0.9 - 5.5		
Jefferson	0.7	0.1 - 1.2	*	
Lafayette	0.7	0.2 - 1.1	*	
Lake	4.4	2.1 - 6.6		
Lee	4.7	2.7 - 6.8		
Leon	2.0	0.9 - 3.1		
Levy	2.4	1.3 - 3.6		
Liberty	1.8	0.7 - 2.9	*	
Madison	2.7	1.2 - 4.2		
Manatee	3.4	1.7 - 5.1		
Marion	3.7	1.9 - 5.5		
Martin	2.6	0.9 - 4.3		
Miami-Dade	4.0	2.0 - 6.1		
Monroe	2.8	0.9 - 4.7		
Nassau	3.9	1.3 - 6.5		
Okaloosa	3.7	1.9 - 5.4		
Okeechobee	4.1	0.3 - 7.9		
Orange	2.2	0.9 - 3.6		
Osceola	2.0	0.8 - 3.1		
Palm Beach	2.4	1.1 - 3.7		
Pasco	3.4	1.0 - 5.7		
Pinellas	3.7	1.8 - 5.6		
Polk	4.9	2.4 - 7.4		
Putnam	7.4	0.0 - 15.9		
Saint Johns	2.1	0.9 - 3.2		
Saint Lucie	5.5	2.8 - 8.2		
Santa Rosa	6.2	3.0 - 9.5		
Sarasota	3.4	1.7 - 5.1		
Seminole	4.3	1.6 - 7.0		
Sumter	2.5	1.1 - 3.9		
Suwannee	3.5	1.5 - 5.5		
Taylor	3.7	1.5 - 5.9		
Union	7.6	0.0 - 18.5		
Volusia	5.5	2.7 - 8.4		
Wakulla	1.2	0.3 - 2.0	*	
Walton	3.9	1.9 - 6.0		
Washington	3.7	1.3 - 6.0		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Overweight and Obesity

Percentage of adults who are overweight

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	36.4	35.2 - 37.6		
Alachua	32.4	26.8 - 38.0		
Baker	34.0	25.8 - 42.1		
Bay	35.7	30.7 - 40.8		
Bradford	31.8	23.6 - 39.9		
Brevard	31.8	26.6 - 37.0		
Broward	34.8	29.6 - 39.9		
Calhoun	23.7	16.6 - 30.8	*	
Charlotte	37.1	30.9 - 43.2		
Citrus	34.2	28.3 - 40.0		
Clay	34.9	28.9 - 40.9		
Collier	33.0	27.1 - 38.9		
Columbia	34.4	27.3 - 41.6		
DeSoto	39.6	26.6 - 52.6		
Dixie	37.5	29.1 - 45.8		
Duval	35.2	31.4 - 38.9		
Escambia	31.8	27.6 - 36.0		
Flagler	35.0	28.6 - 41.4		
Franklin	23.9	17.0 - 30.9	*	
Gadsden	38.4	30.6 - 46.1		
Gilchrist	45.0	34.7 - 55.2		
Glades	41.2	26.3 - 56.0		
Gulf	33.3	24.4 - 42.2		
Hamilton	36.9	28.7 - 45.2		
Hardee	35.1	24.4 - 45.8		
Hendry	30.7	15.9 - 45.5		
Hernando	32.9	25.8 - 40.0		
Highlands	38.8	32.4 - 45.3		
Hillsborough	38.2	33.5 - 42.8		
Holmes	33.2	25.9 - 40.4		
Indian River	34.1	28.0 - 40.3		
Jackson	40.4	31.9 - 48.9		
Jefferson	26.4	20.2 - 32.7	*	
Lafayette	37.6	25.5 - 49.7		
Lake	38.0	32.0 - 44.1		
Lee	39.9	35.5 - 44.4		
Leon	28.6	23.4 - 33.7	*	
Levy	39.5	32.6 - 46.3		
Liberty	37.6	27.7 - 47.6		
Madison	33.6	26.1 - 41.1		
Manatee	36.9	31.6 - 42.2		
Marion	34.7	29.7 - 39.6		
Martin	34.0	27.8 - 40.1		
Miami-Dade	39.8	34.6 - 44.9		
Monroe	33.6	26.2 - 41.1		
Nassau	33.6	27.0 - 40.3		
Okaloosa	38.7	33.8 - 43.7		
Okeechobee	36.5	26.2 - 46.8		
Orange	36.2	31.7 - 40.8		
Osceola	36.9	30.1 - 43.7		
Palm Beach	40.2	33.9 - 46.5		
Pasco	35.7	30.1 - 41.3		
Pinellas	37.0	31.8 - 42.2		
Polk	34.6	28.9 - 40.3		
Putnam	33.2	25.5 - 40.8		
Saint Johns	38.6	33.0 - 44.2		
Saint Lucie	36.3	30.9 - 41.7		
Santa Rosa	35.4	30.1 - 40.6		
Sarasota	36.4	31.6 - 41.2		
Seminole	31.6	25.8 - 37.4		
Sumter	35.3	28.6 - 42.0		
Suwannee	38.2	30.5 - 45.9		
Taylor	30.4	22.6 - 38.2		
Union	33.7	21.2 - 46.2		
Volusia	33.7	28.5 - 38.8		
Wakulla	39.1	30.5 - 47.6		
Walton	34.2	27.8 - 40.5		
Washington	35.5	27.4 - 43.5		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Overweight and Obesity

Percentage of adults who are obese

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	26.4	25.3 - 27.4		
Alachua	24.4	19.5 - 29.3		
Baker	35.4	26.2 - 44.6		
Bay	28.1	23.5 - 32.6		
Bradford	46.0	36.1 - 55.8		*
Brevard	25.6	20.6 - 30.6		
Broward	25.8	21.0 - 30.7		
Calhoun	45.2	36.4 - 54.1		*
Charlotte	25.9	20.4 - 31.4		
Citrus	28.5	22.9 - 34.1		
Clay	29.6	23.8 - 35.5		
Collier	20.8	15.7 - 25.8		
Columbia	36.5	29.2 - 43.8		*
DeSoto	36.0	24.8 - 47.2		
Dixie	32.2	24.4 - 40.0		
Duval	31.1	27.2 - 35.0		
Escambia	28.0	23.9 - 32.0		
Flagler	22.1	16.8 - 27.4		
Franklin	37.6	27.5 - 47.7		*
Gadsden	36.9	29.0 - 44.7		*
Gilchrist	35.6	25.8 - 45.4		
Glades	37.3	21.1 - 53.5		
Gulf	33.3	23.4 - 43.1		
Hamilton	37.7	29.0 - 46.4		*
Hardee	33.9	24.8 - 43.0		
Hendry	26.9	15.2 - 38.7		
Hernando	35.8	28.0 - 43.6		*
Highlands	34.4	28.3 - 40.4		*
Hillsborough	29.3	25.0 - 33.6		
Holmes	30.7	22.3 - 39.1		
Indian River	26.1	19.8 - 32.3		
Jackson	37.1	28.0 - 46.2		*
Jefferson	35.0	26.7 - 43.4		
Lafayette	34.3	22.1 - 46.4		
Lake	27.5	22.1 - 32.9		
Lee	25.1	21.0 - 29.2		
Leon	27.8	22.4 - 33.1		
Levy	34.4	27.0 - 41.7		
Liberty	44.6	34.3 - 54.9		*
Madison	33.4	25.9 - 40.9		
Manatee	25.0	19.9 - 30.2		
Marion	29.2	24.6 - 33.8		
Martin	14.4	10.3 - 18.4	*	
Miami-Dade	23.8	19.6 - 28.0		
Monroe	24.0	16.9 - 31.1		
Nassau	29.1	22.7 - 35.5		
Okaloosa	25.0	20.6 - 29.5		
Okeechobee	24.2	17.1 - 31.3		
Orange	25.0	20.9 - 29.0		
Osceola	29.1	22.7 - 35.5		
Palm Beach	19.9	15.1 - 24.6	*	
Pasco	30.7	25.5 - 35.9		
Pinellas	24.1	19.7 - 28.6		
Polk	36.9	31.1 - 42.7		*
Putnam	40.4	31.7 - 49.1		*
Saint Johns	20.1	15.5 - 24.6	*	
Saint Lucie	29.5	24.3 - 34.6		
Santa Rosa	25.6	20.6 - 30.6		
Sarasota	21.0	16.9 - 25.2	*	
Seminole	26.8	20.9 - 32.7		
Sumter	26.2	19.5 - 32.8		
Suwannee	29.7	23.4 - 35.9		
Taylor	45.3	36.2 - 54.4		*
Union	46.4	33.3 - 59.5		*
Volusia	24.4	20.1 - 28.7		
Wakulla	33.3	25.9 - 40.7		
Walton	29.2	22.6 - 35.7		
Washington	39.9	31.9 - 47.9		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Overweight and Obesity

Percentage of adults who are overweight or obese

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	62.8	61.6 - 64.0		
Alachua	56.8	50.8 - 62.8		
Baker	69.4	61.9 - 76.8		
Bay	63.8	58.8 - 68.8		
Bradford	77.8	70.7 - 84.9		*
Brevard	57.3	51.7 - 63.0		
Broward	60.6	55.3 - 65.9		
Calhoun	68.9	61.0 - 76.8		
Charlotte	62.9	56.9 - 68.9		
Citrus	62.6	56.7 - 68.6		
Clay	64.5	58.6 - 70.4		
Collier	53.8	47.8 - 59.8	*	
Columbia	70.9	62.9 - 78.9		
DeSoto	75.6	64.5 - 86.6		*
Dixie	69.7	62.5 - 76.9		
Duval	66.2	62.4 - 70.0		
Escambia	59.8	55.0 - 64.5		
Flagler	57.1	49.9 - 64.3		
Franklin	61.5	51.2 - 71.8		
Gadsden	75.2	67.3 - 83.2		*
Gilchrist	80.6	73.6 - 87.5		*
Glades	78.5	63.8 - 93.1		
Gulf	66.6	57.2 - 76.0		
Hamilton	74.6	66.8 - 82.5		*
Hardee	69.0	59.4 - 78.6		
Hendry	57.7	40.8 - 74.5		
Hernando	68.7	62.0 - 75.4		
Highlands	73.2	67.7 - 78.7		*
Hillsborough	67.4	63.0 - 71.9		
Holmes	63.8	56.1 - 71.6		
Indian River	60.2	53.6 - 66.8		
Jackson	77.5	71.3 - 83.7		*
Jefferson	61.4	52.7 - 70.2		
Lafayette	71.8	55.5 - 88.1		
Lake	65.5	59.7 - 71.4		
Lee	65.0	60.7 - 69.4		
Leon	56.3	50.2 - 62.5		
Levy	73.9	68.0 - 79.7		*
Liberty	82.2	76.1 - 88.4		*
Madison	67.0	58.6 - 75.4		
Manatee	61.9	56.6 - 67.3		
Marion	63.8	58.7 - 68.9		
Martin	48.3	41.5 - 55.2	*	
Miami-Dade	63.6	58.7 - 68.4		
Monroe	57.7	49.9 - 65.4		
Nassau	62.7	55.4 - 70.0		
Okaloosa	63.7	59.0 - 68.5		
Okeechobee	60.7	50.1 - 71.3		
Orange	61.2	56.5 - 65.9		
Osceola	66.0	58.8 - 73.1		
Palm Beach	60.1	53.7 - 66.4		
Pasco	66.4	60.8 - 72.1		
Pinellas	61.1	55.9 - 66.2		
Polk	71.5	65.9 - 77.0		*
Putnam	73.6	66.7 - 80.5		*
Saint Johns	58.7	53.0 - 64.3		
Saint Lucie	65.7	60.5 - 71.0		
Santa Rosa	60.9	55.5 - 66.3		
Sarasota	57.5	52.4 - 62.5		
Seminole	58.4	51.8 - 64.9		
Sumter	61.4	53.8 - 69.1		
Suwannee	67.9	60.7 - 75.0		
Taylor	75.7	65.8 - 85.5		*
Union	80.1	72.4 - 87.7		*
Volusia	58.1	52.6 - 63.5		
Wakulla	72.4	64.8 - 80.0		*
Walton	63.3	56.4 - 70.2		
Washington	75.3	69.2 - 81.4		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Overweight and Obesity

Percentage of adults who have a healthy weight

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	35.0	33.8 - 36.1		
Alachua	40.7	34.8 - 46.7		
Baker	29.4	22.0 - 36.8		
Bay	34.9	29.9 - 40.0		
Bradford	21.6	14.5 - 28.6	*	
Brevard	41.2	35.5 - 46.8		
Broward	35.8	30.7 - 41.0		
Calhoun	29.6	21.8 - 37.4		
Charlotte	34.7	28.8 - 40.6		
Citrus	33.6	27.9 - 39.4		
Clay	32.7	26.9 - 38.4		
Collier	43.3	37.3 - 49.3		*
Columbia	25.5	17.7 - 33.4	*	
DeSoto	23.4	12.3 - 34.4		
Dixie	27.9	20.8 - 35.0		
Duval	30.6	26.9 - 34.3		
Escambia	38.0	33.3 - 42.8		
Flagler	41.9	34.6 - 49.1		
Franklin	35.5	25.3 - 45.7		
Gadsden	24.2	16.3 - 32.2	*	
Gilchrist	19.1	12.2 - 26.1	*	
Glades	21.1	6.5 - 35.8		
Gulf	33.3	23.9 - 42.7		
Hamilton	25.1	17.2 - 33.0	*	
Hardee	26.3	17.5 - 35.2		
Hendry	40.3	23.3 - 57.2		
Hernando	30.0	23.4 - 36.7		
Highlands	23.9	18.7 - 29.0	*	
Hillsborough	31.0	26.7 - 35.4		
Holmes	33.1	25.6 - 40.7		
Indian River	36.8	30.5 - 43.2		
Jackson	21.5	15.4 - 27.6	*	
Jefferson	37.5	28.7 - 46.3		
Lafayette	27.8	11.4 - 44.2		
Lake	33.5	27.7 - 39.4		
Lee	33.4	29.1 - 37.7		
Leon	41.0	34.8 - 47.1		
Levy	23.5	18.0 - 29.0	*	
Liberty	16.5	10.6 - 22.4	*	
Madison	30.2	21.8 - 38.6		
Manatee	36.2	30.9 - 41.5		
Marion	35.1	30.1 - 40.2		
Martin	48.9	42.0 - 55.9		*
Miami-Dade	35.0	30.1 - 39.8		
Monroe	40.5	32.8 - 48.2		
Nassau	36.5	29.2 - 43.8		
Okaloosa	34.7	30.0 - 39.4		
Okeechobee	32.7	23.1 - 42.4		
Orange	36.3	31.7 - 40.9		
Osceola	32.8	25.7 - 39.9		
Palm Beach	36.8	30.5 - 43.1		
Pasco	29.6	24.2 - 35.1		
Pinellas	36.8	31.8 - 41.9		
Polk	27.5	22.0 - 32.9	*	
Putnam	25.3	18.4 - 32.1	*	
Saint Johns	39.9	34.3 - 45.5		
Saint Lucie	31.6	26.5 - 36.8		
Santa Rosa	38.0	32.6 - 43.5		
Sarasota	40.6	35.6 - 45.6		
Seminole	39.6	33.1 - 46.2		
Sumter	37.3	29.6 - 44.9		
Suwannee	28.6	21.6 - 35.7		
Taylor	22.4	12.5 - 32.3	*	
Union	15.7	9.6 - 21.7	*	
Volusia	37.4	32.1 - 42.8		
Wakulla	26.1	18.5 - 33.7	*	
Walton	35.5	28.6 - 42.4		
Washington	23.2	17.2 - 29.2	*	

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	5.2	4.7 - 5.8		
Alachua	4.1	1.3 - 6.9		
Baker	6.7	3.8 - 9.6		
Bay	5.8	3.6 - 8.1		
Bradford	7.8	1.8 - 13.9		
Brevard	4.9	2.3 - 7.5		
Broward	3.8	1.7 - 6.0		
Calhoun	8.2	4.9 - 11.6		
Charlotte	7.2	3.3 - 11.1		
Citrus	8.2	4.6 - 11.7		
Clay	2.3	1.1 - 3.6	*	
Collier	3.8	1.3 - 6.4		
Columbia	2.4	0.7 - 4.1	*	
DeSoto	8.4	0.3 - 16.6		
Dixie	6.9	3.0 - 10.7		
Duval	5.4	3.8 - 7.1		
Escambia	6.7	3.8 - 9.7		
Flagler	3.2	1.0 - 5.3		
Franklin	10.0	3.5 - 16.6		
Gadsden	7.3	4.0 - 10.7		
Gilchrist	5.4	2.4 - 8.4		
Glades	2.1	0.7 - 3.5	*	
Gulf	7.0	2.4 - 11.7		
Hamilton	5.6	2.7 - 8.4		
Hardee	2.1	1.0 - 3.1	*	
Hendry	12.9	0.0 - 26.2		
Hernando	4.4	2.1 - 6.7		
Highlands	5.1	2.8 - 7.3		
Hillsborough	5.8	3.8 - 7.9		
Holmes	7.2	4.4 - 10.1		
Indian River	5.6	2.6 - 8.6		
Jackson	4.7	2.4 - 7.1		
Jefferson	5.5	2.4 - 8.5		
Lafayette	4.1	1.2 - 7.1		
Lake	3.8	1.6 - 5.9		
Lee	4.4	2.7 - 6.1		
Leon	2.1	0.7 - 3.5	*	
Levy	8.2	4.7 - 11.7		
Liberty	6.6	3.0 - 10.3		
Madison	4.1	2.0 - 6.2		
Manatee	5.0	2.9 - 7.2		
Marion	5.1	2.7 - 7.4		
Martin	2.2	0.9 - 3.5	*	
Miami-Dade	6.1	3.7 - 8.6		
Monroe	6.2	1.8 - 10.5		
Nassau	4.2	1.8 - 6.6		
Okaloosa	5.4	2.7 - 8.1		
Okeechobee	8.4	3.2 - 13.6		
Orange	8.0	5.2 - 10.8		
Osceola	4.5	2.3 - 6.6		
Palm Beach	2.9	1.2 - 4.5	*	
Pasco	8.0	5.0 - 11.0		
Pinellas	3.1	1.5 - 4.6	*	
Polk	6.4	3.9 - 8.9		
Putnam	12.3	3.5 - 21.1		
Saint Johns	2.7	1.3 - 4.0	*	
Saint Lucie	5.7	3.3 - 8.1		
Santa Rosa	3.3	1.5 - 5.0		
Sarasota	5.6	3.2 - 8.0		
Seminole	4.3	1.7 - 6.9		
Sumter	3.4	1.2 - 5.5		
Suwannee	5.2	2.1 - 8.4		
Taylor	6.9	3.5 - 10.4		
Union	4.3	2.3 - 6.3		
Volusia	5.3	2.9 - 7.6		
Wakulla	6.3	2.6 - 10.1		
Walton	5.3	2.0 - 8.7		
Washington	7.8	2.0 - 13.5		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	17.6	16.6 - 18.6		
Alachua	19.1	13.9 - 24.2		
Baker	21.0	10.7 - 31.3		
Bay	19.2	15.1 - 23.3		
Bradford	17.5	8.2 - 26.7		
Brevard	20.4	15.4 - 25.5		
Broward	19.0	14.4 - 23.6		
Calhoun	14.0	6.7 - 21.4		
Charlotte	18.0	12.4 - 23.5		
Citrus	14.1	9.7 - 18.5		
Clay	15.1	10.5 - 19.8		
Collier	18.1	12.8 - 23.5		
Columbia	11.3	6.1 - 16.5	*	
DeSoto	23.3	9.9 - 36.6		
Dixie	10.7	5.1 - 16.3	*	
Duval	16.4	13.2 - 19.6		
Escambia	15.0	11.9 - 18.2		
Flagler	21.6	14.9 - 28.3		
Franklin	22.2	12.6 - 31.8		
Gadsden	15.4	7.5 - 23.3		
Gilchrist	20.2	10.5 - 29.9		
Glades	20.0	4.0 - 36.1		
Gulf	16.4	9.7 - 23.0		
Hamilton	18.5	10.4 - 26.6		
Hardee	12.7	4.1 - 21.3		
Hendry	13.1	0.7 - 25.5		
Hernando	16.6	9.2 - 24.0		
Highlands	7.5	4.2 - 10.7	*	
Hillsborough	15.3	12.0 - 18.5		
Holmes	11.1	7.0 - 15.3	*	
Indian River	14.3	9.6 - 19.1		
Jackson	14.0	8.2 - 19.8		
Jefferson	12.9	7.9 - 17.9		
Lafayette	6.5	2.4 - 10.5	*	
Lake	14.5	9.8 - 19.2		
Lee	18.0	14.3 - 21.7		
Leon	19.7	14.8 - 24.5		
Levy	14.5	8.5 - 20.5		
Liberty	17.9	9.4 - 26.3		
Madison	13.9	8.1 - 19.7		
Manatee	14.0	10.0 - 18.1		
Marion	10.8	7.6 - 14.1	*	
Martin	14.7	10.2 - 19.1		
Miami-Dade	18.2	14.1 - 22.2		
Monroe	25.7	18.4 - 33.0		
Nassau	21.3	15.1 - 27.5		
Okaloosa	18.9	14.8 - 23.0		
Okeechobee	21.6	11.9 - 31.3		
Orange	19.7	15.9 - 23.4		
Osceola	13.3	8.0 - 18.6		
Palm Beach	17.0	11.6 - 22.3		
Pasco	20.1	15.2 - 25.0		
Pinellas	19.6	15.1 - 24.0		
Polk	13.7	9.0 - 18.4		
Putnam	16.7	10.8 - 22.6		
Saint Johns	23.2	18.0 - 28.4		
Saint Lucie	16.1	11.4 - 20.7		
Santa Rosa	13.3	9.6 - 17.1		
Sarasota	21.9	17.6 - 26.2		
Seminole	13.2	8.6 - 17.8		
Sumter	15.1	8.5 - 21.7		
Suwannee	15.5	9.8 - 21.1		
Taylor	9.9	5.7 - 14.1	*	
Union	6.4	3.0 - 9.8	*	
Volusia	17.5	13.0 - 21.9		
Wakulla	18.9	12.0 - 25.8		
Walton	20.2	14.2 - 26.3		
Washington	11.6	5.1 - 18.2		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Tobacco Use and Exposure

Percentage of adults who are current smokers

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	16.8	15.9 - 17.7		
Alachua	15.9	10.7 - 21.1		
Baker	18.2	11.7 - 24.8		
Bay	25.7	20.9 - 30.4		*
Bradford	17.7	11.1 - 24.4		
Brevard	20.5	15.5 - 25.6		
Broward	12.1	8.6 - 15.6	*	
Calhoun	16.0	11.0 - 21.0		
Charlotte	21.3	15.7 - 26.9		
Citrus	28.8	23.0 - 34.6		*
Clay	18.9	13.9 - 23.9		
Collier	13.9	8.7 - 19.0		
Columbia	22.6	16.6 - 28.5		
DeSoto	24.8	11.4 - 38.1		
Dixie	25.0	17.6 - 32.4		
Duval	18.1	15.0 - 21.1		
Escambia	22.5	18.6 - 26.5		*
Flagler	20.6	14.6 - 26.6		
Franklin	20.3	11.9 - 28.7		
Gadsden	21.4	12.8 - 29.9		
Gilchrist	22.5	13.4 - 31.6		
Glades	9.6	4.0 - 15.1	*	
Gulf	19.2	12.2 - 26.2		
Hamilton	22.1	14.5 - 29.6		
Hardee	7.5	3.5 - 11.4	*	
Hendry	25.0	9.9 - 40.1		
Hernando	19.5	13.3 - 25.7		
Highlands	19.7	13.4 - 26.1		
Hillsborough	18.2	14.4 - 22.0		
Holmes	23.8	17.7 - 29.9		
Indian River	19.5	13.8 - 25.3		
Jackson	17.3	11.4 - 23.2		
Jefferson	19.4	10.9 - 28.0		
Lafayette	19.0	10.5 - 27.4		
Lake	13.9	9.6 - 18.2		
Lee	16.2	12.9 - 19.5		
Leon	12.0	8.3 - 15.8	*	
Levy	22.6	16.9 - 28.4		
Liberty	24.3	15.2 - 33.5		
Madison	19.7	13.0 - 26.4		
Manatee	19.2	14.5 - 24.0		
Marion	22.0	17.3 - 26.7		
Martin	15.4	10.7 - 20.1		
Miami-Dade	14.0	10.4 - 17.6		
Monroe	20.6	13.6 - 27.5		
Nassau	17.9	11.7 - 24.1		
Okaloosa	22.4	18.1 - 26.6		*
Okeechobee	31.6	21.3 - 41.9		*
Orange	16.0	12.3 - 19.6		
Osceola	18.2	12.2 - 24.3		
Palm Beach	9.5	5.9 - 13.1	*	
Pasco	24.0	18.9 - 29.1		*
Pinellas	19.4	15.0 - 23.7		
Polk	14.3	10.0 - 18.6		
Putnam	22.1	15.3 - 28.9		
Saint Johns	14.7	10.4 - 19.0		
Saint Lucie	18.4	13.8 - 22.9		
Santa Rosa	23.6	18.9 - 28.4		*
Sarasota	18.4	14.2 - 22.6		
Seminole	14.6	9.9 - 19.4		
Sumter	11.5	7.0 - 16.1		
Suwannee	25.5	19.1 - 31.9		*
Taylor	25.4	15.4 - 35.4		
Union	29.6	17.3 - 41.9		
Volusia	18.6	14.4 - 22.9		
Wakulla	25.4	17.9 - 33.0		*
Walton	23.2	17.3 - 29.1		
Washington	20.3	13.6 - 27.0		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Tobacco Use and Exposure

Percentage of adults who are former smokers (currently quit smoking)

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	28.1	27.1 - 29.2		
Alachua	20.7	16.8 - 24.7	*	
Baker	35.3	26.6 - 44.1		
Bay	32.4	27.6 - 37.2		
Bradford	29.6	21.2 - 38.0		
Brevard	29.9	25.0 - 34.7		
Broward	28.0	23.6 - 32.4		
Calhoun	38.7	30.1 - 47.2		*
Charlotte	34.0	28.4 - 39.6		
Citrus	33.8	28.1 - 39.5		
Clay	27.7	22.4 - 33.0		
Collier	36.3	30.8 - 41.8		*
Columbia	24.1	18.4 - 29.7		
DeSoto	29.4	19.9 - 38.9		
Dixie	30.0	23.2 - 36.9		
Duval	23.8	20.5 - 27.1		
Escambia	26.5	22.6 - 30.4		
Flagler	33.6	27.4 - 39.9		
Franklin	37.2	28.3 - 46.2		
Gadsden	20.6	14.8 - 26.4	*	
Gilchrist	29.2	21.0 - 37.4		
Glades	28.3	16.2 - 40.4		
Gulf	28.0	20.2 - 35.8		
Hamilton	27.5	20.9 - 34.0		
Hardee	26.1	18.6 - 33.6		
Hendry	23.5	11.7 - 35.4		
Hernando	45.0	37.3 - 52.7		*
Highlands	33.2	27.6 - 38.8		
Hillsborough	26.1	22.1 - 30.1		
Holmes	27.0	19.9 - 34.1		
Indian River	34.2	28.2 - 40.2		
Jackson	23.6	17.7 - 29.4		
Jefferson	33.8	26.3 - 41.3		
Lafayette	35.3	19.9 - 50.7		
Lake	33.8	28.3 - 39.4		
Lee	35.1	30.9 - 39.3		*
Leon	22.7	18.2 - 27.2		
Levy	32.3	25.7 - 38.9		
Liberty	31.5	21.3 - 41.7		
Madison	24.7	18.2 - 31.2		
Manatee	31.4	26.5 - 36.2		
Marion	30.7	26.4 - 35.1		
Martin	37.0	31.0 - 43.1		*
Miami-Dade	21.8	17.8 - 25.8	*	
Monroe	39.0	31.3 - 46.7		*
Nassau	28.6	22.6 - 34.6		
Okaloosa	27.1	22.7 - 31.5		
Okeechobee	23.3	16.9 - 29.7		
Orange	20.6	17.1 - 24.1	*	
Osceola	20.3	15.3 - 25.3	*	
Palm Beach	26.7	21.8 - 31.6		
Pasco	29.5	24.5 - 34.4		
Pinellas	32.2	27.4 - 36.9		
Polk	32.2	26.9 - 37.5		
Putnam	26.5	20.0 - 32.9		
Saint Johns	33.3	28.0 - 38.5		
Saint Lucie	35.6	30.4 - 40.7		*
Santa Rosa	27.1	22.4 - 31.8		
Sarasota	40.9	36.0 - 45.8		*
Seminole	26.2	20.7 - 31.6		
Sumter	48.6	41.1 - 56.0		*
Suwannee	21.4	16.2 - 26.7	*	
Taylor	26.1	19.0 - 33.2		
Union	21.3	13.5 - 29.1		
Volusia	32.2	27.5 - 37.0		
Wakulla	29.4	22.3 - 36.5		
Walton	30.9	24.7 - 37.1		
Washington	26.0	17.1 - 34.8		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Tobacco Use and Exposure

Percentage of adults who have never smoked

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	55.0	53.8 - 56.2		
Alachua	63.4	57.7 - 69.1		*
Baker	46.4	37.8 - 55.1		
Bay	41.9	36.9 - 46.9	*	
Bradford	52.7	43.2 - 62.1		
Brevard	49.6	43.9 - 55.2		
Broward	59.9	54.8 - 65.0		
Calhoun	45.3	36.7 - 54.0		
Charlotte	44.7	38.3 - 51.1	*	
Citrus	37.4	31.6 - 43.2	*	
Clay	53.4	47.2 - 59.6		
Collier	49.9	43.8 - 55.9		
Columbia	53.4	45.7 - 61.1		
DeSoto	45.8	33.8 - 57.9		
Dixie	45.0	36.5 - 53.4	*	
Duval	58.1	54.2 - 62.0		
Escambia	50.9	46.3 - 55.6		
Flagler	45.7	38.7 - 52.8	*	
Franklin	42.5	32.4 - 52.6	*	
Gadsden	58.0	49.7 - 66.3		
Gilchrist	48.3	38.3 - 58.2		
Glades	62.1	48.5 - 75.7		
Gulf	52.8	43.0 - 62.5		
Hamilton	50.5	41.8 - 59.1		
Hardee	66.4	58.0 - 74.8		*
Hendry	51.5	35.5 - 67.5		
Hernando	35.5	28.3 - 42.8	*	
Highlands	47.1	40.5 - 53.6	*	
Hillsborough	55.7	51.0 - 60.4		
Holmes	49.2	41.0 - 57.4		
Indian River	46.3	39.7 - 52.8	*	
Jackson	59.1	51.1 - 67.1		
Jefferson	46.8	38.2 - 55.3		
Lafayette	45.8	32.3 - 59.3		
Lake	52.3	46.2 - 58.4		
Lee	48.7	44.2 - 53.3	*	
Leon	65.2	59.8 - 70.7		*
Levy	45.1	38.0 - 52.2	*	
Liberty	44.1	34.5 - 53.8	*	
Madison	55.6	47.5 - 63.7		
Manatee	49.4	43.9 - 54.9		
Marion	47.3	42.1 - 52.4	*	
Martin	47.6	40.7 - 54.5		
Miami-Dade	64.2	59.4 - 69.1		*
Monroe	40.4	32.7 - 48.1	*	
Nassau	53.5	46.3 - 60.6		
Okaloosa	50.5	45.5 - 55.5		
Okeechobee	45.1	34.8 - 55.4		
Orange	63.4	58.9 - 67.9		*
Osceola	61.5	54.6 - 68.4		
Palm Beach	63.8	58.1 - 69.5		*
Pasco	46.5	40.7 - 52.3	*	
Pinellas	48.5	43.2 - 53.8	*	
Polk	53.5	47.6 - 59.4		
Putnam	51.5	43.0 - 59.9		
Saint Johns	52.0	46.3 - 57.7		
Saint Lucie	46.1	40.3 - 51.8	*	
Santa Rosa	49.2	43.7 - 54.8		
Sarasota	40.7	35.7 - 45.7	*	
Seminole	59.2	52.9 - 65.5		
Sumter	39.9	32.5 - 47.3	*	
Suwannee	53.1	45.7 - 60.4		
Taylor	48.5	39.3 - 57.7		
Union	49.1	36.2 - 62.1		
Volusia	49.2	43.8 - 54.5		
Wakulla	45.2	36.8 - 53.5	*	
Walton	45.9	38.8 - 53.0	*	
Washington	53.7	44.7 - 62.7		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Tobacco Use and Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	61.1	58.3 - 63.9		
Alachua	61.3	44.8 - 77.9		
Baker	69.3	53.4 - 85.3		
Bay	67.1	56.6 - 77.7		
Bradford	77.2	62.7 - 91.6		
Brevard	50.6	36.3 - 64.9		
Broward	69.1	54.8 - 83.5		
Calhoun	68.2	52.3 - 84.0		
Charlotte	64.8	51.7 - 78.0		
Citrus	54.9	42.6 - 67.3		
Clay	59.7	45.1 - 74.2		
Collier	50.9	30.1 - 71.7		
Columbia	48.1	33.8 - 62.4		
DeSoto	82.9	69.3 - 96.6		*
Dixie	65.5	50.8 - 80.3		
Duval	61.8	53.0 - 70.7		
Escambia	57.3	47.2 - 67.4		
Flagler	66.2	50.8 - 81.6		
Franklin	77.5	62.8 - 92.1		
Gadsden	72.8	55.2 - 90.4		
Gilchrist	72.9	55.8 - 90.0		
Glades	48.3	21.7 - 74.9		
Gulf	60.7	42.6 - 78.7		
Hamilton	76.4	62.2 - 90.5		
Hardee	45.8	19.7 - 72.0		
Hendry	59.9	23.4 - 96.4		
Hernando	70.1	56.6 - 83.7		
Highlands	48.9	30.4 - 67.3		
Hillsborough	68.7	58.3 - 79.0		
Holmes	64.0	51.3 - 76.6		
Indian River	71.2	57.3 - 85.0		
Jackson	64.4	47.9 - 80.9		
Jefferson	52.7	26.2 - 79.1		
Lafayette	76.1	60.7 - 91.5		
Lake	74.8	60.7 - 88.8		
Lee	57.1	46.0 - 68.3		
Leon	62.5	46.1 - 78.8		
Levy	53.9	39.2 - 68.5		
Liberty	50.2	28.0 - 72.5		
Madison	58.2	40.3 - 76.0		
Manatee	66.8	53.9 - 79.6		
Marion	54.1	41.5 - 66.8		
Martin	67.2	51.4 - 83.0		
Miami-Dade	57.7	43.9 - 71.5		
Monroe	65.4	48.6 - 82.2		
Nassau	73.4	57.7 - 89.2		
Okaloosa	59.1	48.5 - 69.8		
Okeechobee	52.2	31.0 - 73.3		
Orange	55.8	43.4 - 68.1		
Osceola	60.3	41.6 - 78.9		
Palm Beach	63.7	45.6 - 81.8		
Pasco	59.0	47.0 - 71.1		
Pinellas	53.2	40.5 - 65.9		
Polk	65.2	51.2 - 79.2		
Putnam	61.8	45.6 - 78.0		
Saint Johns	60.9	45.3 - 76.6		
Saint Lucie	45.2	31.7 - 58.7		
Santa Rosa	61.3	49.8 - 72.8		
Sarasota	52.6	39.7 - 65.5		
Seminole	64.6	46.0 - 83.3		
Sumter	77.0	61.3 - 92.7		
Suwannee	59.3	44.9 - 73.7		
Taylor	58.1	31.2 - 85.1		
Union	71.1	51.2 - 91.1		
Volusia	61.8	49.5 - 74.1		
Wakulla	79.4	69.4 - 89.5		*
Walton	63.8	50.1 - 77.6		
Washington	63.4	46.1 - 80.7		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Physical Activity and Nutrition

Percentage of adults who are sedentary

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	27.7	26.6 - 28.9		
Alachua	19.7	15.2 - 24.2	*	
Baker	44.6	35.2 - 54.1		*
Bay	29.6	24.7 - 34.4		
Bradford	33.6	24.9 - 42.3		
Brevard	24.3	19.7 - 29.0		
Broward	26.9	22.2 - 31.7		
Calhoun	33.9	25.9 - 42.0		
Charlotte	24.2	18.6 - 29.7		
Citrus	32.7	26.8 - 38.6		
Clay	23.9	18.7 - 29.1		
Collier	25.2	19.4 - 31.0		
Columbia	29.3	22.8 - 35.9		
DeSoto	36.5	23.6 - 49.4		
Dixie	31.3	23.6 - 39.0		
Duval	26.5	22.8 - 30.2		
Escambia	27.5	23.2 - 31.8		
Flagler	23.4	17.1 - 29.8		
Franklin	29.0	20.4 - 37.5		
Gadsden	37.4	29.0 - 45.7		*
Gilchrist	43.5	33.0 - 54.1		*
Glades	32.0	18.5 - 45.4		
Gulf	32.6	22.5 - 42.7		
Hamilton	31.8	23.7 - 39.9		
Hardee	34.2	24.8 - 43.7		
Hendry	28.8	14.0 - 43.6		
Hernando	22.9	16.9 - 28.9		
Highlands	32.1	25.9 - 38.3		
Hillsborough	28.0	23.6 - 32.3		
Holmes	35.2	27.6 - 42.7		
Indian River	27.4	21.6 - 33.1		
Jackson	36.6	28.5 - 44.8		
Jefferson	29.8	21.0 - 38.7		
Lafayette	28.5	18.4 - 38.7		
Lake	28.2	22.5 - 33.9		
Lee	25.4	21.5 - 29.2		
Leon	16.6	12.1 - 21.1	*	
Levy	31.3	24.6 - 38.0		
Liberty	28.8	20.2 - 37.3		
Madison	32.7	25.1 - 40.3		
Manatee	22.6	18.1 - 27.1		
Marion	27.2	22.6 - 31.8		
Martin	23.8	18.2 - 29.4		
Miami-Dade	32.7	27.8 - 37.6		
Monroe	22.5	16.2 - 28.8		
Nassau	21.4	16.2 - 26.6	*	
Okaloosa	25.1	20.6 - 29.6		
Okeechobee	36.2	26.0 - 46.5		
Orange	26.0	21.8 - 30.1		
Osceola	33.9	26.8 - 41.1		
Palm Beach	27.8	22.0 - 33.5		
Pasco	24.4	19.6 - 29.3		
Pinellas	27.7	22.8 - 32.6		
Polk	32.7	27.1 - 38.4		
Putnam	31.2	23.9 - 38.6		
Saint Johns	21.6	16.7 - 26.4	*	
Saint Lucie	30.1	24.8 - 35.5		
Santa Rosa	24.1	19.3 - 28.8		
Sarasota	22.9	18.4 - 27.4		
Seminole	22.4	17.0 - 27.8		
Sumter	25.7	18.4 - 32.9		
Suwannee	27.4	21.3 - 33.5		
Taylor	37.6	28.9 - 46.3		
Union	40.6	26.7 - 54.4		
Volusia	25.2	20.4 - 30.0		
Wakulla	26.0	19.7 - 32.2		
Walton	26.2	20.2 - 32.3		
Washington	41.8	32.6 - 51.0		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Physical Activity and Nutrition

Percentage of adults who consumed five or more servings of fruits or vegetables per day

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	18.3	17.3 - 19.4		
Alachua	19.7	14.8 - 24.6		
Baker	19.3	9.5 - 29.2		
Bay	13.2	9.6 - 16.8	*	
Bradford	16.1	8.5 - 23.7		
Brevard	17.6	13.2 - 21.9		
Broward	20.7	16.2 - 25.2		
Calhoun	7.9	3.8 - 12.0	*	
Charlotte	16.9	12.3 - 21.4		
Citrus	13.9	9.9 - 18.0		
Clay	14.8	10.3 - 19.3		
Collier	20.8	15.5 - 26.0		
Columbia	15.6	8.7 - 22.5		
DeSoto	12.0	5.5 - 18.5		
Dixie	15.9	9.6 - 22.2		
Duval	17.3	14.3 - 20.2		
Escambia	15.9	12.4 - 19.4		
Flagler	17.1	12.3 - 21.8		
Franklin	13.2	6.6 - 19.7		
Gadsden	16.5	11.0 - 22.0		
Gilchrist	14.5	7.2 - 21.8		
Glades	21.0	4.2 - 37.8		
Gulf	7.9	3.9 - 11.8	*	
Hamilton	13.6	8.1 - 19.2		
Hardee	16.4	8.8 - 24.1		
Hendry	12.6	5.0 - 20.3		
Hernando	12.9	9.1 - 16.6	*	
Highlands	14.6	10.7 - 18.5		
Hillsborough	16.1	12.6 - 19.7		
Holmes	8.0	4.8 - 11.1	*	
Indian River	16.8	12.3 - 21.2		
Jackson	15.1	8.9 - 21.3		
Jefferson	19.3	12.1 - 26.6		
Lafayette	15.3	5.3 - 25.4		
Lake	17.4	12.7 - 22.0		
Lee	17.9	14.1 - 21.8		
Leon	16.2	12.1 - 20.3		
Levy	15.5	9.8 - 21.2		
Liberty	10.2	5.8 - 14.6	*	
Madison	17.0	11.0 - 23.0		
Manatee	17.4	13.1 - 21.7		
Marion	12.9	9.4 - 16.4	*	
Martin	17.3	12.9 - 21.7		
Miami-Dade	19.0	14.7 - 23.3		
Monroe	19.8	13.3 - 26.3		
Nassau	15.9	11.1 - 20.7		
Okaloosa	18.4	14.7 - 22.1		
Okeechobee	13.2	7.3 - 19.0		
Orange	19.5	15.6 - 23.3		
Osceola	14.6	9.8 - 19.5		
Palm Beach	24.2	18.8 - 29.7		
Pasco	15.9	11.5 - 20.2		
Pinellas	18.9	14.5 - 23.4		
Polk	13.8	9.8 - 17.8		
Putnam	14.0	8.6 - 19.4		
Saint Johns	19.2	14.8 - 23.7		
Saint Lucie	16.9	12.7 - 21.1		
Santa Rosa	15.5	11.6 - 19.3		
Sarasota	17.9	13.8 - 22.0		
Seminole	17.2	12.6 - 21.7		
Sumter	13.5	8.7 - 18.2		
Suwannee	14.4	9.2 - 19.5		
Taylor	12.4	6.5 - 18.4		
Union	10.1	5.4 - 14.8	*	
Volusia	17.4	13.3 - 21.5		
Wakulla	15.3	9.2 - 21.4		
Walton	15.1	10.1 - 20.1		
Washington	19.4	9.4 - 29.4		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Physical Activity and Nutrition

Percentage of adults who are inactive or insufficiently active

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	52.9	51.6 - 54.3		
Alachua	49.2	42.7 - 55.6		
Baker	65.8	57.6 - 74.1		*
Bay	57.7	51.9 - 63.4		
Bradford	56.9	47.2 - 66.5		
Brevard	49.2	43.1 - 55.2		
Broward	54.4	48.5 - 60.3		
Calhoun	51.5	42.3 - 60.8		
Charlotte	46.8	39.9 - 53.6		
Citrus	52.2	45.7 - 58.7		
Clay	51.1	44.4 - 57.9		
Collier	46.4	39.8 - 53.0		
Columbia	51.0	42.2 - 59.7		
DeSoto	64.5	53.6 - 75.3		
Dixie	52.4	43.9 - 61.0		
Duval	53.0	48.3 - 57.6		
Escambia	56.8	51.4 - 62.2		
Flagler	45.2	37.9 - 52.6		
Franklin	45.5	35.1 - 56.0		
Gadsden	57.5	49.1 - 65.8		
Gilchrist	63.1	54.0 - 72.2		
Glades	62.1	48.1 - 76.1		
Gulf	53.0	42.4 - 63.6		
Hamilton	56.8	48.0 - 65.6		
Hardee	63.5	54.1 - 73.0		
Hendry	52.1	35.2 - 69.1		
Hernando	39.4	32.0 - 46.7	*	
Highlands	50.4	43.5 - 57.3		
Hillsborough	53.1	47.7 - 58.5		
Holmes	62.0	54.3 - 69.8		*
Indian River	49.6	42.8 - 56.3		
Jackson	59.1	49.0 - 69.1		
Jefferson	48.2	39.1 - 57.4		
Lafayette	48.3	34.1 - 62.5		
Lake	48.1	41.4 - 54.8		
Lee	45.4	40.5 - 50.4	*	
Leon	48.6	41.8 - 55.4		
Levy	54.6	47.3 - 61.9		
Liberty	54.4	43.9 - 64.9		
Madison	57.9	49.3 - 66.5		
Manatee	44.9	39.0 - 50.9	*	
Marion	51.4	45.8 - 57.0		
Martin	42.2	35.1 - 49.3	*	
Miami-Dade	55.8	50.1 - 61.4		
Monroe	46.6	38.8 - 54.5		
Nassau	45.1	38.0 - 52.2		
Okaloosa	51.4	45.7 - 57.0		
Okeechobee	52.8	42.1 - 63.5		
Orange	57.3	52.0 - 62.7		
Osceola	58.9	51.8 - 66.0		
Palm Beach	55.0	48.3 - 61.6		
Pasco	50.6	44.3 - 56.9		
Pinellas	49.8	44.0 - 55.6		
Polk	58.0	51.7 - 64.3		
Putnam	56.4	47.0 - 65.8		
Saint Johns	50.3	44.1 - 56.4		
Saint Lucie	50.7	44.5 - 56.8		
Santa Rosa	54.7	48.5 - 60.9		
Sarasota	44.2	38.7 - 49.8	*	
Seminole	53.7	46.8 - 60.6		
Sumter	41.4	33.6 - 49.2	*	
Suwannee	51.7	44.2 - 59.2		
Taylor	60.8	51.4 - 70.3		
Union	61.0	47.8 - 74.1		
Volusia	49.2	43.4 - 54.9		
Wakulla	61.4	53.1 - 69.7		
Walton	56.4	49.0 - 63.7		
Washington	59.6	50.7 - 68.5		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Physical Activity and Nutrition

Percentage of adults who meet aerobic recommendations

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	50.2	48.9 - 51.5		
Alachua	57.1	50.9 - 63.4		
Baker	34.2	25.9 - 42.5	*	
Bay	46.8	41.2 - 52.4		
Bradford	43.3	33.7 - 52.9		
Brevard	52.8	46.8 - 58.7		
Broward	48.9	43.1 - 54.6		
Calhoun	49.1	40.0 - 58.3		
Charlotte	56.2	49.4 - 63.1		
Citrus	49.2	42.8 - 55.7		
Clay	51.4	44.8 - 57.9		
Collier	58.0	51.6 - 64.3		*
Columbia	51.3	42.8 - 59.9		
DeSoto	37.0	25.9 - 48.1	*	
Dixie	48.3	39.9 - 56.7		
Duval	50.3	45.8 - 54.8		
Escambia	47.1	41.9 - 52.3		
Flagler	55.2	47.9 - 62.5		
Franklin	55.1	44.9 - 65.4		
Gadsden	43.0	34.7 - 51.3		
Gilchrist	40.0	29.9 - 50.0		
Glades	38.0	24.1 - 52.0		
Gulf	47.4	36.9 - 57.9		
Hamilton	43.5	34.7 - 52.3		
Hardee	37.1	27.6 - 46.5	*	
Hendry	55.7	39.1 - 72.2		
Hernando	61.4	54.2 - 68.7		*
Highlands	50.9	44.1 - 57.7		
Hillsborough	51.8	46.7 - 57.0		
Holmes	38.1	30.4 - 45.9	*	
Indian River	52.2	45.6 - 58.9		
Jackson	43.0	33.3 - 52.8		
Jefferson	52.6	43.6 - 61.6		
Lafayette	52.1	38.0 - 66.1		
Lake	53.3	46.7 - 59.9		
Lee	56.8	51.9 - 61.6		*
Leon	55.9	49.4 - 62.4		
Levy	47.0	39.7 - 54.2		
Liberty	45.8	35.3 - 56.3		
Madison	42.4	33.9 - 51.0		
Manatee	56.9	51.0 - 62.7		
Marion	51.4	46.0 - 56.9		
Martin	59.2	52.4 - 66.1		*
Miami-Dade	46.6	41.1 - 52.2		
Monroe	58.1	50.1 - 66.1		
Nassau	55.1	48.0 - 62.2		
Okaloosa	51.6	46.1 - 57.0		
Okeechobee	48.5	37.9 - 59.2		
Orange	47.8	42.6 - 53.0		
Osceola	45.5	37.9 - 53.1		
Palm Beach	46.6	40.0 - 53.2		
Pasco	52.5	46.2 - 58.8		
Pinellas	52.3	46.6 - 58.0		
Polk	44.4	38.1 - 50.6		
Putnam	44.6	35.3 - 53.9		
Saint Johns	51.6	45.5 - 57.8		
Saint Lucie	51.3	45.2 - 57.5		
Santa Rosa	49.7	43.7 - 55.8		
Sarasota	58.5	53.1 - 63.8		*
Seminole	48.8	42.0 - 55.6		
Sumter	59.1	51.4 - 66.9		
Suwannee	48.9	41.5 - 56.3		
Taylor	39.8	30.4 - 49.2		
Union	39.8	26.7 - 52.9		
Volusia	54.9	49.2 - 60.5		
Wakulla	41.5	33.0 - 50.0		
Walton	44.7	37.4 - 52.0		
Washington	41.1	32.2 - 50.0		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Physical Activity and Nutrition

Percentage of adults who meet muscle strengthening recommendations

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	29.6	28.4 - 30.7		
Alachua	38.2	32.1 - 44.3		*
Baker	22.0	14.7 - 29.3		
Bay	26.6	21.7 - 31.4		
Bradford	28.9	19.6 - 38.1		
Brevard	29.4	23.7 - 35.2		
Broward	31.6	26.5 - 36.7		
Calhoun	20.1	11.9 - 28.4	*	
Charlotte	27.6	21.3 - 33.8		
Citrus	22.7	17.5 - 27.9	*	
Clay	33.3	27.1 - 39.5		
Collier	33.6	27.5 - 39.7		
Columbia	28.2	19.9 - 36.6		
DeSoto	26.3	14.3 - 38.4		
Dixie	14.2	8.8 - 19.5	*	
Duval	30.2	26.6 - 33.9		
Escambia	30.4	26.1 - 34.7		
Flagler	30.4	23.4 - 37.4		
Franklin	22.5	14.1 - 30.9		
Gadsden	26.5	18.2 - 34.8		
Gilchrist	20.2	10.6 - 29.8		
Glades	41.6	23.6 - 59.6		
Gulf	19.9	10.8 - 29.1		
Hamilton	21.0	12.5 - 29.4		
Hardee	23.5	14.5 - 32.6		
Hendry	15.7	5.9 - 25.6	*	
Hernando	31.2	23.6 - 38.7		
Highlands	26.0	19.3 - 32.7		
Hillsborough	31.8	27.2 - 36.5		
Holmes	26.7	18.7 - 34.7		
Indian River	28.8	22.1 - 35.6		
Jackson	23.1	15.1 - 31.1		
Jefferson	17.8	12.0 - 23.7	*	
Lafayette	14.2	7.1 - 21.3	*	
Lake	24.0	18.3 - 29.6		
Lee	30.0	25.6 - 34.3		
Leon	33.9	28.0 - 39.8		
Levy	19.3	13.8 - 24.8	*	
Liberty	16.7	10.2 - 23.2	*	
Madison	24.7	15.8 - 33.7		
Manatee	29.8	24.5 - 35.1		
Marion	28.9	23.9 - 34.0		
Martin	31.2	24.6 - 37.7		
Miami-Dade	27.0	22.3 - 31.7		
Monroe	30.9	23.1 - 38.7		
Nassau	26.8	20.1 - 33.4		
Okaloosa	35.7	30.6 - 40.8		
Okeechobee	29.8	19.0 - 40.7		
Orange	29.7	25.1 - 34.2		
Osceola	24.8	18.3 - 31.3		
Palm Beach	34.2	27.8 - 40.6		
Pasco	30.4	24.5 - 36.3		
Pinellas	27.9	23.1 - 32.7		
Polk	22.5	17.2 - 27.9	*	
Putnam	28.0	18.4 - 37.7		
Saint Johns	35.6	30.0 - 41.2		
Saint Lucie	29.5	24.0 - 35.0		
Santa Rosa	28.6	23.5 - 33.8		
Sarasota	28.6	23.9 - 33.3		
Seminole	32.4	25.9 - 38.8		
Sumter	25.3	19.1 - 31.5		
Suwannee	21.4	15.5 - 27.4	*	
Taylor	21.1	13.0 - 29.2		
Union	24.6	14.4 - 34.7		
Volusia	32.9	27.3 - 38.5		
Wakulla	27.6	18.7 - 36.5		
Walton	30.4	23.3 - 37.4		
Washington	21.2	14.3 - 28.1	*	

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cancer Screening/Breast

Percentage of women aged 40 to 74 years who received a mammogram in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	57.5	55.3 - 59.6		
Alachua	54.5	46.1 - 62.9		
Baker	45.8	31.8 - 59.9		
Bay	51.1	42.7 - 59.5		
Bradford	54.3	38.4 - 70.3		
Brevard	61.4	52.7 - 70.1		
Broward	49.8	40.8 - 58.9		
Calhoun	58.1	46.2 - 70.0		
Charlotte	63.2	53.3 - 73.1		
Citrus	47.3	37.2 - 57.4		
Clay	58.8	49.4 - 68.2		
Collier	64.6	54.1 - 75.1		
Columbia	53.4	44.0 - 62.9		
DeSoto	61.0	50.9 - 71.1		
Dixie	46.9	36.3 - 57.5		
Duval	58.5	51.8 - 65.2		
Escambia	58.6	50.1 - 67.0		
Flagler	67.9	57.5 - 78.2		
Franklin	30.6	18.7 - 42.5	*	
Gadsden	71.4	61.5 - 81.3		*
Gilchrist	47.4	35.6 - 59.1		
Glades	30.7	10.4 - 51.1	*	
Gulf	60.0	49.4 - 70.5		
Hamilton	56.0	44.1 - 67.9		
Hardee	37.5	26.6 - 48.4	*	
Hendry	72.7	50.1 - 95.3		
Hernando	56.4	45.4 - 67.3		
Highlands	50.5	41.6 - 59.4		
Hillsborough	53.0	43.7 - 62.3		
Holmes	47.3	38.1 - 56.6		
Indian River	49.0	38.4 - 59.7		
Jackson	52.4	41.8 - 62.9		
Jefferson	56.5	45.9 - 67.0		
Lafayette	45.3	25.8 - 64.8		
Lake	57.4	48.1 - 66.6		
Lee	58.9	51.2 - 66.6		
Leon	66.0	57.6 - 74.4		
Levy	45.5	35.7 - 55.3	*	
Liberty	37.1	25.2 - 49.1	*	
Madison	61.5	51.6 - 71.3		
Manatee	57.3	47.6 - 67.0		
Marion	64.7	56.8 - 72.6		
Martin	65.6	55.5 - 75.7		
Miami-Dade	64.0	55.1 - 73.0		
Monroe	49.9	38.6 - 61.1		
Nassau	57.9	48.0 - 67.8		
Okaloosa	54.3	45.2 - 63.4		
Okeechobee	53.8	38.7 - 68.9		
Orange	55.1	46.5 - 63.7		
Osceola	52.6	41.5 - 63.6		
Palm Beach	62.7	52.8 - 72.7		
Pasco	55.4	46.3 - 64.5		
Pinellas	51.6	42.6 - 60.5		
Polk	50.7	41.7 - 59.7		
Putnam	52.3	41.6 - 63.1		
Saint Johns	62.6	54.1 - 71.0		
Saint Lucie	59.7	49.5 - 69.8		
Santa Rosa	58.4	50.3 - 66.6		
Sarasota	59.3	50.5 - 68.0		
Seminole	66.7	58.4 - 75.0		
Sumter	69.8	59.6 - 79.9		*
Suwannee	51.8	42.2 - 61.5		
Taylor	54.0	43.5 - 64.6		
Union	42.5	25.7 - 59.3		
Volusia	62.0	54.0 - 70.1		
Wakulla	63.7	52.7 - 74.7		
Walton	50.7	39.9 - 61.4		
Washington	52.5	41.7 - 63.3		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cancer Screening/Breast

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	56.0	54.2 - 57.7		
Alachua	48.5	40.8 - 56.3		
Baker	44.4	34.0 - 54.9		
Bay	51.1	44.2 - 58.0		
Bradford	50.2	34.1 - 66.3		
Brevard	55.3	47.3 - 63.4		
Broward	55.6	48.1 - 63.1		
Calhoun	56.6	45.3 - 67.9		
Charlotte	62.3	54.2 - 70.5		
Citrus	41.7	33.0 - 50.4	*	
Clay	51.8	43.7 - 59.8		
Collier	57.1	49.0 - 65.3		
Columbia	57.8	48.6 - 67.0		
DeSoto	46.9	32.6 - 61.1		
Dixie	54.1	44.1 - 64.1		
Duval	60.6	55.4 - 65.7		
Escambia	56.9	50.1 - 63.8		
Flagler	58.0	48.3 - 67.7		
Franklin	57.0	42.8 - 71.2		
Gadsden	57.6	47.2 - 68.1		
Gilchrist	58.2	47.5 - 68.9		
Glades	59.7	32.8 - 86.6		
Gulf	58.5	46.4 - 70.7		
Hamilton	46.3	35.4 - 57.2		
Hardee	34.7	23.4 - 45.9	*	
Hendry	77.3	66.2 - 88.4		*
Hernando	55.3	45.7 - 64.8		
Highlands	44.4	35.5 - 53.3	*	
Hillsborough	50.6	43.7 - 57.4		
Holmes	48.0	38.6 - 57.4		
Indian River	49.1	40.6 - 57.6		
Jackson	58.9	48.5 - 69.3		
Jefferson	51.1	39.9 - 62.4		
Lafayette	62.7	48.9 - 76.6		
Lake	56.5	48.0 - 65.0		
Lee	58.5	52.1 - 64.9		
Leon	68.7	60.7 - 76.6		*
Levy	56.8	48.0 - 65.6		
Liberty	52.0	40.3 - 63.7		
Madison	51.6	41.6 - 61.6		
Manatee	62.3	54.8 - 69.8		
Marion	55.4	48.4 - 62.5		
Martin	60.5	52.3 - 68.6		
Miami-Dade	55.3	47.5 - 63.1		
Monroe	53.8	42.5 - 65.0		
Nassau	64.0	53.9 - 74.1		
Okaloosa	58.0	50.9 - 65.1		
Okeechobee	53.2	40.4 - 66.1		
Orange	55.0	48.2 - 61.7		
Osceola	43.7	34.2 - 53.2	*	
Palm Beach	64.2	55.8 - 72.6		
Pasco	51.2	43.0 - 59.3		
Pinellas	53.4	46.1 - 60.8		
Polk	46.7	39.1 - 54.4		
Putnam	48.7	38.6 - 58.8		
Saint Johns	65.6	58.3 - 72.8		*
Saint Lucie	55.4	47.2 - 63.6		
Santa Rosa	57.9	50.5 - 65.3		
Sarasota	60.0	52.8 - 67.2		
Seminole	55.1	46.0 - 64.2		
Sumter	55.4	46.0 - 64.7		
Suwannee	57.2	47.9 - 66.5		
Taylor	47.8	37.8 - 57.7		
Union	66.4	54.2 - 78.5		
Volusia	55.9	48.6 - 63.2		
Wakulla	58.9	49.1 - 68.7		
Walton	53.9	45.1 - 62.8		
Washington	57.1	47.8 - 66.5		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	51.4	49.3 - 53.5		
Alachua	36.7	28.3 - 45.1	*	
Baker	58.6	45.8 - 71.5		
Bay	47.0	38.6 - 55.3		
Bradford	45.5	25.5 - 65.5		
Brevard	52.1	42.2 - 62.0		
Broward	56.2	47.9 - 64.6		
Calhoun	51.4	36.6 - 66.2		
Charlotte	39.4	28.5 - 50.3		
Citrus	31.2	20.5 - 41.8	*	
Clay	51.3	41.2 - 61.5		
Collier	57.1	47.9 - 66.3		
Columbia	53.7	41.7 - 65.7		
DeSoto	54.9	35.0 - 74.7		
Dixie	49.1	35.9 - 62.3		
Duval	57.2	51.0 - 63.3		
Escambia	55.8	47.3 - 64.3		
Flagler	50.2	38.5 - 62.0		
Franklin	57.5	39.5 - 75.5		
Gadsden	61.5	48.5 - 74.5		
Gilchrist	50.9	35.9 - 65.9		
Glades	43.3	13.1 - 73.5		
Gulf	61.4	46.6 - 76.2		
Hamilton	47.7	34.4 - 60.9		
Hardee	33.5	20.8 - 46.2	*	
Hendry	60.2	36.7 - 83.6		
Hernando	36.6	24.7 - 48.5	*	
Highlands	29.7	19.4 - 40.0	*	
Hillsborough	47.0	39.1 - 54.9		
Holmes	46.5	33.8 - 59.3		
Indian River	43.2	33.6 - 52.9		
Jackson	50.0	36.6 - 63.5		
Jefferson	50.6	35.5 - 65.8		
Lafayette	64.7	50.5 - 78.8		
Lake	44.3	33.7 - 55.0		
Lee	51.1	43.4 - 58.7		
Leon	60.1	50.7 - 69.6		
Levy	54.3	43.0 - 65.6		
Liberty	51.6	36.7 - 66.6		
Madison	37.8	25.3 - 50.4		
Manatee	57.3	48.0 - 66.6		
Marion	43.6	34.8 - 52.4		
Martin	51.1	41.2 - 60.9		
Miami-Dade	53.8	44.9 - 62.7		
Monroe	50.9	37.6 - 64.3		
Nassau	51.1	38.2 - 63.9		
Okaloosa	54.0	44.6 - 63.4		
Okeechobee	54.5	39.3 - 69.6		
Orange	51.7	43.8 - 59.6		
Osceola	38.0	26.9 - 49.0	*	
Palm Beach	54.1	43.5 - 64.7		
Pasco	41.5	31.5 - 51.4		
Pinellas	55.2	46.7 - 63.7		
Polk	51.4	42.0 - 60.7		
Putnam	47.1	34.0 - 60.3		
Saint Johns	60.3	51.3 - 69.2		
Saint Lucie	51.5	41.5 - 61.5		
Santa Rosa	45.2	35.3 - 55.1		
Sarasota	37.5	28.9 - 46.1	*	
Seminole	47.5	36.9 - 58.2		
Sumter	44.2	32.4 - 56.1		
Suwannee	48.6	36.5 - 60.6		
Taylor	51.4	38.6 - 64.2		
Union	73.5	61.8 - 85.3		*
Volusia	47.5	38.2 - 56.8		
Wakulla	52.4	40.5 - 64.3		
Walton	47.4	35.6 - 59.2		
Washington	55.5	42.6 - 68.4		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a stool blood test in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	13.9	12.8 - 15.0		
Alachua	5.3	2.8 - 7.7	*	
Baker	4.0	1.4 - 6.5	*	
Bay	7.9	5.0 - 10.8	*	
Bradford	13.1	6.2 - 19.9		
Brevard	12.3	8.1 - 16.6		
Broward	12.0	7.9 - 16.0		
Calhoun	21.3	14.8 - 27.8		
Charlotte	12.9	8.9 - 17.0		
Citrus	16.1	10.5 - 21.7		
Clay	9.7	6.4 - 13.1		
Collier	14.1	9.0 - 19.2		
Columbia	19.1	12.9 - 25.4		
DeSoto	12.8	7.8 - 17.9		
Dixie	7.9	4.4 - 11.3	*	
Duval	8.7	5.7 - 11.7	*	
Escambia	7.3	3.5 - 11.1	*	
Flagler	20.8	15.2 - 26.4		*
Franklin	11.3	6.5 - 16.1		
Gadsden	30.8	23.2 - 38.4		*
Gilchrist	11.3	5.5 - 17.2		
Glades	7.6	3.3 - 11.8	*	
Gulf	12.7	6.8 - 18.6		
Hamilton	12.1	6.4 - 17.8		
Hardee	13.1	5.6 - 20.5		
Hendry	4.1	1.3 - 6.8	*	
Hernando	26.5	19.8 - 33.2		*
Highlands	10.4	6.2 - 14.6		
Hillsborough	14.1	9.5 - 18.7		
Holmes	12.0	6.0 - 18.0		
Indian River	12.0	7.6 - 16.3		
Jackson	15.8	10.1 - 21.5		
Jefferson	33.7	25.1 - 42.4		*
Lafayette	4.8	2.2 - 7.4	*	
Lake	14.8	10.3 - 19.3		
Lee	10.8	7.1 - 14.5		
Leon	30.5	23.8 - 37.2		*
Levy	12.5	8.1 - 17.0		
Liberty	36.0	21.5 - 50.5		*
Madison	15.8	10.3 - 21.2		
Manatee	12.8	8.6 - 17.1		
Marion	18.5	14.0 - 23.0		
Martin	8.8	5.3 - 12.3	*	
Miami-Dade	16.9	11.3 - 22.6		
Monroe	12.1	7.0 - 17.2		
Nassau	7.9	3.5 - 12.3	*	
Okaloosa	12.2	8.0 - 16.4		
Okeechobee	21.9	12.4 - 31.5		
Orange	8.9	5.2 - 12.7	*	
Osceola	9.5	5.8 - 13.3		
Palm Beach	17.4	12.0 - 22.8		
Pasco	18.2	12.9 - 23.6		
Pinellas	17.2	12.7 - 21.7		
Polk	13.4	8.6 - 18.2		
Putnam	13.5	9.1 - 17.9		
Saint Johns	9.8	6.1 - 13.5		
Saint Lucie	14.1	9.6 - 18.6		
Santa Rosa	4.2	2.0 - 6.4	*	
Sarasota	13.6	9.3 - 17.8		
Seminole	9.6	5.8 - 13.4		
Sumter	18.2	12.6 - 23.8		
Suwannee	13.4	7.9 - 18.8		
Taylor	11.5	7.1 - 15.8		
Union	12.8	4.8 - 20.8		
Volusia	14.8	10.9 - 18.6		
Wakulla	21.7	15.3 - 28.1		*
Walton	9.3	2.6 - 16.0		
Washington	8.2	4.3 - 12.2	*	

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	55.3	53.7 - 56.9		
Alachua	53.6	46.6 - 60.6		
Baker	49.3	39.6 - 59.1		
Bay	63.0	56.5 - 69.5		
Bradford	57.1	46.9 - 67.3		
Brevard	51.2	44.5 - 57.9		
Broward	53.7	46.7 - 60.7		
Calhoun	58.3	48.4 - 68.1		
Charlotte	58.0	50.9 - 65.1		
Citrus	47.8	41.0 - 54.7		
Clay	62.9	56.0 - 69.8		
Collier	56.0	48.9 - 63.0		
Columbia	60.7	53.5 - 68.0		
DeSoto	45.5	35.4 - 55.6		
Dixie	49.6	41.7 - 57.5		
Duval	61.6	56.0 - 67.2		
Escambia	59.2	52.8 - 65.5		
Flagler	57.1	50.0 - 64.1		
Franklin	52.6	42.8 - 62.5		
Gadsden	66.9	59.3 - 74.5		*
Gilchrist	49.6	40.8 - 58.4		
Glades	62.6	40.2 - 85.0		
Gulf	60.7	53.0 - 68.4		
Hamilton	52.8	43.5 - 62.1		
Hardee	41.6	31.8 - 51.5	*	
Hendry	46.4	24.7 - 68.2		
Hernando	63.0	55.0 - 71.0		
Highlands	47.0	40.2 - 53.8		
Hillsborough	53.4	46.2 - 60.5		
Holmes	45.9	38.3 - 53.6	*	
Indian River	49.3	41.9 - 56.7		
Jackson	54.1	46.5 - 61.7		
Jefferson	67.0	59.7 - 74.4		*
Lafayette	50.4	34.8 - 66.1		
Lake	61.4	54.9 - 67.8		
Lee	55.2	49.5 - 60.8		
Leon	60.3	53.2 - 67.4		
Levy	55.9	49.3 - 62.5		
Liberty	60.8	48.4 - 73.3		
Madison	54.6	47.4 - 61.8		
Manatee	51.0	44.4 - 57.6		
Marion	53.5	47.3 - 59.6		
Martin	59.5	52.9 - 66.2		
Miami-Dade	50.7	42.6 - 58.8		
Monroe	55.2	47.3 - 63.2		
Nassau	59.1	52.0 - 66.2		
Okaloosa	54.6	48.1 - 61.2		
Okeechobee	56.4	46.4 - 66.4		
Orange	49.6	42.6 - 56.6		
Osceola	56.1	47.0 - 65.3		
Palm Beach	61.4	54.6 - 68.3		
Pasco	59.4	52.3 - 66.4		
Pinellas	57.1	50.5 - 63.7		
Polk	59.4	52.5 - 66.4		
Putnam	59.7	52.4 - 67.1		
Saint Johns	59.9	53.0 - 66.9		
Saint Lucie	53.7	46.8 - 60.5		
Santa Rosa	60.8	54.3 - 67.3		
Sarasota	53.3	47.2 - 59.4		
Seminole	61.2	53.7 - 68.8		
Sumter	62.4	55.6 - 69.2		
Suwannee	48.7	40.8 - 56.6		
Taylor	54.6	46.5 - 62.6		
Union	47.0	30.0 - 64.1		
Volusia	55.8	49.5 - 62.1		
Wakulla	54.6	45.9 - 63.4		
Walton	56.2	48.8 - 63.7		
Washington	56.9	48.1 - 65.6		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

HIV/AIDS Screening

Percentage of adults who have ever been tested for HIV

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	42.6	41.4 - 43.9		
Alachua	40.2	34.3 - 46.2		
Baker	44.7	34.9 - 54.5		
Bay	45.9	40.6 - 51.3		
Bradford	51.8	41.5 - 62.2		
Brevard	38.6	32.6 - 44.7		
Broward	45.7	40.2 - 51.2		
Calhoun	45.6	36.4 - 54.9		
Charlotte	31.6	25.3 - 38.0	*	
Citrus	37.7	31.1 - 44.3		
Clay	48.8	42.3 - 55.2		
Collier	40.7	34.3 - 47.2		
Columbia	41.8	33.7 - 49.8		
DeSoto	48.0	34.6 - 61.4		
Dixie	40.0	31.2 - 48.7		
Duval	47.9	43.8 - 52.0		
Escambia	45.0	40.2 - 49.9		
Flagler	36.8	29.1 - 44.4		
Franklin	47.4	36.6 - 58.3		
Gadsden	50.1	41.6 - 58.5		
Gilchrist	44.1	33.4 - 54.9		
Glades	35.3	18.0 - 52.5		
Gulf	47.2	36.6 - 57.8		
Hamilton	45.3	36.1 - 54.6		
Hardee	31.0	21.6 - 40.4	*	
Hendry	49.5	32.9 - 66.2		
Hernando	30.4	23.6 - 37.2	*	
Highlands	32.3	25.6 - 39.0	*	
Hillsborough	47.4	42.4 - 52.3		
Holmes	41.5	32.4 - 50.6		
Indian River	34.1	27.6 - 40.6	*	
Jackson	49.3	40.2 - 58.5		
Jefferson	38.4	29.7 - 47.1		
Lafayette	52.9	38.8 - 67.1		
Lake	37.3	30.8 - 43.8		
Lee	34.7	30.1 - 39.3	*	
Leon	50.2	43.9 - 56.4		
Levy	38.0	30.7 - 45.3		
Liberty	48.9	38.0 - 59.9		
Madison	41.2	32.7 - 49.8		
Manatee	32.5	27.1 - 38.0	*	
Marion	33.0	27.8 - 38.1	*	
Martin	28.7	22.4 - 35.0	*	
Miami-Dade	49.1	43.8 - 54.4		
Monroe	38.3	30.2 - 46.4		
Nassau	37.1	29.5 - 44.7		
Okaloosa	47.3	42.0 - 52.6		
Okeechobee	49.3	38.7 - 59.9		
Orange	53.2	48.4 - 58.0		*
Osceola	45.1	37.6 - 52.5		
Palm Beach	33.7	27.4 - 39.9	*	
Pasco	32.5	26.9 - 38.1	*	
Pinellas	45.0	39.5 - 50.4		
Polk	38.6	32.3 - 44.9		
Putnam	38.8	30.2 - 47.4		
Saint Johns	36.8	31.0 - 42.6		
Saint Lucie	43.8	37.9 - 49.8		
Santa Rosa	41.5	35.9 - 47.2		
Sarasota	30.3	25.4 - 35.2	*	
Seminole	38.6	31.9 - 45.2		
Sumter	23.1	16.9 - 29.3	*	
Suwannee	42.3	34.7 - 49.8		
Taylor	45.6	35.3 - 55.9		
Union	50.7	37.2 - 64.1		
Volusia	35.1	29.4 - 40.7	*	
Wakulla	48.2	39.7 - 56.7		
Walton	32.1	25.5 - 38.7	*	
Washington	38.6	28.7 - 48.5		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Immunization

Percentage of adults who received a flu shot in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	30.7	29.6 - 31.8		
Alachua	32.8	27.5 - 38.0		
Baker	30.5	23.1 - 37.8		
Bay	33.6	28.8 - 38.4		
Bradford	22.1	16.1 - 28.2	*	
Brevard	39.3	33.7 - 44.9		*
Broward	25.0	20.6 - 29.4	*	
Calhoun	29.4	21.9 - 36.9		
Charlotte	38.9	32.8 - 45.0		*
Citrus	33.2	27.6 - 38.8		
Clay	32.5	26.9 - 38.0		
Collier	34.0	28.5 - 39.6		
Columbia	29.6	23.4 - 35.8		
DeSoto	20.9	15.0 - 26.9	*	
Dixie	25.0	18.6 - 31.4		
Duval	31.0	27.3 - 34.7		
Escambia	34.9	30.4 - 39.3		
Flagler	32.8	26.8 - 38.9		
Franklin	31.9	23.2 - 40.5		
Gadsden	33.8	26.7 - 40.8		
Gilchrist	29.5	21.5 - 37.4		
Glades	28.2	16.4 - 40.0		
Gulf	33.8	24.6 - 43.0		
Hamilton	31.0	22.7 - 39.3		
Hardee	23.8	16.8 - 30.7		
Hendry	24.5	13.2 - 35.8		
Hernando	33.6	26.9 - 40.3		
Highlands	30.8	25.3 - 36.3		
Hillsborough	30.5	26.1 - 34.8		
Holmes	36.8	28.0 - 45.6		
Indian River	34.4	28.4 - 40.4		
Jackson	32.8	25.1 - 40.6		
Jefferson	29.0	22.1 - 35.9		
Lafayette	29.1	17.5 - 40.8		
Lake	32.4	26.9 - 38.0		
Lee	33.3	29.3 - 37.4		
Leon	31.9	26.5 - 37.3		
Levy	35.5	28.5 - 42.6		
Liberty	26.6	18.0 - 35.3		
Madison	27.2	20.9 - 33.5		
Manatee	33.3	28.2 - 38.4		
Marion	35.7	30.8 - 40.5		
Martin	37.0	30.6 - 43.5		
Miami-Dade	25.4	20.7 - 30.1		
Monroe	36.3	29.0 - 43.6		
Nassau	38.2	31.4 - 45.0		
Okaloosa	35.7	31.0 - 40.3		
Okeechobee	31.3	21.4 - 41.2		
Orange	23.7	19.8 - 27.5	*	
Osceola	26.2	20.3 - 32.2		
Palm Beach	33.9	28.4 - 39.5		
Pasco	37.0	31.3 - 42.7		
Pinellas	38.0	32.9 - 43.2		*
Polk	29.0	23.8 - 34.2		
Putnam	31.2	24.1 - 38.3		
Saint Johns	33.3	28.1 - 38.5		
Saint Lucie	26.8	22.1 - 31.4		
Santa Rosa	31.2	26.1 - 36.4		
Sarasota	34.4	29.8 - 39.1		
Seminole	27.9	22.7 - 33.1		
Sumter	50.7	43.2 - 58.3		*
Suwannee	26.8	20.9 - 32.7		
Taylor	26.3	18.6 - 34.0		
Union	26.4	14.7 - 38.1		
Volusia	34.4	29.6 - 39.2		
Wakulla	39.3	30.7 - 48.0		
Walton	24.3	18.8 - 29.8		
Washington	25.0	18.8 - 31.2		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Immunization

Percentage of adults 65 years of age and older who received a flu shot in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	54.6	52.7 - 56.5		
Alachua	59.8	51.1 - 68.5		
Baker	56.0	43.1 - 68.9		
Bay	65.0	56.6 - 73.3		*
Bradford	63.5	52.7 - 74.3		
Brevard	61.8	53.7 - 70.0		
Broward	54.4	46.2 - 62.5		
Calhoun	63.8	51.4 - 76.3		
Charlotte	54.5	46.5 - 62.5		
Citrus	57.3	49.2 - 65.3		
Clay	53.1	43.8 - 62.4		
Collier	59.7	51.7 - 67.7		
Columbia	58.7	48.7 - 68.8		
DeSoto	50.5	40.1 - 60.8		
Dixie	45.5	35.7 - 55.4		
Duval	48.6	40.1 - 57.0		
Escambia	58.7	50.7 - 66.7		
Flagler	55.4	46.6 - 64.2		
Franklin	55.0	45.3 - 64.8		
Gadsden	55.2	43.5 - 66.9		
Gilchrist	50.1	39.2 - 61.1		
Glades	60.7	44.2 - 77.1		
Gulf	50.8	40.1 - 61.5		
Hamilton	54.4	43.6 - 65.2		
Hardee	45.4	30.9 - 59.8		
Hendry	63.0	39.6 - 86.3		
Hernando	56.5	47.9 - 65.1		
Highlands	57.3	49.8 - 64.9		
Hillsborough	51.7	42.7 - 60.8		
Holmes	58.6	48.3 - 68.9		
Indian River	52.3	43.9 - 60.7		
Jackson	56.9	47.0 - 66.8		
Jefferson	50.8	40.8 - 60.9		
Lafayette	36.9	16.8 - 57.1		
Lake	51.8	43.9 - 59.7		
Lee	59.0	52.5 - 65.5		
Leon	63.8	54.7 - 73.0		
Levy	53.2	44.4 - 62.0		
Liberty	51.2	38.8 - 63.5		
Madison	59.3	50.0 - 68.6		
Manatee	48.7	40.6 - 56.9		
Marion	59.8	52.7 - 66.9		
Martin	63.1	55.4 - 70.8		
Miami-Dade	42.7	32.0 - 53.4		
Monroe	60.3	51.4 - 69.2		
Nassau	61.6	53.1 - 70.0		
Okaloosa	67.2	59.2 - 75.3		*
Okeechobee	63.5	54.2 - 72.9		
Orange	47.4	37.5 - 57.3		
Osceola	53.1	41.8 - 64.5		
Palm Beach	61.0	53.4 - 68.7		
Pasco	62.9	54.5 - 71.4		
Pinellas	56.6	48.2 - 65.1		
Polk	44.4	36.1 - 52.7	*	
Putnam	50.4	41.3 - 59.4		
Saint Johns	54.9	46.1 - 63.7		
Saint Lucie	47.9	39.8 - 56.0		
Santa Rosa	58.1	49.1 - 67.0		
Sarasota	60.7	53.6 - 67.9		
Seminole	47.0	37.1 - 56.8		
Sumter	64.9	57.5 - 72.3		*
Suwannee	51.1	40.9 - 61.3		
Taylor	43.5	33.9 - 53.1		
Union	51.7	37.3 - 66.2		
Volusia	61.7	54.4 - 69.0		
Wakulla	53.1	42.3 - 64.0		
Walton	49.7	39.8 - 59.6		
Washington	54.9	43.7 - 66.1		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Immunization

Percentage of adults who have ever received a pneumococcal vaccination

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	33.1	32.0 - 34.3		
Alachua	26.3	21.5 - 31.1	*	
Baker	26.2	19.3 - 33.0		
Bay	33.8	28.8 - 38.8		
Bradford	28.5	20.6 - 36.5		
Brevard	37.6	31.9 - 43.3		
Broward	29.3	24.5 - 34.2		
Calhoun	36.1	27.6 - 44.6		
Charlotte	40.0	33.7 - 46.3		
Citrus	40.4	34.3 - 46.4		*
Clay	35.4	29.4 - 41.3		
Collier	43.2	36.8 - 49.5		*
Columbia	38.6	30.7 - 46.5		
DeSoto	27.3	19.4 - 35.2		
Dixie	30.4	23.5 - 37.4		
Duval	36.5	32.4 - 40.6		
Escambia	36.5	31.9 - 41.2		
Flagler	38.8	32.1 - 45.5		
Franklin	34.3	24.4 - 44.2		
Gadsden	38.1	30.1 - 46.1		
Gilchrist	29.8	21.7 - 37.8		
Glades	28.9	15.9 - 41.9		
Gulf	33.9	24.5 - 43.4		
Hamilton	34.2	26.0 - 42.4		
Hardee	30.3	20.7 - 39.8		
Hendry	23.6	11.7 - 35.4		
Hernando	42.4	35.0 - 49.8		*
Highlands	42.2	35.5 - 48.8		*
Hillsborough	31.0	26.4 - 35.7		
Holmes	34.5	27.1 - 42.0		
Indian River	41.1	34.4 - 47.9		*
Jackson	31.5	23.8 - 39.3		
Jefferson	28.5	21.6 - 35.3		
Lafayette	20.7	12.3 - 29.1	*	
Lake	39.5	33.4 - 45.6		
Lee	39.8	35.4 - 44.3		*
Leon	34.1	27.8 - 40.4		
Levy	31.1	25.0 - 37.1		
Liberty	29.4	21.2 - 37.6		
Madison	36.7	28.0 - 45.4		
Manatee	33.9	28.7 - 39.0		
Marion	36.9	32.0 - 41.8		
Martin	35.1	28.9 - 41.4		
Miami-Dade	25.1	20.2 - 30.0	*	
Monroe	36.7	28.9 - 44.5		
Nassau	32.0	25.7 - 38.3		
Okaloosa	38.2	33.1 - 43.4		
Okeechobee	27.7	20.2 - 35.3		
Orange	27.5	23.1 - 31.9	*	
Osceola	31.6	24.2 - 38.9		
Palm Beach	34.4	28.6 - 40.2		
Pasco	40.7	34.7 - 46.6		*
Pinellas	35.0	29.8 - 40.2		
Polk	38.4	32.3 - 44.5		
Putnam	35.3	27.7 - 42.8		
Saint Johns	29.5	24.2 - 34.8		
Saint Lucie	28.7	23.7 - 33.7		
Santa Rosa	31.9	26.6 - 37.2		
Sarasota	41.4	36.2 - 46.7		*
Seminole	27.0	21.5 - 32.5		
Sumter	48.2	40.6 - 55.8		*
Suwannee	32.8	25.5 - 40.0		
Taylor	28.5	20.7 - 36.3		
Union	30.8	17.5 - 44.1		
Volusia	35.5	30.3 - 40.7		
Wakulla	26.8	19.9 - 33.6		
Walton	30.3	23.8 - 36.7		
Washington	29.5	22.0 - 36.9		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Immunization

Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	66.2	64.2 - 68.1		
Alachua	71.7	63.3 - 80.2		
Baker	59.1	45.9 - 72.2		
Bay	71.3	61.7 - 80.9		
Bradford	67.4	54.8 - 80.0		
Brevard	75.4	68.6 - 82.2		*
Broward	64.9	56.9 - 72.9		
Calhoun	77.6	67.6 - 87.5		
Charlotte	68.5	60.6 - 76.4		
Citrus	68.1	60.5 - 75.8		
Clay	64.3	55.1 - 73.5		
Collier	67.2	59.0 - 75.4		
Columbia	76.5	67.7 - 85.2		
DeSoto	61.4	50.4 - 72.4		
Dixie	60.9	50.8 - 70.9		
Duval	70.7	62.9 - 78.6		
Escambia	72.6	65.1 - 80.1		
Flagler	67.2	58.8 - 75.5		
Franklin	70.5	61.7 - 79.2		
Gadsden	70.1	58.3 - 81.8		
Gilchrist	69.5	60.0 - 78.9		
Glades	59.0	42.1 - 75.9		
Gulf	65.7	54.8 - 76.5		
Hamilton	57.8	46.3 - 69.3		
Hardee	72.1	61.4 - 82.7		
Hendry	40.6	15.5 - 65.6		
Hernando	74.9	68.0 - 81.7		
Highlands	67.1	59.9 - 74.3		
Hillsborough	68.7	60.4 - 77.1		
Holmes	75.2	66.7 - 83.7		
Indian River	67.6	59.8 - 75.4		
Jackson	71.0	61.8 - 80.2		
Jefferson	62.2	51.7 - 72.7		
Lafayette	49.8	25.6 - 73.9		
Lake	70.1	62.6 - 77.6		
Lee	71.3	65.1 - 77.4		
Leon	78.2	71.2 - 85.2		*
Levy	61.6	52.2 - 71.0		
Liberty	68.3	54.4 - 82.2		
Madison	65.2	56.2 - 74.3		
Manatee	69.1	61.7 - 76.5		
Marion	69.6	62.7 - 76.5		
Martin	66.0	57.7 - 74.3		
Miami-Dade	46.4	35.2 - 57.6	*	
Monroe	63.5	54.4 - 72.6		
Nassau	71.2	63.0 - 79.4		
Okaloosa	83.4	77.2 - 89.6		*
Okeechobee	71.5	62.6 - 80.3		
Orange	68.5	58.9 - 78.1		
Osceola	61.3	49.7 - 72.9		
Palm Beach	66.3	58.4 - 74.2		
Pasco	75.3	68.0 - 82.6		
Pinellas	64.0	55.7 - 72.4		
Polk	70.3	62.0 - 78.6		
Putnam	70.3	62.1 - 78.6		
Saint Johns	68.9	60.2 - 77.5		
Saint Lucie	60.0	51.9 - 68.2		
Santa Rosa	70.8	62.8 - 78.7		
Sarasota	73.3	66.7 - 79.8		
Seminole	69.1	59.6 - 78.5		
Sumter	70.2	62.8 - 77.6		
Suwannee	66.2	56.6 - 75.7		
Taylor	56.4	45.9 - 66.9		
Union	72.2	60.1 - 84.2		
Volusia	71.1	64.0 - 78.2		
Wakulla	72.5	61.4 - 83.6		
Walton	67.4	57.9 - 76.9		
Washington	63.5	52.0 - 75.0		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Immunization

Percentage of adults who have received a tetanus shot since 2005

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	51.2	49.9 - 52.5		
Alachua	57.1	51.2 - 63.0		
Baker	48.2	38.4 - 58.0		
Bay	50.5	45.0 - 56.0		
Bradford	62.0	52.8 - 71.2		*
Brevard	53.6	47.6 - 59.7		
Broward	45.1	39.4 - 50.9		
Calhoun	51.1	41.6 - 60.6		
Charlotte	51.0	44.1 - 57.8		
Citrus	48.7	42.1 - 55.3		
Clay	56.9	50.5 - 63.3		
Collier	57.4	51.2 - 63.7		
Columbia	63.1	55.5 - 70.7		*
DeSoto	54.9	42.1 - 67.6		
Dixie	44.3	35.3 - 53.2		
Duval	57.7	53.6 - 61.8		*
Escambia	55.4	50.4 - 60.3		
Flagler	51.8	44.4 - 59.2		
Franklin	55.7	45.2 - 66.2		
Gadsden	49.4	40.9 - 58.0		
Gilchrist	64.3	55.2 - 73.3		*
Glades	41.7	25.9 - 57.5		
Gulf	55.4	44.3 - 66.6		
Hamilton	56.4	47.4 - 65.5		
Hardee	56.1	44.8 - 67.5		
Hendry	66.2	51.8 - 80.6		
Hernando	46.3	38.7 - 54.0		
Highlands	47.7	40.7 - 54.7		
Hillsborough	55.3	50.2 - 60.4		
Holmes	55.6	48.0 - 63.2		
Indian River	48.9	41.6 - 56.1		
Jackson	47.4	37.8 - 56.9		
Jefferson	50.6	41.1 - 60.0		
Lafayette	59.8	46.4 - 73.2		
Lake	54.1	47.4 - 60.7		
Lee	50.2	45.5 - 55.0		
Leon	56.7	50.5 - 62.9		
Levy	52.6	45.3 - 59.9		
Liberty	60.2	50.0 - 70.3		
Madison	55.4	46.2 - 64.5		
Manatee	46.2	40.2 - 52.1		
Marion	49.5	44.1 - 55.0		
Martin	49.8	42.2 - 57.4		
Miami-Dade	44.3	38.7 - 49.9	*	
Monroe	49.2	40.7 - 57.6		
Nassau	58.7	51.2 - 66.2		
Okaloosa	54.9	49.5 - 60.4		
Okeechobee	51.2	40.2 - 62.2		
Orange	50.1	45.0 - 55.2		
Osceola	45.8	38.0 - 53.6		
Palm Beach	52.2	45.3 - 59.0		
Pasco	55.2	49.0 - 61.4		
Pinellas	53.5	47.9 - 59.0		
Polk	52.4	45.9 - 58.9		
Putnam	58.0	50.4 - 65.7		
Saint Johns	61.8	56.0 - 67.6		*
Saint Lucie	44.1	38.1 - 50.2		
Santa Rosa	52.3	46.3 - 58.3		
Sarasota	48.2	42.8 - 53.6		
Seminole	55.2	48.4 - 62.0		
Sumter	54.5	46.7 - 62.3		
Suwannee	57.6	50.0 - 65.2		
Taylor	60.0	50.7 - 69.3		
Union	59.0	45.2 - 72.8		
Volusia	49.3	43.6 - 55.0		
Wakulla	59.1	51.0 - 67.2		
Walton	55.9	48.6 - 63.2		
Washington	49.0	39.2 - 58.9		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	94.2	93.5 - 94.9		
Alachua	97.2	95.0 - 99.5		*
Baker	91.8	87.0 - 96.6		
Bay	94.8	92.6 - 97.0		
Bradford	90.3	84.3 - 96.4		
Brevard	94.6	91.8 - 97.5		
Broward	91.8	88.3 - 95.3		
Calhoun	90.7	85.5 - 95.9		
Charlotte	97.6	96.0 - 99.2		*
Citrus	95.7	93.4 - 98.0		
Clay	94.6	91.9 - 97.2		
Collier	91.6	86.6 - 96.6		
Columbia	92.9	88.7 - 97.0		
DeSoto	90.3	77.6 -100.0		
Dixie	89.3	82.7 - 95.9		
Duval	94.0	91.9 - 96.2		
Escambia	94.1	91.5 - 96.7		
Flagler	92.0	86.6 - 97.5		
Franklin	93.2	86.9 - 99.5		
Gadsden	92.5	88.7 - 96.3		
Gilchrist	90.8	83.2 - 98.4		
Glades	96.7	93.8 - 99.5		
Gulf	88.1	80.9 - 95.3		
Hamilton	90.9	85.5 - 96.3		
Hardee	89.4	80.6 - 98.2		
Hendry	96.6	92.5 -100.0		
Hernando	96.4	93.4 - 99.4		
Highlands	96.7	95.1 - 98.3		*
Hillsborough	93.6	91.1 - 96.1		
Holmes	93.6	90.4 - 96.8		
Indian River	96.2	93.5 - 98.8		
Jackson	93.1	88.2 - 97.9		
Jefferson	97.6	95.5 - 99.6		*
Lafayette	79.6	62.3 - 97.0		
Lake	94.2	90.8 - 97.6		
Lee	94.8	92.5 - 97.1		
Leon	95.1	91.9 - 98.3		
Levy	92.3	86.8 - 97.9		
Liberty	80.9	69.6 - 92.2	*	
Madison	92.6	87.7 - 97.4		
Manatee	97.0	95.0 - 99.0		*
Marion	91.7	88.6 - 94.9		
Martin	95.9	92.9 - 98.8		
Miami-Dade	95.3	92.9 - 97.8		
Monroe	95.7	92.4 - 99.1		
Nassau	98.0	96.2 - 99.7		*
Okaloosa	96.5	94.7 - 98.4		
Okeechobee	86.4	78.5 - 94.4		
Orange	95.5	93.2 - 97.7		
Osceola	96.2	93.3 - 99.1		
Palm Beach	93.7	90.0 - 97.3		
Pasco	93.9	90.6 - 97.3		
Pinellas	95.5	92.9 - 98.2		
Polk	93.7	90.3 - 97.1		
Putnam	90.4	81.0 - 99.7		
Saint Johns	95.1	92.3 - 97.9		
Saint Lucie	93.4	90.2 - 96.6		
Santa Rosa	92.6	89.6 - 95.6		
Sarasota	95.1	92.8 - 97.3		
Seminole	95.0	91.8 - 98.2		
Sumter	93.8	87.9 - 99.7		
Suwannee	94.9	91.7 - 98.1		
Taylor	95.1	92.1 - 98.0		
Union	83.3	70.8 - 95.8		
Volusia	93.5	90.0 - 97.0		
Wakulla	92.1	86.6 - 97.6		
Walton	93.4	89.9 - 96.8		
Washington	93.8	89.9 - 97.8		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health-Related Quality of Life

Percentage of adults who said their overall health was "good" to "excellent"

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	80.5	79.5 - 81.4		
Alachua	88.8	85.6 - 91.9		*
Baker	77.0	69.8 - 84.3		
Bay	80.0	76.2 - 83.9		
Bradford	79.1	72.9 - 85.3		
Brevard	78.5	73.9 - 83.1		
Broward	82.4	78.3 - 86.6		
Calhoun	73.3	67.2 - 79.4	*	
Charlotte	80.9	75.9 - 85.9		
Citrus	71.2	65.6 - 76.8	*	
Clay	82.2	77.3 - 87.0		
Collier	82.6	77.6 - 87.5		
Columbia	75.9	70.2 - 81.6		
DeSoto	73.6	64.4 - 82.8		
Dixie	70.3	63.6 - 76.9	*	
Duval	80.2	77.2 - 83.3		
Escambia	80.6	77.1 - 84.1		
Flagler	86.6	82.3 - 90.8		*
Franklin	71.1	61.7 - 80.4		
Gadsden	73.1	65.5 - 80.7		
Gilchrist	76.7	69.4 - 84.0		
Glades	82.4	74.3 - 90.5		
Gulf	76.2	69.0 - 83.3		
Hamilton	76.8	70.0 - 83.7		
Hardee	65.9	56.4 - 75.3	*	
Hendry	66.0	50.2 - 81.8		
Hernando	76.9	70.5 - 83.3		
Highlands	78.0	72.8 - 83.2		
Hillsborough	80.2	76.5 - 83.8		
Holmes	74.1	65.9 - 82.3		
Indian River	81.7	77.2 - 86.3		
Jackson	79.0	73.5 - 84.5		
Jefferson	76.6	69.3 - 83.9		
Lafayette	79.6	69.9 - 89.3		
Lake	79.7	74.6 - 84.7		
Lee	80.7	77.1 - 84.3		
Leon	89.0	85.8 - 92.2		*
Levy	68.5	61.4 - 75.6	*	
Liberty	72.2	64.0 - 80.5		
Madison	76.2	70.4 - 82.0		
Manatee	78.3	73.5 - 83.1		
Marion	80.5	76.6 - 84.4		
Martin	84.5	80.3 - 88.7		
Miami-Dade	79.1	74.9 - 83.2		
Monroe	84.2	79.6 - 88.9		
Nassau	80.1	74.1 - 86.0		
Okaloosa	81.7	77.8 - 85.6		
Okeechobee	73.2	64.3 - 82.1		
Orange	80.9	77.3 - 84.5		
Osceola	74.8	68.7 - 80.9		
Palm Beach	84.4	80.2 - 88.7		
Pasco	80.6	76.1 - 85.1		
Pinellas	81.9	77.9 - 85.9		
Polk	75.3	70.3 - 80.3		
Putnam	68.0	60.4 - 75.5	*	
Saint Johns	86.4	82.5 - 90.2		*
Saint Lucie	79.0	73.8 - 84.2		
Santa Rosa	83.7	79.5 - 87.9		
Sarasota	81.1	77.1 - 85.0		
Seminole	80.8	75.4 - 86.2		
Sumter	80.3	74.8 - 85.8		
Suwannee	75.7	70.0 - 81.5		
Taylor	72.5	65.6 - 79.4	*	
Union	66.6	52.8 - 80.4		
Volusia	82.9	79.4 - 86.5		
Wakulla	79.8	74.3 - 85.3		
Walton	80.6	75.7 - 85.4		
Washington	70.6	62.9 - 78.3	*	

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health-Related Quality of Life

Percentage of adults who had poor physical health on 14 or more of the past 30 days

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	14.1	13.3 - 15.0		
Alachua	8.3	5.7 - 11.0	*	
Baker	14.7	10.1 - 19.2		
Bay	13.8	10.5 - 17.1		
Bradford	11.5	7.5 - 15.4		
Brevard	15.9	12.1 - 19.7		
Broward	14.2	10.1 - 18.2		
Calhoun	16.4	11.5 - 21.4		
Charlotte	16.9	12.3 - 21.4		
Citrus	18.6	14.1 - 23.0		
Clay	13.4	9.7 - 17.1		
Collier	12.6	8.6 - 16.6		
Columbia	19.0	14.0 - 24.0		
DeSoto	13.1	6.8 - 19.4		
Dixie	19.5	14.2 - 24.8		
Duval	13.3	10.9 - 15.7		
Escambia	15.6	12.2 - 19.0		
Flagler	13.0	8.4 - 17.5		
Franklin	15.6	9.4 - 21.8		
Gadsden	14.6	10.1 - 19.2		
Gilchrist	16.9	10.4 - 23.3		
Glades	29.7	12.0 - 47.4		
Gulf	15.4	9.7 - 21.2		
Hamilton	18.8	12.2 - 25.4		
Hardee	18.3	11.2 - 25.4		
Hendry	16.5	2.5 - 30.5		
Hernando	18.7	12.7 - 24.7		
Highlands	14.8	10.5 - 19.0		
Hillsborough	12.9	9.8 - 16.1		
Holmes	18.9	13.9 - 23.9		
Indian River	17.5	12.9 - 22.0		
Jackson	15.0	9.2 - 20.8		
Jefferson	17.9	11.0 - 24.7		
Lafayette	14.5	5.7 - 23.2		
Lake	14.1	10.2 - 18.0		
Lee	15.0	11.8 - 18.2		
Leon	10.9	7.0 - 14.9		
Levy	19.7	15.0 - 24.5		*
Liberty	19.0	11.3 - 26.8		
Madison	13.7	9.5 - 17.9		
Manatee	16.8	12.7 - 21.0		
Marion	12.2	9.1 - 15.2		
Martin	12.5	8.4 - 16.6		
Miami-Dade	15.5	11.6 - 19.4		
Monroe	10.9	6.4 - 15.3		
Nassau	12.2	8.1 - 16.3		
Okaloosa	15.3	11.6 - 18.9		
Okeechobee	18.9	11.3 - 26.6		
Orange	12.4	9.4 - 15.5		
Osceola	15.3	10.7 - 19.8		
Palm Beach	10.7	7.3 - 14.1		
Pasco	13.7	10.0 - 17.3		
Pinellas	13.4	9.9 - 16.9		
Polk	18.2	13.4 - 23.0		
Putnam	18.8	13.2 - 24.5		
Saint Johns	10.7	7.0 - 14.4		
Saint Lucie	14.4	10.4 - 18.4		
Santa Rosa	13.1	9.6 - 16.7		
Sarasota	15.1	11.6 - 18.6		
Seminole	11.9	7.7 - 16.2		
Sumter	14.5	10.0 - 19.0		
Suwannee	15.6	10.9 - 20.3		
Taylor	18.3	13.0 - 23.5		
Union	20.7	9.1 - 32.2		
Volusia	14.5	11.0 - 18.0		
Wakulla	12.4	6.6 - 18.1		
Walton	14.9	10.4 - 19.4		
Washington	22.3	13.3 - 31.2		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health-Related Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	12.7	11.9 - 13.6		
Alachua	10.7	7.3 - 14.1		
Baker	14.3	5.8 - 22.8		
Bay	16.0	12.2 - 19.8		
Bradford	10.9	6.4 - 15.5		
Brevard	10.6	7.3 - 13.9		
Broward	13.0	9.2 - 16.7		
Calhoun	14.0	9.2 - 18.9		
Charlotte	14.8	10.0 - 19.5		
Citrus	18.2	13.1 - 23.4		
Clay	14.0	9.6 - 18.4		
Collier	7.3	4.6 - 10.0	*	
Columbia	14.4	9.2 - 19.6		
DeSoto	10.2	5.1 - 15.4		
Dixie	17.3	11.3 - 23.3		
Duval	13.1	10.4 - 15.7		
Escambia	10.8	8.0 - 13.6		
Flagler	11.4	6.3 - 16.4		
Franklin	17.3	8.5 - 26.2		
Gadsden	16.1	8.8 - 23.4		
Gilchrist	19.5	10.8 - 28.2		
Glades	26.1	7.7 - 44.5		
Gulf	12.0	5.7 - 18.4		
Hamilton	16.3	10.1 - 22.5		
Hardee	11.2	5.8 - 16.7		
Hendry	10.6	1.0 - 20.2		
Hernando	13.4	8.2 - 18.7		
Highlands	18.1	11.9 - 24.4		
Hillsborough	13.0	9.8 - 16.1		
Holmes	13.2	8.8 - 17.6		
Indian River	11.6	7.8 - 15.4		
Jackson	12.3	6.4 - 18.3		
Jefferson	7.6	4.6 - 10.7	*	
Lafayette	7.3	3.4 - 11.2	*	
Lake	10.3	6.7 - 13.9		
Lee	10.1	7.2 - 13.0		
Leon	8.0	5.2 - 10.7	*	
Levy	18.8	12.0 - 25.7		
Liberty	13.6	8.4 - 18.9		
Madison	14.9	9.6 - 20.2		
Manatee	10.9	7.6 - 14.2		
Marion	11.6	8.4 - 14.8		
Martin	6.7	3.6 - 9.8	*	
Miami-Dade	15.0	10.9 - 19.1		
Monroe	9.8	6.3 - 13.3		
Nassau	9.1	5.2 - 13.1		
Okaloosa	11.0	7.9 - 14.1		
Okeechobee	14.4	8.0 - 20.8		
Orange	10.6	7.7 - 13.6		
Osceola	11.8	7.5 - 16.1		
Palm Beach	9.6	5.9 - 13.3		
Pasco	15.4	11.1 - 19.8		
Pinellas	12.2	8.7 - 15.7		
Polk	13.0	8.7 - 17.2		
Putnam	17.9	12.1 - 23.7		
Saint Johns	15.4	10.8 - 20.0		
Saint Lucie	13.8	9.8 - 17.9		
Santa Rosa	10.5	7.1 - 13.9		
Sarasota	13.4	9.9 - 16.9		
Seminole	11.5	7.6 - 15.4		
Sumter	12.6	7.3 - 18.0		
Suwannee	7.6	4.7 - 10.4	*	
Taylor	11.5	6.8 - 16.2		
Union	25.5	10.8 - 40.1		
Volusia	14.8	11.0 - 18.7		
Wakulla	18.8	11.6 - 26.0		
Walton	9.8	6.4 - 13.2		
Washington	21.0	11.7 - 30.3		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health-Related Quality of Life

Average number of unhealthy physical days in the past 30 days

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	4.5	4.3 - 4.7		
Alachua	3.1	2.4 - 3.7	*	
Baker	5.1	3.8 - 6.4		
Bay	4.6	3.7 - 5.5		
Bradford	3.9	2.9 - 5.0		
Brevard	5.0	4.0 - 6.0		
Broward	4.4	3.4 - 5.5		
Calhoun	5.5	4.2 - 6.9		
Charlotte	5.2	4.0 - 6.4		
Citrus	5.6	4.4 - 6.7		
Clay	4.4	3.6 - 5.3		
Collier	3.6	2.6 - 4.6		
Columbia	5.5	4.3 - 6.8		
DeSoto	4.3	2.9 - 5.7		
Dixie	6.5	5.0 - 7.9		*
Duval	4.3	3.7 - 4.9		
Escambia	4.9	4.0 - 5.8		
Flagler	4.0	2.8 - 5.3		
Franklin	5.1	3.7 - 6.5		
Gadsden	4.5	3.4 - 5.6		
Gilchrist	5.3	3.5 - 7.1		
Glades	8.3	5.3 - 11.3		*
Gulf	5.3	3.9 - 6.7		
Hamilton	5.5	4.0 - 7.1		
Hardee	5.6	3.9 - 7.3		
Hendry	4.5	2.2 - 6.9		
Hernando	5.8	4.2 - 7.5		
Highlands	4.7	3.5 - 5.8		
Hillsborough	4.3	3.5 - 5.1		
Holmes	5.5	4.4 - 6.6		
Indian River	5.4	4.2 - 6.5		
Jackson	4.9	3.2 - 6.6		
Jefferson	5.2	3.5 - 6.9		
Lafayette	4.3	2.4 - 6.2		
Lake	4.2	3.3 - 5.2		
Lee	4.8	4.0 - 5.7		
Leon	3.4	2.5 - 4.3		
Levy	6.2	5.0 - 7.4		*
Liberty	6.7	4.5 - 8.9		
Madison	4.3	3.3 - 5.4		
Manatee	5.6	4.5 - 6.7		
Marion	4.0	3.2 - 4.8		
Martin	4.1	3.1 - 5.1		
Miami-Dade	4.7	3.6 - 5.7		
Monroe	4.1	2.8 - 5.3		
Nassau	3.6	2.7 - 4.6		
Okaloosa	4.9	4.0 - 5.9		
Okeechobee	5.4	3.9 - 6.8		
Orange	3.8	3.1 - 4.6		
Osceola	4.7	3.5 - 5.9		
Palm Beach	4.0	3.1 - 4.9		
Pasco	4.6	3.7 - 5.6		
Pinellas	4.3	3.5 - 5.1		
Polk	5.8	4.6 - 7.1		
Putnam	5.9	4.6 - 7.3		
Saint Johns	3.5	2.7 - 4.3		
Saint Lucie	4.5	3.5 - 5.6		
Santa Rosa	4.5	3.5 - 5.4		
Sarasota	4.3	3.5 - 5.2		
Seminole	4.0	3.0 - 5.0		
Sumter	4.9	3.7 - 6.1		
Suwannee	5.1	3.9 - 6.3		
Taylor	6.0	4.5 - 7.5		
Union	6.2	3.8 - 8.7		
Volusia	4.5	3.7 - 5.3		
Wakulla	4.5	2.9 - 6.2		
Walton	4.3	3.2 - 5.3		
Washington	6.6	4.1 - 9.0		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health-Related Quality of Life

Average number of unhealthy mental days in the past 30 days

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	4.1	3.8 - 4.3		
Alachua	4.0	3.1 - 4.8		
Baker	4.7	2.3 - 7.1		
Bay	4.9	3.9 - 5.8		
Bradford	3.6	2.6 - 4.6		
Brevard	3.6	2.8 - 4.4		
Broward	4.5	3.5 - 5.5		
Calhoun	4.4	3.3 - 5.5		
Charlotte	4.6	3.4 - 5.9		
Citrus	5.4	4.1 - 6.8		
Clay	4.2	3.1 - 5.4		
Collier	2.7	2.0 - 3.5	*	
Columbia	4.5	3.2 - 5.8		
DeSoto	3.5	2.4 - 4.6		
Dixie	5.6	3.9 - 7.4		
Duval	4.2	3.5 - 4.8		
Escambia	3.6	2.8 - 4.3		
Flagler	3.6	2.4 - 4.9		
Franklin	4.8	3.1 - 6.5		
Gadsden	4.5	2.6 - 6.5		
Gilchrist	6.5	4.1 - 8.8		
Glades	7.5	2.7 - 12.4		
Gulf	3.5	1.9 - 5.1		
Hamilton	4.8	3.1 - 6.5		
Hardee	3.7	2.1 - 5.2		
Hendry	3.8	1.3 - 6.4		
Hernando	4.3	2.9 - 5.7		
Highlands	5.0	3.4 - 6.5		
Hillsborough	4.3	3.5 - 5.1		
Holmes	4.1	3.1 - 5.2		
Indian River	3.7	2.7 - 4.7		
Jackson	4.2	2.4 - 5.9		
Jefferson	2.8	2.0 - 3.6	*	
Lafayette	2.3	1.5 - 3.2	*	
Lake	3.5	2.5 - 4.6		
Lee	3.2	2.5 - 3.8	*	
Leon	3.1	2.4 - 3.8	*	
Levy	5.9	4.0 - 7.8		
Liberty	4.6	3.3 - 5.8		
Madison	4.1	2.9 - 5.3		
Manatee	3.9	3.0 - 4.7		
Marion	3.6	2.8 - 4.4		
Martin	2.7	1.9 - 3.4	*	
Miami-Dade	4.5	3.5 - 5.6		
Monroe	3.0	2.1 - 3.9		
Nassau	3.4	2.4 - 4.5		
Okaloosa	3.8	2.9 - 4.6		
Okeechobee	4.7	3.5 - 5.9		
Orange	3.6	2.9 - 4.4		
Osceola	3.5	2.4 - 4.7		
Palm Beach	3.1	2.2 - 4.0		
Pasco	4.6	3.6 - 5.6		
Pinellas	3.6	2.8 - 4.4		
Polk	4.2	3.1 - 5.4		
Putnam	5.6	4.0 - 7.1		
Saint Johns	4.3	3.3 - 5.3		
Saint Lucie	4.4	3.3 - 5.5		
Santa Rosa	3.7	2.8 - 4.6		
Sarasota	4.5	3.5 - 5.4		
Seminole	3.9	2.8 - 4.9		
Sumter	3.8	2.5 - 5.0		
Suwannee	2.8	2.1 - 3.6	*	
Taylor	3.8	2.7 - 4.9		
Union	6.8	2.7 - 10.9		
Volusia	4.3	3.5 - 5.1		
Wakulla	5.5	3.6 - 7.4		
Walton	3.3	2.4 - 4.2		
Washington	5.3	3.5 - 7.2		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	5.1	4.8 - 5.4		
Alachua	3.6	2.6 - 4.7	*	
Baker	6.0	4.2 - 7.8		
Bay	6.1	4.8 - 7.4		
Bradford	5.7	4.0 - 7.5		
Brevard	6.7	5.0 - 8.4		
Broward	4.8	3.4 - 6.1		
Calhoun	5.6	3.9 - 7.4		
Charlotte	6.2	4.3 - 8.1		
Citrus	9.0	6.9 - 11.1		*
Clay	5.9	4.4 - 7.4		
Collier	4.3	2.9 - 5.8		
Columbia	6.6	5.0 - 8.3		
DeSoto	4.3	2.7 - 6.0		
Dixie	8.4	6.3 - 10.4		*
Duval	5.0	4.1 - 5.9		
Escambia	5.1	3.8 - 6.3		
Flagler	4.3	3.1 - 5.5		
Franklin	5.3	3.6 - 7.1		
Gadsden	7.5	5.0 - 10.1		
Gilchrist	7.8	5.3 - 10.3		
Glades	4.2	2.0 - 6.4		
Gulf	7.5	4.9 - 10.1		
Hamilton	6.4	4.1 - 8.6		
Hardee	5.9	3.8 - 7.9		
Hendry	8.8	4.7 - 12.9		
Hernando	6.0	4.3 - 7.7		
Highlands	6.1	4.1 - 8.1		
Hillsborough	4.6	3.6 - 5.7		
Holmes	6.7	5.1 - 8.2		
Indian River	6.7	4.9 - 8.6		
Jackson	5.5	3.8 - 7.2		
Jefferson	6.4	4.4 - 8.5		
Lafayette	4.7	2.9 - 6.4		
Lake	6.4	4.8 - 7.9		
Lee	5.2	4.1 - 6.2		
Leon	3.6	2.3 - 4.9		
Levy	9.3	7.0 - 11.5		*
Liberty	6.6	4.4 - 8.7		
Madison	6.0	4.2 - 7.7		
Manatee	5.9	4.4 - 7.4		
Marion	4.9	3.8 - 5.9		
Martin	4.6	3.1 - 6.1		
Miami-Dade	5.4	3.8 - 7.0		
Monroe	5.4	3.1 - 7.8		
Nassau	4.5	3.2 - 5.7		
Okaloosa	5.7	4.4 - 6.9		
Okeechobee	5.7	4.0 - 7.4		
Orange	4.7	3.7 - 5.7		
Osceola	5.0	3.4 - 6.7		
Palm Beach	3.6	2.5 - 4.7	*	
Pasco	5.1	3.7 - 6.5		
Pinellas	5.1	3.9 - 6.3		
Polk	5.7	4.2 - 7.2		
Putnam	6.5	4.8 - 8.3		
Saint Johns	3.8	2.6 - 5.0		
Saint Lucie	6.2	4.5 - 7.8		
Santa Rosa	4.2	3.2 - 5.3		
Sarasota	6.2	4.7 - 7.7		
Seminole	4.7	3.4 - 5.9		
Sumter	5.4	3.6 - 7.3		
Suwannee	6.3	4.6 - 7.9		
Taylor	6.9	5.1 - 8.7		
Union	7.4	2.6 - 12.1		
Volusia	5.4	4.2 - 6.6		
Wakulla	5.5	2.9 - 8.1		
Walton	6.2	4.4 - 8.0		
Washington	7.3	5.6 - 8.9		*

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health Care Access and Coverage

Percentage of adults with any type of health care insurance coverage

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	77.1	76.0 - 78.2		
Alachua	80.4	75.6 - 85.2		
Baker	70.4	60.4 - 80.5		
Bay	77.3	72.7 - 81.9		
Bradford	78.1	68.2 - 87.9		
Brevard	77.2	71.6 - 82.8		
Broward	78.7	74.0 - 83.4		
Calhoun	77.4	70.3 - 84.5		
Charlotte	81.0	75.5 - 86.5		
Citrus	78.1	72.6 - 83.5		
Clay	85.0	80.0 - 90.0		*
Collier	74.2	68.3 - 80.2		
Columbia	82.0	76.5 - 87.4		
DeSoto	67.9	56.4 - 79.4		
Dixie	74.1	65.8 - 82.4		
Duval	80.8	77.5 - 84.0		
Escambia	78.7	74.8 - 82.7		
Flagler	86.3	80.9 - 91.8		*
Franklin	66.3	55.8 - 76.7		
Gadsden	72.4	63.7 - 81.1		
Gilchrist	80.4	72.2 - 88.5		
Glades	82.3	69.4 - 95.2		
Gulf	74.2	63.8 - 84.5		
Hamilton	69.3	60.7 - 77.9		
Hardee	65.3	54.9 - 75.7	*	
Hendry	62.4	45.8 - 79.1		
Hernando	87.2	80.7 - 93.8		*
Highlands	84.0	78.6 - 89.4		*
Hillsborough	80.9	77.2 - 84.7		
Holmes	76.3	69.5 - 83.1		
Indian River	78.9	72.6 - 85.2		
Jackson	78.5	71.3 - 85.7		
Jefferson	81.9	73.3 - 90.4		
Lafayette	77.5	67.5 - 87.6		
Lake	79.4	73.5 - 85.2		
Lee	75.0	70.8 - 79.1		
Leon	84.7	79.7 - 89.6		*
Levy	75.7	68.4 - 83.0		
Liberty	74.4	65.0 - 83.8		
Madison	80.1	73.2 - 87.0		
Manatee	78.9	74.0 - 83.8		
Marion	78.0	73.5 - 82.5		
Martin	86.3	81.1 - 91.5		*
Miami-Dade	68.0	63.2 - 72.8	*	
Monroe	73.2	65.0 - 81.4		
Nassau	84.8	77.9 - 91.6		
Okaloosa	83.0	79.0 - 87.0		*
Okeechobee	63.7	53.3 - 74.1	*	
Orange	73.8	69.5 - 78.1		
Osceola	69.4	62.3 - 76.4		
Palm Beach	79.7	74.3 - 85.1		
Pasco	83.8	79.1 - 88.4		*
Pinellas	80.2	75.6 - 84.8		
Polk	76.6	71.1 - 82.2		
Putnam	73.5	66.1 - 80.8		
Saint Johns	88.6	84.7 - 92.4		*
Saint Lucie	75.9	70.2 - 81.6		
Santa Rosa	79.7	75.1 - 84.4		
Sarasota	80.3	75.9 - 84.6		
Seminole	79.2	73.3 - 85.1		
Sumter	88.4	81.8 - 95.1		*
Suwannee	74.2	67.8 - 80.6		
Taylor	79.4	69.2 - 89.7		
Union	82.3	74.9 - 89.7		
Volusia	79.8	75.1 - 84.5		
Wakulla	82.5	75.3 - 89.8		
Walton	69.7	62.4 - 77.0		
Washington	78.9	69.9 - 88.0		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health Care Access and Coverage

Percentage of adults who have a personal doctor

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	73.2	72.1 - 74.4		
Alachua	67.3	61.5 - 73.0		
Baker	71.1	61.3 - 80.8		
Bay	72.1	67.4 - 76.9		
Bradford	79.7	70.8 - 88.5		
Brevard	74.8	69.4 - 80.2		
Broward	73.8	68.8 - 78.7		
Calhoun	79.4	71.8 - 87.0		
Charlotte	78.8	73.1 - 84.6		
Citrus	80.4	75.0 - 85.8		*
Clay	80.7	75.2 - 86.1		*
Collier	74.8	69.1 - 80.6		
Columbia	79.7	73.4 - 85.9		
DeSoto	64.6	51.3 - 77.9		
Dixie	74.9	66.4 - 83.5		
Duval	78.5	75.4 - 81.7		*
Escambia	71.3	67.0 - 75.6		
Flagler	70.6	63.1 - 78.1		
Franklin	67.3	57.0 - 77.7		
Gadsden	78.6	70.1 - 87.0		
Gilchrist	80.6	72.1 - 89.1		
Glades	56.4	39.9 - 73.0		
Gulf	71.7	61.0 - 82.5		
Hamilton	65.4	56.6 - 74.3		
Hardee	65.6	54.8 - 76.4		
Hendry	64.9	49.0 - 80.7		
Hernando	83.7	78.0 - 89.4		*
Highlands	77.7	71.4 - 83.9		
Hillsborough	74.3	70.0 - 78.5		
Holmes	75.5	68.5 - 82.5		
Indian River	76.0	69.9 - 82.1		
Jackson	78.5	70.9 - 86.2		
Jefferson	86.1	77.8 - 94.3		*
Lafayette	69.8	54.0 - 85.6		
Lake	75.1	68.9 - 81.2		
Lee	77.5	73.6 - 81.4		
Leon	74.7	68.9 - 80.5		
Levy	77.0	69.6 - 84.3		
Liberty	73.4	63.8 - 83.0		
Madison	82.9	76.1 - 89.7		*
Manatee	75.3	70.1 - 80.4		
Marion	77.2	72.5 - 81.9		
Martin	83.3	76.8 - 89.9		*
Miami-Dade	62.6	57.7 - 67.5	*	
Monroe	75.2	67.7 - 82.7		
Nassau	80.7	73.1 - 88.3		
Okaloosa	71.0	66.4 - 75.7		
Okeechobee	79.1	70.3 - 88.0		
Orange	66.1	61.6 - 70.6	*	
Osceola	65.0	57.8 - 72.2		
Palm Beach	77.4	72.0 - 82.9		
Pasco	77.2	71.8 - 82.5		
Pinellas	79.2	74.7 - 83.8		*
Polk	72.4	66.7 - 78.1		
Putnam	78.5	71.7 - 85.4		
Saint Johns	82.8	78.2 - 87.5		*
Saint Lucie	74.1	68.7 - 79.5		
Santa Rosa	75.9	71.1 - 80.8		
Sarasota	79.2	75.0 - 83.5		*
Seminole	77.3	71.3 - 83.3		
Sumter	86.1	80.1 - 92.1		*
Suwannee	73.6	66.9 - 80.2		
Taylor	75.1	64.7 - 85.5		
Union	88.2	82.9 - 93.5		*
Volusia	74.8	69.5 - 80.1		
Wakulla	85.8	80.2 - 91.3		*
Walton	78.4	72.3 - 84.6		
Washington	76.1	66.1 - 86.1		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health Care Access and Coverage

Percentage of adults who could not see a doctor in the past year due to cost

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	20.8	19.7 - 21.8		
Alachua	19.0	14.3 - 23.7		
Baker	21.1	13.7 - 28.5		
Bay	21.1	16.8 - 25.3		
Bradford	19.1	11.9 - 26.4		
Brevard	15.1	11.1 - 19.0	*	
Broward	23.8	18.9 - 28.6		
Calhoun	23.5	16.1 - 30.9		
Charlotte	16.5	11.5 - 21.4		
Citrus	23.7	18.0 - 29.4		
Clay	15.2	10.4 - 20.0		
Collier	17.3	12.2 - 22.4		
Columbia	20.1	14.4 - 25.8		
DeSoto	23.7	12.9 - 34.6		
Dixie	21.5	14.6 - 28.4		
Duval	20.0	16.9 - 23.2		
Escambia	16.8	13.4 - 20.2		
Flagler	11.2	7.5 - 14.9	*	
Franklin	23.0	13.4 - 32.6		
Gadsden	22.7	14.8 - 30.6		
Gilchrist	18.5	11.8 - 25.2		
Glades	23.8	9.0 - 38.5		
Gulf	28.9	19.8 - 37.9		
Hamilton	23.9	16.2 - 31.7		
Hardee	24.6	16.2 - 33.0		
Hendry	42.0	25.7 - 58.2		*
Hernando	19.6	12.2 - 27.0		
Highlands	20.8	15.1 - 26.5		
Hillsborough	17.3	13.8 - 20.8		
Holmes	23.0	14.6 - 31.5		
Indian River	14.0	9.6 - 18.5	*	
Jackson	16.2	9.3 - 23.2		
Jefferson	15.7	8.7 - 22.7		
Lafayette	15.8	8.5 - 23.0		
Lake	19.1	13.7 - 24.5		
Lee	19.9	16.3 - 23.5		
Leon	12.4	8.4 - 16.4	*	
Levy	24.0	17.0 - 30.9		
Liberty	15.7	10.1 - 21.3		
Madison	19.0	11.7 - 26.4		
Manatee	19.3	14.5 - 24.1		
Marion	20.4	16.1 - 24.6		
Martin	13.4	8.6 - 18.2	*	
Miami-Dade	24.5	20.1 - 28.8		
Monroe	28.1	19.9 - 36.4		
Nassau	16.5	10.5 - 22.4		
Okaloosa	17.9	13.9 - 22.0		
Okeechobee	19.8	11.8 - 27.9		
Orange	23.6	19.6 - 27.6		
Osceola	29.9	23.1 - 36.6		*
Palm Beach	21.9	16.1 - 27.8		
Pasco	15.5	11.3 - 19.7	*	
Pinellas	16.3	12.3 - 20.3		
Polk	20.3	15.4 - 25.2		
Putnam	25.3	18.4 - 32.2		
Saint Johns	14.4	10.1 - 18.7	*	
Saint Lucie	23.1	18.1 - 28.1		
Santa Rosa	14.2	10.4 - 17.9	*	
Sarasota	20.3	16.2 - 24.4		
Seminole	18.5	13.2 - 23.8		
Sumter	10.4	4.7 - 16.1	*	
Suwannee	23.1	17.0 - 29.1		
Taylor	21.5	14.5 - 28.5		
Union	21.6	10.2 - 33.0		
Volusia	22.5	17.7 - 27.3		
Wakulla	13.2	8.5 - 17.9	*	
Walton	17.7	12.4 - 23.0		
Washington	16.2	11.0 - 21.4		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

Health Care Access and Coverage

Percentage of adults who had a medical checkup in the past year

	2013 State and County Measure	95% CI	Significantly Lower Compared to State	Significantly Higher Compared to State
Florida Overall	70.3	69.1 - 71.4		
Alachua	63.3	57.5 - 69.0	*	
Baker	70.0	62.0 - 77.9		
Bay	65.0	59.9 - 70.0		
Bradford	74.9	68.0 - 81.9		
Brevard	74.4	69.3 - 79.5		
Broward	70.0	64.9 - 75.2		
Calhoun	67.6	59.4 - 75.7		
Charlotte	79.0	73.8 - 84.3		*
Citrus	68.8	62.8 - 74.7		
Clay	72.6	66.5 - 78.6		
Collier	71.7	65.7 - 77.7		
Columbia	81.7	76.5 - 86.8		*
DeSoto	61.9	48.9 - 74.9		
Dixie	69.6	61.2 - 78.1		
Duval	68.3	64.4 - 72.2		
Escambia	70.4	66.1 - 74.7		
Flagler	71.1	64.2 - 78.1		
Franklin	65.4	55.4 - 75.4		
Gadsden	70.4	62.0 - 78.8		
Gilchrist	67.5	57.5 - 77.5		
Glades	69.3	54.5 - 84.0		
Gulf	63.9	54.5 - 73.4		
Hamilton	68.3	60.2 - 76.4		
Hardee	65.9	55.7 - 76.1		
Hendry	72.0	57.7 - 86.4		
Hernando	73.1	65.5 - 80.7		
Highlands	70.6	64.1 - 77.1		
Hillsborough	70.9	66.7 - 75.1		
Holmes	70.5	63.7 - 77.3		
Indian River	70.0	63.7 - 76.4		
Jackson	74.1	67.0 - 81.1		
Jefferson	72.3	63.4 - 81.2		
Lafayette	74.7	64.8 - 84.5		
Lake	65.5	59.1 - 71.9		
Lee	74.0	70.0 - 77.9		
Leon	69.9	64.0 - 75.8		
Levy	73.9	67.2 - 80.7		
Liberty	70.0	60.8 - 79.3		
Madison	71.7	64.0 - 79.4		
Manatee	68.7	63.5 - 73.8		
Marion	76.0	71.5 - 80.5		*
Martin	72.1	65.1 - 79.2		
Miami-Dade	67.6	62.8 - 72.4		
Monroe	60.9	52.5 - 69.2		
Nassau	78.3	72.7 - 84.0		*
Okaloosa	67.3	62.5 - 72.2		
Okeechobee	69.0	59.3 - 78.6		
Orange	64.0	59.5 - 68.6	*	
Osceola	62.9	55.8 - 70.0		
Palm Beach	77.4	72.0 - 82.8		*
Pasco	71.3	65.7 - 76.8		
Pinellas	71.2	66.4 - 76.1		
Polk	72.4	67.3 - 77.6		
Putnam	69.6	62.2 - 77.1		
Saint Johns	72.0	66.7 - 77.3		
Saint Lucie	72.5	67.1 - 77.8		
Santa Rosa	72.0	67.0 - 77.1		
Sarasota	72.2	67.7 - 76.8		
Seminole	71.2	65.0 - 77.3		
Sumter	89.9	85.8 - 94.0		*
Suwannee	72.0	65.6 - 78.4		
Taylor	65.8	55.8 - 75.9		
Union	79.5	71.5 - 87.6		*
Volusia	70.6	65.3 - 75.8		
Wakulla	72.7	65.8 - 79.6		
Walton	63.6	56.6 - 70.5		
Washington	63.1	53.4 - 72.8		

* indicates that the county measure shows a statistically significant difference compared to the state measure based on non-overlapping confidence intervals.

Florida BRFSS State and County Data Summary 2013

GLOSSARY

A1C	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
Activities of Daily Living	Usual activities, such as self-care, work, or recreation.
Adult	Individual aged 18 years or older.
Aerobic Recommendations*	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking*	For women, consumption of four or more drinks during a single occasion in the past 30 days; for men, consumption of five or more drinks during a single occasion in the past 30 days.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
Blood Pressure	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Sugar	See Blood Glucose
Body Mass Index (BMI)	A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Cholesterol	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
Chronic Bronchitis	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary Disease (COPD)	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
Coronary Artery Disease (CAD)	Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack.
Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD)
Current Smoker*	Combination of everyday smoker and some day smoker.

*This term is defined using BRFSS standards.

Florida BRFSS State and County Data Summary 2013

GLOSSARY

Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which blood glucose levels are above normal.
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
Everyday Smoker*	Adults who reported smoking at least 100 cigarettes in their lifetimes and reported smoking every day now.
Exercise	See Physical Activity
Fibromyalgia	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose.
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now.
Gout	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Health insurance, pre-paid plans such as HMOs, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking*	For women, consumption of more than one drink per day on average in the past 30 days; for men, consumption of more than two drinks per day on average in the past 30 days.
High Blood Cholesterol	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.
High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.

*This term is defined using BRFSS standards.

Florida BRFSS State and County Data Summary 2013

GLOSSARY

Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hypertension	See High Blood Pressure
Hysterectomy	An operation to remove the uterus (womb) in women.
Inactive*	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities in the past 30 days.
Influenza	See Flu
Insufficiently Active*	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Lupus	A chronic inflammatory disease resulting from an attack by the body's own immune system.
Mammogram	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Muscle Strengthening Recommendations*	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
Never Smoked*	Adults who reported smoking less than 100 cigarettes in their lifetimes.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable.
Non-Hispanic White	Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable.
Non-Smoker*	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.
Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Personal Doctor	A health care provider that an adult identifies as their personal health care provider.
Physical Activity	Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above basal level and that enhances or maintains physical fitness and overall health and wellness.
Pneumococcal Vaccination	Vaccine given with a needle, usually in the arm, to prevent pneumococcal infection.

*This term is defined using BRFSS standards.

Florida BRFSS State and County Data Summary 2013

GLOSSARY

Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.
Poor Mental Health*	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health*	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
Routine Checkup	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sedentary*	Participating in no leisure-time physical activity in the past 30 days.
Sex	The condition or character of being male or female; self-reported demographic variable.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Some Day Smoking*	Adults who reported smoking at least 100 cigarettes in their lifetimes and reported smoking some days now.
Stool Blood Test	A test that may use a special kit at home to determine whether the stool contains blood.
Stroke	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
Tetanus	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
Tetanus Shot	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

*This term is defined using BRFSS standards.

Florida BRFSS State and County Data Summary 2013

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

Diabetes

D-1. Reduce the annual number of new cases of diagnosed diabetes in the population

D-5. Improve glycemic control among the population with diagnosed diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self blood glucose monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

Disability

DH-13. (Developmental) Increase the proportion of people with disabilities who participate in social, spiritual, recreational, community, and civic activities to the degree that they wish

Florida BRFSS State and County Data Summary 2013

Healthy People 2020 Objectives

Health Care Access and Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

Health-Related Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

HIV/AIDS Screening

HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

Immunization

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

IVP-15. Increase use of safety belts in motor vehicles

Overweight and Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Physical Activity and Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

PA-2. Increase the proportion of adults who meet current federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Tobacco Use and Exposure

TU-1. Reduce tobacco smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

Vision Impairment

V-5. Reduce visual impairment

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.



Prepared by:

Alyssa Cohen, MPH
Bo (Bonnie) Yu, MAS, MA
Junwei Jiang, MPH
Dongming Cui, MD, MPH, DrPH

If you have any questions or comments
please contact:

Florida Department of Health
Division of Disease Control and Health Protection
Bureau of Epidemiology
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401

Fax: 850-922-9299

Email: health@flhealth.gov

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>