



FLORIDA BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS)

2012 Surveillance Data

Rick Scott
Governor

John H. Armstrong, MD, FACS
Surgeon General and Secretary of Health

2012 Florida Behavioral Risk Factor Surveillance System Data

The data tables in this document present the results of the 2012 Florida Behavioral Risk Factor Surveillance System (BRFSS) survey. The 2012 BRFSS survey interviewed 7,624 Florida adults aged 18 years or older in 2012. This survey was developed in collaboration with national, state, and local representatives to better meet the needs of programs, researchers, and community planners by providing estimates of prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida.

The 2012 BRFSS survey collected data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practices. These data can be used to: (1) determine priority health issues and identify populations at risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

These data tables present state-level estimates for leading health indicators. Each indicator was analyzed by sex, race/ethnicity, age, education, income, and marital status. The 2012 BRFSS survey data are adjusted, or “weighted”, so that the resulting estimates can be generalized to all Florida adults aged 18 years or older.

The weighting methodology for the 2012 BRFSS data is iterative proportional fitting, or “raking”. Raking is a commonly used estimation procedure where estimates are controlled to population totals or control totals. These estimates are adjusted by one demographic variable at a time until all variables have been adjusted. The procedure continues in a repetitive process until all group proportions in the sample approach those of the population. Raking variables for the 2012 BRFSS include age, sex, race/ethnicity, telephone source, education, marital status, and renter/owner status. Raking is used to mitigate the various sources of survey error such as under-coverage and nonresponse. A process called weight trimming is also being used and refers to increasing the value of extremely low weights and decreasing the value of extremely high weights to reduce their impact on the variance of the estimates.

Since BRFSS respondents are randomly selected, measures of prevalence, reported as percentages, are subject to random sampling errors; therefore, each measure listed in the data tables includes a 95% confidence interval. Measures of prevalence have been excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

Using the confidence intervals, comparisons can be made between subpopulations within a measure (e.g., general level of health of males compared to females). If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. For example, if 13.0%-15.7% of males and 10.5%-12.7% of females report their general level of health as fair or poor, it is appropriate to state that the prevalence of adults reporting their general level of health as fair or poor was significantly higher in males than females. If a measure’s confidence interval is wide, data should be interpreted with caution.

If any assistance is needed with data interpretation or survey methodology and for more information about the BRFSS, please contact the Chronic Disease Epidemiology, Surveillance, and Evaluation Section at (850) 245-4401 or by e-mail at ChronicDisease@doh.state.fl.us. You can also visit our website at <http://www.FloridaChronicDisease.org>.

**2012 Florida BRFSS Data
List of Tables**

<u>Alcohol Consumption</u>	1
<u>Arthritis</u>	2
<u>Asthma</u>	3
<u>Cancer Prevalence</u>	4
<u>Cancer Screening/Breast</u>	6
<u>Cancer Screening/Cervical</u>	8
<u>Cancer Screening/Colorectal</u>	9
<u>Cancer Screening/Prostate</u>	12
<u>Cardiovascular Disease</u>	13
<u>Diabetes</u>	14
<u>Disability</u>	18
<u>Health Care Access & Coverage</u>	19
<u>Health Status & Quality of Life</u>	21
<u>HIV/AIDS</u>	27
<u>Hypertension Awareness</u>	28
<u>Immunization</u>	30
<u>Injury Prevention</u>	32
<u>Oral Health</u>	33
<u>Other Health Conditions</u>	34
<u>Overweight & Obesity</u>	36
<u>Physical Activity</u>	38
<u>Tobacco Use & Exposure</u>	39
<u>Vision</u>	41
<u>Glossary</u>	Appendix I
<u>Healthy People 2020 Objectives</u>	Appendix II

2012 Florida BRFSS Data

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		Measure	95% CI
ALL	Overall	17.7	16.3 – 19.2
SEX	Men	22.2	19.8 – 24.6
	Women	13.6	12.0 – 15.3
RACE/ETHNICITY	Non-Hisp. White	19.4	17.7 – 21.2
	Non-Hisp. Black	12.9	9.0 – 16.8
	Hispanic	16.4	12.7 – 20.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.2	21.3 – 27.0
	Non-Hisp. White Women	15.1	13.1 – 17.0
	Non-Hisp. Black Men	12.9	6.9 – 19.0
	Non-Hisp. Black Women	12.9	7.9 – 17.9
	Hispanic Men	22.1	15.9 – 28.2
	Hispanic Women	11.3	7.2 – 15.3
AGE GROUP	18-44	25.7	22.9 – 28.6
	45-64	14.6	12.6 – 16.6
	65 & Older	7.8	6.4 – 9.3
EDUCATION LEVEL	<High School	16.5	11.8 – 21.3
	H.S./GED	16.3	13.7 – 18.8
	>High School	18.9	17.1 – 20.8
ANNUAL INCOME	<\$25,000	16.6	13.9 – 19.4
	\$25,000-\$49,999	17.2	14.2 – 20.2
	\$50,000 or More	21.8	19.3 – 24.3
MARITAL STATUS	Married/Couple	15.9	14.0 – 17.7
	Not Married/Couple	20.0	17.7 – 22.3

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Arthritis

Percentage of adults who have been told they have some form of arthritis

		Measure	95% CI
ALL	Overall	26.4	25.0 – 27.8
SEX	Men	23.8	21.7 – 25.9
	Women	28.9	27.0 – 30.8
RACE/ETHNICITY	Non-Hisp. White	30.8	29.1 – 32.5
	Non-Hisp. Black	20.3	16.2 – 24.4
	Hispanic	18.7	15.3 – 22.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.0	25.4 – 30.6
	Non-Hisp. White Women	33.4	31.2 – 35.7
	Non-Hisp. Black Men	17.6	12.0 – 23.3
	Non-Hisp. Black Women	22.7	16.9 – 28.5
	Hispanic Men	15.9	10.8 – 21.1
	Hispanic Women	21.4	16.8 – 26.0
AGE GROUP	18-44	8.5	6.7 – 10.3
	45-64	33.5	30.9 – 36.1
	65 & Older	49.6	47.0 – 52.3
EDUCATION LEVEL	<High School	37.1	31.6 – 42.6
	H.S./GED	30.1	27.4 – 32.8
	>High School	21.3	19.8 – 22.8
ANNUAL INCOME	<\$25,000	31.8	29.0 – 34.6
	\$25,000-\$49,999	26.5	23.5 – 29.5
	\$50,000 or More	19.5	17.4 – 21.6
MARITAL STATUS	Married/Couple	27.1	25.2 – 29.0
	Not Married/Couple	25.8	23.7 – 28.0

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Asthma

Percentage of adults who currently have asthma

		Measure	95% CI
ALL	Overall	8.2	7.2 – 9.2
SEX	Men	5.3	4.1 – 6.5
	Women	10.9	9.3 – 12.4
RACE/ETHNICITY	Non-Hisp. White	8.3	7.2 – 9.5
	Non-Hisp. Black	7.5	5.1 – 9.9
	Hispanic	7.8	4.9 – 10.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.7	4.3 – 7.0
	Non-Hisp. White Women	10.8	9.0 – 12.6
	Non-Hisp. Black Men	4.9	1.9 – 8.0
	Non-Hisp. Black Women	9.8	6.2 – 13.4
	Hispanic Men	4.7	1.4 – 8.0
	Hispanic Women	10.8	6.2 – 15.3
AGE GROUP	18-44	8.0	6.2 – 9.9
	45-64	8.7	7.1 – 10.4
	65 & Older	7.6	6.2 – 9.0
EDUCATION LEVEL	<High School	11.9	8.0 – 15.9
	H.S./GED	8.5	6.7 – 10.3
	>High School	7.0	5.9 – 8.1
ANNUAL INCOME	<\$25,000	11.5	9.3 – 13.6
	\$25,000-\$49,999	7.6	5.9 – 9.3
	\$50,000 or More	4.5	3.2 – 5.7
MARITAL STATUS	Married/Couple	6.9	5.7 – 8.1
	Not Married/Couple	9.7	8.0 – 11.3

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Prevalence

Percentage of adults who have been told they have had skin cancer

		Measure	95% CI	
ALL	Overall	8.3	7.6 – 9.0	
SEX	Men	8.1	7.1 – 9.1	
	Women	8.4	7.4 – 9.4	
RACE/ETHNICITY	Non-Hisp. White	13.0	11.9 – 14.1	
	Non-Hisp. Black	0.3	0.0	0.8
	Hispanic	2.0	1.1 – 2.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.8	11.2 – 14.4	
	Non-Hisp. White Women	13.2	11.7 – 14.8	
	Non-Hisp. Black Men	0.6	0.0	1.7
	Non-Hisp. Black Women	0.1	0.0	0.2
	Hispanic Men	1.2	0.1 – 2.3	
	Hispanic Women	2.8	1.4 – 4.2	
AGE GROUP	18-44	1.9	1.1 – 2.6	
	45-64	8.0	6.8 – 9.2	
	65 & Older	20.7	18.8 – 22.7	
EDUCATION LEVEL	<High School	5.2	3.4 – 7.1	
	H.S./GED	8.2	6.8 – 9.5	
	>High School	9.2	8.3 – 10.2	
ANNUAL INCOME	<\$25,000	6.2	5.0 – 7.3	
	\$25,000-\$49,999	8.2	6.8 – 9.6	
	\$50,000 or More	10.4	8.9 – 11.8	
MARITAL STATUS	Married/Couple	10.1	9.0 – 11.2	
	Not Married/Couple	6.3	5.5 – 7.1	

Percentage of adults who have had any other type of cancer besides skin cancer

		Measure	95% CI	
ALL	Overall	7.2	6.4 – 7.9	
SEX	Men	5.8	4.8 – 6.8	
	Women	8.4	7.3 – 9.6	
RACE/ETHNICITY	Non-Hisp. White	9.2	8.2 – 10.1	
	Non-Hisp. Black	3.2	1.0 – 5.3	
	Hispanic	4.4	2.7 – 6.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.5	6.1 – 8.8	
	Non-Hisp. White Women	10.7	9.3 – 12.1	
	Non-Hisp. Black Men	2.5	0.8 – 4.2	
	Non-Hisp. Black Women	3.7	0.0	7.5
	Hispanic Men	3.6	1.2 – 6.0	
	Hispanic Women	5.2	2.9 – 7.5	
AGE GROUP	18-44	2.0	1.2 – 2.8	
	45-64	7.8	6.3 – 9.3	
	65 & Older	15.8	13.9 – 17.6	
EDUCATION LEVEL	<High School	10.5	7.4 – 13.6	
	H.S./GED	6.7	5.3 – 8.1	
	>High School	6.5	5.7 – 7.3	
ANNUAL INCOME	<\$25,000	8.0	6.5 – 9.5	
	\$25,000-\$49,999	6.9	5.1 – 8.7	
	\$50,000 or More	5.9	4.8 – 6.9	
MARITAL STATUS	Married/Couple	7.8	6.7 – 8.9	
	Not Married/Couple	6.4	5.3 – 7.5	

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Prevalence

Percentage of adults who had a red or painful sunburn that lasted a day or more in the past year.

		Measure	95% CI
ALL	Overall	17.2	15.5 – 18.9
SEX	Men	20.5	17.7 – 23.3
	Women	14.7	12.7 – 16.8
RACE/ETHNICITY	Non-Hisp. White	21.8	19.7 – 23.9
	Non-Hisp. Black	2.1	0.6 – 3.6
	Hispanic	11.5	6.8 – 16.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.3	22.8 – 29.9
	Non-Hisp. White Women	18.3	15.8 – 20.8
	Non-Hisp. Black Men	1.7	0.0 3.7
	Non-Hisp. Black Women	2.5	0.3 – 4.6
	Hispanic Men	12.4	5.6 – 19.1
	Hispanic Women	10.9	4.6 – 17.2
AGE GROUP	18-44	32.7	28.1 – 37.4
	45-64	16.4	14.0 – 18.8
	65 & Older	5.6	4.5 – 6.8
EDUCATION LEVEL	<High School	8.0	3.2 – 12.8
	H.S./GED	15.9	12.9 – 19.0
	>High School	20.2	18.0 – 22.4
ANNUAL INCOME	<\$25,000	12.5	9.6 – 15.5
	\$25,000-\$49,999	13.1	10.3 – 15.9
	\$50,000 or More	23.8	20.7 – 26.9
MARITAL STATUS	Married/Couple	18.4	16.3 – 20.6
	Not Married/Couple	15.4	12.7 – 18.2

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Screening/Breast**Percentage of women 40 years of age and older who received a mammogram in the past year**

		Measure	95% CI
ALL	Overall	59.0	56.5 – 61.5
SEX	Women	59.0	56.5 – 61.5
RACE/ETHNICITY	Non-Hisp. White	60.0	57.4 – 62.5
	Non-Hisp. Black	59.8	51.4 – 68.1
	Hispanic	56.3	48.6 – 64.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	60.0	57.4 – 62.5
	Non-Hisp. Black Women	59.8	51.4 – 68.1
	Hispanic Women	56.3	48.6 – 64.0
AGE GROUP	18-44	39.0	30.3 – 47.7
	45-64	59.5	55.8 – 63.1
	65 & Older	65.2	62.0 – 68.3
EDUCATION LEVEL	<High School	47.9	39.6 – 56.3
	H.S./GED	60.6	56.4 – 64.8
	>High School	61.1	57.9 – 64.3
ANNUAL INCOME	<\$25,000	49.8	45.4 – 54.2
	\$25,000-\$49,999	57.0	51.8 – 62.2
	\$50,000 or More	68.7	64.4 – 73.1
MARITAL STATUS	Married/Couple	63.0	59.5 – 66.4
	Not Married/Couple	53.9	50.3 – 57.4

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		Measure	95% CI
ALL	Overall	55.0	52.6 – 57.4
SEX	Women	55.0	52.6 – 57.4
RACE/ETHNICITY	Non-Hisp. White	57.0	54.3 – 59.6
	Non-Hisp. Black	56.5	49.2 – 63.7
	Hispanic	49.5	43.1 – 55.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	57.0	54.3 – 59.6
	Non-Hisp. Black Women	56.5	49.2 – 63.7
	Hispanic Women	49.5	43.1 – 55.8
AGE GROUP	18-44	50.5	46.1 – 55.0
	45-64	59.5	55.8 – 63.2
	65 & Older	55.8	52.5 – 59.1
EDUCATION LEVEL	<High School	38.7	30.9 – 46.5
	H.S./GED	54.2	50.0 – 58.4
	>High School	59.4	56.4 – 62.4
ANNUAL INCOME	<\$25,000	45.0	40.8 – 49.2
	\$25,000-\$49,999	56.3	51.2 – 61.3
	\$50,000 or More	67.1	62.9 – 71.3
MARITAL STATUS	Married/Couple	60.8	57.6 – 64.0
	Not Married/Couple	48.2	44.7 – 51.8

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Screening/Breast**Percentage of women aged 40 years and older who had a clinical breast exam in the past year**

		Measure	95% CI
ALL	Overall	57.2	54.7 – 59.7
SEX	Women	57.2	54.7 – 59.7
RACE/ETHNICITY	Non-Hisp. White	58.6	56.0 – 61.2
	Non-Hisp. Black	59.2	50.8 – 67.7
	Hispanic	51.1	43.3 – 58.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	58.6	56.0 – 61.2
	Non-Hisp. Black Women	59.2	50.8 – 67.7
	Hispanic Women	51.1	43.3 – 58.8
AGE GROUP	18-44	51.9	42.8 – 61.0
	45-64	59.5	55.8 – 63.2
	65 & Older	55.8	52.5 – 59.1
EDUCATION LEVEL	<High School	42.1	33.8 – 50.4
	H.S./GED	55.4	51.1 – 59.7
	>High School	61.9	58.7 – 65.1
ANNUAL INCOME	<\$25,000	47.7	43.3 – 52.2
	\$25,000-\$49,999	56.7	51.5 – 61.9
	\$50,000 or More	69.0	64.5 – 73.4
MARITAL STATUS	Married/Couple	61.6	58.2 – 65.1
	Not Married/Couple	50.9	47.3 – 54.4

Percentage of women aged 50 to 74 who had a mammogram in the past 2 years

		Measure	95% CI
ALL	Overall	76.8	74.3 – 79.4
SEX	Women	76.8	74.3 – 79.4
RACE/ETHNICITY	Non-Hisp. White	76.0	73.1 – 78.8
	Non-Hisp. Black	76.1	67.7 – 84.6
	Hispanic	82.1	74.7 – 89.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	76.0	73.1 – 78.8
	Non-Hisp. Black Women	76.1	67.7 – 84.6
	Hispanic Women	82.1	74.7 – 89.4
AGE GROUP	45-64	74.7	71.4 – 78.0
	65 & Older	80.9	77.2 – 84.5
EDUCATION LEVEL	<High School	63.8	53.3 – 74.3
	H.S./GED	76.4	72.0 – 80.8
	>High School	79.8	76.9 – 82.8
ANNUAL INCOME	<\$25,000	65.5	60.1 – 70.9
	\$25,000-\$49,999	78.1	73.1 – 83.1
	\$50,000 or More	84.6	81.0 – 88.2
MARITAL STATUS	Married/Couple	81.3	78.2 – 84.5
	Not Married/Couple	70.7	66.5 – 74.8

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

		Measure	95% CI
ALL	Overall	52.9	50.0 – 55.7
SEX	Women	52.9	50.0 – 55.7
RACE/ETHNICITY	Non-Hisp. White	50.0	46.7 – 53.3
	Non-Hisp. Black	64.4	56.6 – 72.3
	Hispanic	53.8	46.7 – 60.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	50.0	46.7 – 53.3
	Non-Hisp. Black Women	64.4	56.6 – 72.3
	Hispanic Women	53.8	46.7 – 60.8
AGE GROUP	18-44	57.1	52.5 – 61.7
	45-64	55.0	50.5 – 59.4
	65 & Older	36.0	31.7 – 40.4
EDUCATION LEVEL	<High School	43.8	33.8 – 53.8
	H.S./GED	44.5	39.0 – 49.9
	>High School	58.7	55.3 – 62.0
ANNUAL INCOME	<\$25,000	45.4	40.2 – 50.5
	\$25,000-\$49,999	51.0	44.9 – 57.1
	\$50,000 or More	63.5	58.8 – 68.2
MARITAL STATUS	Married/Couple	55.3	51.4 – 59.1
	Not Married/Couple	50.2	45.9 – 54.5

Percentage of women aged 21 to 65 who had a Pap smear in the past 3 years

		Measure	95% CI
ALL	Overall	80.4	77.6 – 83.1
SEX	Women	80.4	77.6 – 83.1
RACE/ETHNICITY	Non-Hisp. White	80.5	77.2 – 83.8
	Non-Hisp. Black	85.7	79.4 – 92.1
	Hispanic	78.5	71.9 – 85.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	80.5	77.2 – 83.8
	Non-Hisp. Black Women	85.7	79.4 – 92.1
	Hispanic Women	78.5	71.9 – 85.1
AGE GROUP	18-44	80.5	76.6 – 84.4
	45-64	79.7	76.0 – 83.4
	65 & Older	89.0	81.4 – 96.7
EDUCATION LEVEL	<High School	65.1	53.5 – 76.7
	H.S./GED	74.9	69.1 – 80.7
	>High School	85.4	82.7 – 88.2
ANNUAL INCOME	<\$25,000	71.7	66.2 – 77.1
	\$25,000-\$49,999	82.0	76.9 – 87.2
	\$50,000 or More	89.7	86.1 – 93.2
MARITAL STATUS	Married/Couple	83.1	79.5 – 86.6
	Not Married/Couple	76.8	72.6 – 81.1

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Screening/Colorectal**Percentage of adults 50 years of age and older who received a blood stool test in the past year**

		Measure	95% CI
ALL	Overall	13.6	12.2 – 15.0
SEX	Men	13.5	11.2 – 15.7
	Women	13.8	12.1 – 15.4
RACE/ETHNICITY	Non-Hisp. White	14.3	12.8 – 15.9
	Non-Hisp. Black	10.3	6.7 – 14.0
	Hispanic	12.6	8.4 – 16.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.6	12.1 – 17.1
	Non-Hisp. White Women	14.1	12.2 – 16.0
	Non-Hisp. Black Men	6.4	1.1 – 11.7
	Non-Hisp. Black Women	13.8	8.9 – 18.8
	Hispanic Men	12.4	5.5 – 19.3
	Hispanic Women	12.8	7.7 – 18.0
AGE GROUP	45-64	9.5	7.7 – 11.4
	65 & Older	18.2	16.2 – 20.3
EDUCATION LEVEL	<High School	12.9	8.5 – 17.2
	H.S./GED	14.4	11.9 – 16.8
	>High School	13.4	11.7 – 15.2
ANNUAL INCOME	<\$25,000	14.4	11.8 – 17.0
	\$25,000-\$49,999	14.3	11.6 – 17.0
	\$50,000 or More	12.3	9.8 – 14.7
MARITAL STATUS	Married/Couple	13.7	11.9 – 15.5
	Not Married/Couple	13.7	11.5 – 15.8

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		Measure	95% CI
ALL	Overall	54.5	52.3 – 56.6
SEX	Men	53.7	50.3 – 57.2
	Women	55.1	52.5 – 57.7
RACE/ETHNICITY	Non-Hisp. White	55.9	53.7 – 58.2
	Non-Hisp. Black	56.6	49.2 – 64.1
	Hispanic	49.1	42.0 – 56.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.7	53.1 – 60.3
	Non-Hisp. White Women	55.3	52.5 – 58.1
	Non-Hisp. Black Men	61.5	49.2 – 73.9
	Non-Hisp. Black Women	52.4	43.6 – 61.2
	Hispanic Men	44.1	32.9 – 55.3
	Hispanic Women	53.7	44.9 – 62.4
AGE GROUP	45-64	46.0	42.9 – 49.1
	65 & Older	63.9	61.2 – 66.6
EDUCATION LEVEL	<High School	44.0	36.9 – 51.2
	H.S./GED	51.1	47.5 – 54.8
	>High School	59.5	56.9 – 62.1
ANNUAL INCOME	<\$25,000	46.4	42.4 – 50.4
	\$25,000-\$49,999	54.2	49.9 – 58.5
	\$50,000 or More	59.4	55.7 – 63.1
MARITAL STATUS	Married/Couple	58.9	56.1 – 61.7
	Not Married/Couple	48.0	44.7 – 51.2

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Screening/Colorectal**Percentage of adults aged 50 years and older who have ever had a blood stool test**

		Measure	95% CI
ALL	Overall	38.9	37.0 – 40.9
SEX	Men	35.1	32.0 – 38.2
	Women	42.2	39.7 – 44.7
RACE/ETHNICITY	Non-Hisp. White	42.7	40.5 – 44.8
	Non-Hisp. Black	30.3	24.0 – 36.5
	Hispanic	27.4	21.4 – 33.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.4	36.0 – 42.8
	Non-Hisp. White Women	45.4	42.7 – 48.2
	Non-Hisp. Black Men	25.1	15.2 – 34.9
	Non-Hisp. Black Women	34.8	27.1 – 42.5
	Hispanic Men	23.0	13.8 – 32.2
	Hispanic Women	31.1	23.4 – 38.9
AGE GROUP	45-64	30.3	27.5 – 33.1
	65 & Older	48.6	45.9 – 51.3
EDUCATION LEVEL	<High School	31.9	25.6 – 38.2
	H.S./GED	40.1	36.7 – 43.6
	>High School	40.2	37.7 – 42.7
ANNUAL INCOME	<\$25,000	37.0	33.4 – 40.7
	\$25,000-\$49,999	40.4	36.3 – 44.5
	\$50,000 or More	38.3	34.8 – 41.8
MARITAL STATUS	Married/Couple	40.2	37.5 – 42.8
	Not Married/Couple	37.3	34.3 – 40.3

Percentage of adults aged 50 years and older who have ever had a sigmoidoscopy or colonoscopy

		Measure	95% CI
ALL	Overall	68.4	66.4 – 70.5
SEX	Men	66.6	63.1 – 70.0
	Women	70.1	67.6 – 72.5
RACE/ETHNICITY	Non-Hisp. White	71.9	69.9 – 74.0
	Non-Hisp. Black	67.9	61.0 – 74.8
	Hispanic	57.2	50.0 – 64.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	71.2	67.8 – 74.7
	Non-Hisp. White Women	72.5	70.0 – 75.1
	Non-Hisp. Black Men	72.2	61.4 – 83.1
	Non-Hisp. Black Women	63.9	55.4 – 72.5
	Hispanic Men	52.2	40.6 – 63.7
	Hispanic Women	61.7	53.1 – 70.4
AGE GROUP	45-64	59.6	56.4 – 62.8
	65 & Older	78.3	75.8 – 80.7
EDUCATION LEVEL	<High School	53.3	46.0 – 60.6
	H.S./GED	65.9	62.2 – 69.5
	>High School	74.2	71.8 – 76.6
ANNUAL INCOME	<\$25,000	58.7	54.7 – 62.8
	\$25,000-\$49,999	71.2	67.1 – 75.3
	\$50,000 or More	72.9	69.3 – 76.4
MARITAL STATUS	Married/Couple	72.3	69.6 – 75.0
	Not Married/Couple	62.8	59.5 – 66.1

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Screening/Colorectal

Percentage of adults aged 50 to 75 who had colorectal screening based on the most recent clinical guidelines

		Measure	95% CI
ALL	Overall	64.4	62.0 – 66.8
SEX	Men	62.6	58.7 – 66.5
	Women	66.0	63.1 – 69.0
RACE/ETHNICITY	Non-Hisp. White	67.5	65.0 – 70.0
	Non-Hisp. Black	64.3	56.3 – 72.3
	Hispanic	54.0	46.0 – 62.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	66.4	62.4 – 70.4
	Non-Hisp. White Women	68.4	65.3 – 71.6
	Non-Hisp. Black Men	65.3	51.7 – 78.9
	Non-Hisp. Black Women	63.5	54.3 – 72.8
	Hispanic Men	50.9	38.3 – 63.5
	Hispanic Women	56.8	46.6 – 67.1
AGE GROUP	45-64	56.8	53.6 – 60.0
	65 & Older	78.7	75.7 – 81.8
EDUCATION LEVEL	<High School	48.6	39.2 – 58.1
	H.S./GED	59.9	55.5 – 64.3
	>High School	70.4	67.6 – 73.2
ANNUAL INCOME	<\$25,000	52.2	47.4 – 57.0
	\$25,000-\$49,999	65.1	60.1 – 70.1
	\$50,000 or More	70.8	67.1 – 74.6
MARITAL STATUS	Married/Couple	69.2	66.2 – 72.2
	Not Married/Couple	56.5	52.6 – 60.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cancer Screening/Prostate

Percentage of men 50 years of age and older who received a PSA test in the past two years

		Measure	95% CI
ALL	Overall	62.1	58.6 – 65.6
SEX	Men	62.1	58.6 – 65.6
RACE/ETHNICITY	Non-Hisp. White	64.0	60.4 – 67.6
	Non-Hisp. Black	70.4	59.1 – 81.7
	Hispanic	56.4	44.5 – 68.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	64.0	60.4 – 67.6
	Non-Hisp. Black Men	70.4	59.1 – 81.7
	Hispanic Men	56.4	44.5 – 68.2
AGE GROUP	45-64	55.0	49.9 – 60.2
	65 & Older	70.6	66.0 – 75.3
EDUCATION LEVEL	<High School	41.1	28.9 – 53.2
	H.S./GED	60.9	54.7 – 67.1
	>High School	68.6	64.7 – 72.6
ANNUAL INCOME	<\$25,000	48.0	40.7 – 55.3
	\$25,000-\$49,999	65.1	58.5 – 71.7
	\$50,000 or More	69.9	64.5 – 75.3
MARITAL STATUS	Married/Couple	66.4	62.2 – 70.5
	Not Married/Couple	53.6	47.2 – 60.1

Percentage of men aged 50 years and older who have ever had a PSA test

		Measure	95% CI
ALL	Overall	73.9	70.6 – 77.2
SEX	Men	73.9	70.6 – 77.2
RACE/ETHNICITY	Non-Hisp. White	75.7	72.3 – 79.1
	Non-Hisp. Black	78.0	67.4 – 88.5
	Hispanic	68.0	56.7 – 79.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.7	72.3 – 79.1
	Non-Hisp. Black Men	78.0	67.4 – 88.5
	Hispanic Men	68.0	56.7 – 79.4
AGE GROUP	45-64	66.2	61.2 – 71.1
	65 & Older	83.1	78.9 – 87.4
EDUCATION LEVEL	<High School	57.5	44.9 – 70.0
	H.S./GED	70.0	64.0 – 76.0
	>High School	80.9	77.4 – 84.4
ANNUAL INCOME	<\$25,000	60.6	53.3 – 67.9
	\$25,000-\$49,999	78.2	72.0 – 84.4
	\$50,000 or More	79.2	74.1 – 84.4
MARITAL STATUS	Married/Couple	78.1	74.2 – 81.9
	Not Married/Couple	65.6	59.3 – 72.0

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		Measure	95% CI
ALL	Overall	3.1	2.6 – 3.6
SEX	Men	2.8	2.2 – 3.5
	Women	3.4	2.6 – 4.1
RACE/ETHNICITY	Non-Hisp. White	3.6	3.0 – 4.2
	Non-Hisp. Black	3.4	1.5 – 5.3
	Hispanic	1.7	0.8 – 2.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.8	2.8 – 4.7
	Non-Hisp. White Women	3.4	2.6 – 4.2
	Non-Hisp. Black Men	1.1	0.0 – 2.3
	Non-Hisp. Black Women	5.4	2.0 – 8.9
	Hispanic Men	1.3	0.0 – 2.5
	Hispanic Women	2.2	0.7 – 3.6
AGE GROUP	18-44	1.1	0.4 – 1.9
	45-64	3.2	2.4 – 4.1
	65 & Older	6.5	5.3 – 7.6
EDUCATION LEVEL	<High School	4.4	2.4 – 6.3
	H.S./GED	3.0	2.2 – 3.8
	>High School	2.7	2.1 – 3.4
ANNUAL INCOME	<\$25,000	4.6	3.5 – 5.7
	\$25,000-\$49,999	2.7	1.8 – 3.5
	\$50,000 or More	2.1	1.2 – 3.0
MARITAL STATUS	Married/Couple	2.8	2.2 – 3.5
	Not Married/Couple	3.4	2.6 – 4.2

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease, or a stroke

		Measure	95% CI
ALL	Overall	9.8	8.9 – 10.7
SEX	Men	10.4	9.1 – 11.7
	Women	9.2	8.0 – 10.4
RACE/ETHNICITY	Non-Hisp. White	11.8	10.6 – 12.9
	Non-Hisp. Black	7.1	4.5 – 9.6
	Hispanic	6.2	4.2 – 8.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.5	11.7 – 15.4
	Non-Hisp. White Women	10.2	8.7 – 11.6
	Non-Hisp. Black Men	5.9	2.7 – 9.0
	Non-Hisp. Black Women	8.1	4.3 – 11.9
	Hispanic Men	5.0	2.5 – 7.6
	Hispanic Women	7.3	4.4 – 10.2
AGE GROUP	18-44	2.6	1.6 – 3.6
	45-64	11.6	9.9 – 13.3
	65 & Older	20.5	18.4 – 22.6
EDUCATION LEVEL	<High School	15.2	11.6 – 18.8
	H.S./GED	10.4	8.8 – 12.0
	>High School	7.9	6.9 – 8.9
ANNUAL INCOME	<\$25,000	14.1	12.1 – 16.0
	\$25,000-\$49,999	8.6	6.9 – 10.2
	\$50,000 or More	6.8	5.4 – 8.2
MARITAL STATUS	Married/Couple	9.9	8.6 – 11.1
	Not Married/Couple	9.7	8.4 – 11.0

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Diabetes

Percentage of adults with diagnosed diabetes

		Measure	95% CI
ALL	Overall	11.4	10.3 – 12.4
SEX	Men	12.4	10.7 – 14.0
	Women	10.4	9.1 – 11.7
RACE/ETHNICITY	Non-Hisp. White	10.6	9.5 – 11.7
	Non-Hisp. Black	13.2	10.0 – 16.4
	Hispanic	12.2	9.3 – 15.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.2	10.3 – 14.0
	Non-Hisp. White Women	9.1	7.8 – 10.4
	Non-Hisp. Black Men	11.2	6.8 – 15.7
	Non-Hisp. Black Women	15.0	10.4 – 19.5
	Hispanic Men	13.5	8.8 – 18.2
	Hispanic Women	11.0	7.4 – 14.6
AGE GROUP	18-44	3.3	2.2 – 4.5
	45-64	15.0	12.9 – 17.0
	65 & Older	21.2	18.9 – 23.5
EDUCATION LEVEL	<High School	18.1	13.9 – 22.3
	H.S./GED	12.5	10.7 – 14.4
	>High School	8.9	7.8 – 10.1
ANNUAL INCOME	<\$25,000	15.0	12.8 – 17.2
	\$25,000-\$49,999	11.1	9.0 – 13.1
	\$50,000 or More	8.5	6.8 – 10.1
MARITAL STATUS	Married/Couple	11.6	10.2 – 13.1
	Not Married/Couple	11.2	9.7 – 12.8

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		Measure	95% CI
ALL	Overall	65.7	60.9 – 70.6
SEX	Men	56.9	49.3 – 64.5
	Women	74.2	68.7 – 79.6
RACE/ETHNICITY	Non-Hisp. White	64.2	58.9 – 69.5
	Non-Hisp. Black	70.4	58.0 – 82.7
	Hispanic	72.2	57.5 – 86.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	58.4	50.4 – 66.4
	Non-Hisp. White Women	70.6	63.8 – 77.4
	Non-Hisp. Black Men	48.5	24.0 – 72.9
	Non-Hisp. Black Women	80.4	68.9 – 92.0
	Hispanic Men	64.3	40.3 – 88.2
	Hispanic Women	79.9	66.6 – 93.2
AGE GROUP	18-44	69.2	43.9 – 94.5
	45-64	63.6	55.6 – 71.7
	65 & Older	66.8	61.2 – 72.3
EDUCATION LEVEL	<High School	69.8	57.7 – 81.9
	H.S./GED	64.5	55.9 – 73.1
	>High School	64.8	58.4 – 71.1
ANNUAL INCOME	<\$25,000	71.3	63.3 – 79.2
	\$25,000-\$49,999	56.3	46.0 – 66.6
	\$50,000 or More	65.2	55.5 – 74.9
MARITAL STATUS	Married/Couple	61.7	54.8 – 68.7
	Not Married/Couple	71.0	64.7 – 77.4

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		Measure	95% CI
ALL	Overall	76.3	71.7 – 80.9
SEX	Men	74.8	67.8 – 81.9
	Women	77.8	72.1 – 83.6
RACE/ETHNICITY	Non-Hisp. White	75.7	70.6 – 80.8
	Non-Hisp. Black	83.1	73.0 – 93.1
	Hispanic	76.0	60.7 – 91.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.2	69.2 – 83.3
	Non-Hisp. White Women	75.2	67.8 – 82.5
	Non-Hisp. Black Men	^	
	Non-Hisp. Black Women	81.5	68.9 – 94.1
	Hispanic Men	67.1	43.0 – 91.3
	Hispanic Women	86.5	75.2 – 97.8
AGE GROUP	18-44	55.2	29.2 – 81.1
	45-64	78.3	72.0 – 84.6
	65 & Older	79.0	73.9 – 84.1
EDUCATION LEVEL	<High School	81.4	71.6 – 91.2
	H.S./GED	74.5	65.6 – 83.4
	>High School	76.2	70.5 – 81.9
ANNUAL INCOME	<\$25,000	78.2	71.8 – 84.6
	\$25,000-\$49,999	69.3	58.4 – 80.2
	\$50,000 or More	78.2	69.8 – 86.7
MARITAL STATUS	Married/Couple	77.8	71.5 – 84.0
	Not Married/Couple	74.4	67.8 – 81.0

Percentage of adults with diabetes who had an annual foot exam

		Measure	95% CI
ALL	Overall	69.7	65.1 – 74.3
SEX	Men	69.5	62.4 – 76.6
	Women	69.8	63.9 – 75.7
RACE/ETHNICITY	Non-Hisp. White	69.6	64.5 – 74.7
	Non-Hisp. Black	77.2	66.5 – 87.9
	Hispanic	61.9	46.5 – 77.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.0	65.8 – 80.2
	Non-Hisp. White Women	65.9	58.8 – 73.0
	Non-Hisp. Black Men	78.7	56.8 – 100.0
	Non-Hisp. Black Women	76.5	64.5 – 88.5
	Hispanic Men	55.8	32.4 – 79.1
	Hispanic Women	67.5	49.1 – 86.0
AGE GROUP	18-44	66.6	44.2 – 89.1
	45-64	73.6	67.0 – 80.1
	65 & Older	66.9	60.6 – 73.1
EDUCATION LEVEL	<High School	69.6	57.2 – 82.1
	H.S./GED	68.0	60.4 – 75.6
	>High School	70.8	64.6 – 77.1
ANNUAL INCOME	<\$25,000	63.5	55.4 – 71.6
	\$25,000-\$49,999	68.4	59.4 – 77.4
	\$50,000 or More	75.4	66.8 – 84.0
MARITAL STATUS	Married/Couple	69.5	63.2 – 75.8
	Not Married/Couple	70.1	63.4 – 76.7

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		Measure	95% CI
ALL	Overall	69.9	64.8 – 75.0
SEX	Men	75.5	69.6 – 81.5
	Women	64.5	56.9 – 72.2
RACE/ETHNICITY	Non-Hisp. White	71.0	66.0 – 76.0
	Non-Hisp. Black	67.4	51.6 – 83.1
	Hispanic	67.5	51.5 – 83.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.1	67.2 – 81.0
	Non-Hisp. White Women	67.6	60.5 – 74.7
	Non-Hisp. Black Men	75.4	52.8 – 98.0
	Non-Hisp. Black Women	63.5	43.6 – 83.5
	Hispanic Men	81.7	68.3 – 95.0
	Hispanic Women	53.6	30.8 – 76.3
AGE GROUP	18-44	58.1	32.6 – 83.6
	45-64	62.0	53.3 – 70.7
	65 & Older	78.7	74.0 – 83.4
EDUCATION LEVEL	<High School	64.5	51.2 – 77.8
	H.S./GED	73.6	66.5 – 80.7
	>High School	69.4	61.6 – 77.1
ANNUAL INCOME	<\$25,000	70.4	63.4 – 77.4
	\$25,000-\$49,999	68.6	59.4 – 77.9
	\$50,000 or More	69.3	57.2 – 81.4
MARITAL STATUS	Married/Couple	74.9	68.1 – 81.7
	Not Married/Couple	63.3	55.8 – 70.9

Percentage of adults with diabetes who ever had diabetes self-management education

		Measure	95% CI
ALL	Overall	52.8	47.7 – 58.0
SEX	Men	52.8	45.3 – 60.4
	Women	52.8	45.8 – 59.9
RACE/ETHNICITY	Non-Hisp. White	58.1	52.8 – 63.4
	Non-Hisp. Black	45.9	32.1 – 59.7
	Hispanic	41.0	26.0 – 56.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	58.8	51.0 – 66.6
	Non-Hisp. White Women	57.3	50.1 – 64.6
	Non-Hisp. Black Men	44.0	21.1 – 67.0
	Non-Hisp. Black Women	46.8	29.6 – 64.0
	Hispanic Men	35.5	15.5 – 55.6
	Hispanic Women	46.4	24.7 – 68.1
AGE GROUP	18-44	30.5	9.9 – 51.1
	45-64	62.1	53.6 – 70.5
	65 & Older	48.9	42.8 – 54.9
EDUCATION LEVEL	<High School	35.1	23.2 – 46.9
	H.S./GED	56.0	47.6 – 64.3
	>High School	59.3	52.1 – 66.4
ANNUAL INCOME	<\$25,000	46.4	38.5 – 54.4
	\$25,000-\$49,999	50.1	40.0 – 60.3
	\$50,000 or More	69.6	59.0 – 80.2
MARITAL STATUS	Married/Couple	53.6	46.4 – 60.7
	Not Married/Couple	51.9	44.6 – 59.3

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Diabetes

Average age at which diabetes was diagnosed

		Measure	95% CI
ALL	Overall	51.4	49.8 – 53.0
SEX	Men	51.7	49.6 – 53.9
	Women	51.1	48.7 – 53.6
RACE/ETHNICITY	Non-Hisp. White	53.9	52.4 – 55.5
	Non-Hisp. Black	45.1	40.4 – 49.8
	Hispanic	49.1	44.4 – 53.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.7	51.5 – 55.9
	Non-Hisp. White Women	54.2	52.1 – 56.3
	Non-Hisp. Black Men	41.8	33.8 – 49.9
	Non-Hisp. Black Women	46.6	40.6 – 52.5
	Hispanic Men	51.0	44.9 – 57.1
	Hispanic Women	47.1	40.0 – 54.1
AGE GROUP	18-44	29.2	24.9 – 33.5
	45-64	45.9	44.1 – 47.7
	65 & Older	60.3	59.0 – 61.6
EDUCATION LEVEL	<High School	52.4	48.2 – 56.6
	H.S./GED	52.6	50.1 – 55.1
	>High School	50.1	47.7 – 52.4
ANNUAL INCOME	<\$25,000	54.7	52.7 – 56.7
	\$25,000-\$49,999	51.0	48.1 – 53.9
	\$50,000 or More	49.0	45.8 – 52.2
MARITAL STATUS	Married/Couple	51.9	49.9 – 53.8
	Not Married/Couple	50.9	48.2 – 53.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		Measure	95% CI
ALL	Overall	22.4	21.0 – 23.8
SEX	Men	21.4	19.3 – 23.5
	Women	23.3	21.4 – 25.2
RACE/ETHNICITY	Non-Hisp. White	24.2	22.6 – 25.8
	Non-Hisp. Black	21.1	16.9 – 25.4
	Hispanic	17.3	13.7 – 20.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.5	21.1 – 26.0
	Non-Hisp. White Women	24.9	22.8 – 27.0
	Non-Hisp. Black Men	19.5	13.2 – 25.8
	Non-Hisp. Black Women	22.5	16.7 – 28.3
	Hispanic Men	15.7	10.6 – 20.8
	Hispanic Women	18.7	13.8 – 23.7
AGE GROUP	18-44	13.3	11.1 – 15.5
	45-64	29.7	27.2 – 32.3
	65 & Older	28.8	26.4 – 31.3
EDUCATION LEVEL	<High School	30.8	25.5 – 36.1
	H.S./GED	24.3	21.7 – 26.9
	>High School	19.1	17.5 – 20.7
ANNUAL INCOME	<\$25,000	32.9	29.9 – 36.0
	\$25,000-\$49,999	18.9	16.3 – 21.4
	\$50,000 or More	15.0	13.0 – 17.1
MARITAL STATUS	Married/Couple	20.4	18.6 – 22.3
	Not Married/Couple	24.9	22.7 – 27.1

Percentage of adults who use special equipment because of a health problem

		Measure	95% CI
ALL	Overall	8.9	8.0 – 9.7
SEX	Men	7.0	5.9 – 8.0
	Women	10.6	9.3 – 12.0
RACE/ETHNICITY	Non-Hisp. White	9.1	8.1 – 10.0
	Non-Hisp. Black	8.3	5.9 – 10.7
	Hispanic	7.2	4.8 – 9.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.0	6.6 – 9.4
	Non-Hisp. White Women	10.1	8.8 – 11.4
	Non-Hisp. Black Men	5.8	2.7 – 9.0
	Non-Hisp. Black Women	10.4	6.9 – 13.9
	Hispanic Men	3.8	1.9 – 5.8
	Hispanic Women	10.5	6.2 – 14.7
AGE GROUP	18-44	2.6	1.5 – 3.6
	45-64	10.9	9.2 – 12.6
	65 & Older	17.8	15.8 – 19.7
EDUCATION LEVEL	<High School	12.7	9.5 – 16.0
	H.S./GED	9.9	8.1 – 11.6
	>High School	7.1	6.2 – 8.1
ANNUAL INCOME	<\$25,000	14.0	11.9 – 16.0
	\$25,000-\$49,999	6.7	5.4 – 8.0
	\$50,000 or More	4.0	2.9 – 5.1
MARITAL STATUS	Married/Couple	7.6	6.4 – 8.7
	Not Married/Couple	10.4	9.0 – 11.7

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		Measure	95% CI
ALL	Overall	78.1	76.5 – 79.7
SEX	Men	75.9	73.4 – 78.4
	Women	80.1	78.1 – 82.1
RACE/ETHNICITY	Non-Hisp. White	84.7	83.1 – 86.2
	Non-Hisp. Black	77.0	72.4 – 81.6
	Hispanic	62.4	57.8 – 66.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.7	81.3 – 86.1
	Non-Hisp. White Women	85.6	83.6 – 87.6
	Non-Hisp. Black Men	74.8	67.6 – 82.1
	Non-Hisp. Black Women	78.8	73.0 – 84.6
	Hispanic Men	58.3	51.3 – 65.2
	Hispanic Women	66.3	60.5 – 72.1
AGE GROUP	18-44	69.4	66.5 – 72.4
	45-64	76.1	73.5 – 78.7
	65 & Older	96.2	94.7 – 97.7
EDUCATION LEVEL	<High School	60.4	54.4 – 66.4
	H.S./GED	77.2	74.4 – 80.0
	>High School	83.3	81.5 – 85.0
ANNUAL INCOME	<\$25,000	61.3	58.0 – 64.7
	\$25,000-\$49,999	79.7	76.7 – 82.8
	\$50,000 or More	92.3	90.4 – 94.1
MARITAL STATUS	Married/Couple	82.2	80.2 – 84.3
	Not Married/Couple	73.3	70.8 – 75.9

Percentage of adults who have a personal doctor

		Measure	95% CI
ALL	Overall	75.4	73.8 – 77.0
SEX	Men	69.3	66.7 – 71.9
	Women	81.1	79.2 – 83.0
RACE/ETHNICITY	Non-Hisp. White	80.8	79.2 – 82.5
	Non-Hisp. Black	73.2	68.0 – 78.3
	Hispanic	63.2	58.7 – 67.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.5	73.8 – 79.2
	Non-Hisp. White Women	84.8	82.7 – 86.8
	Non-Hisp. Black Men	64.3	55.8 – 72.9
	Non-Hisp. Black Women	80.9	75.3 – 86.5
	Hispanic Men	53.8	46.8 – 60.8
	Hispanic Women	72.0	66.6 – 77.4
AGE GROUP	18-44	61.4	58.3 – 64.5
	45-64	80.0	77.5 – 82.5
	65 & Older	93.8	92.5 – 95.2
EDUCATION LEVEL	<High School	62.4	56.4 – 68.4
	H.S./GED	76.5	73.6 – 79.3
	>High School	78.3	76.4 – 80.2
ANNUAL INCOME	<\$25,000	66.3	63.0 – 69.5
	\$25,000-\$49,999	72.1	68.5 – 75.6
	\$50,000 or More	86.6	84.4 – 88.7
MARITAL STATUS	Married/Couple	80.5	78.5 – 82.5
	Not Married/Couple	69.7	67.1 – 72.4

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		Measure	95% CI
ALL	Overall	20.8	19.3 – 22.3
SEX	Men	18.1	15.9 – 20.3
	Women	23.3	21.2 – 25.4
RACE/ETHNICITY	Non-Hisp. White	16.2	14.6 – 17.8
	Non-Hisp. Black	26.1	21.1 – 31.0
	Hispanic	28.8	24.6 – 33.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.0	11.6 – 16.3
	Non-Hisp. White Women	18.3	16.0 – 20.5
	Non-Hisp. Black Men	23.0	15.8 – 30.2
	Non-Hisp. Black Women	28.7	22.1 – 35.4
	Hispanic Men	24.7	18.7 – 30.7
	Hispanic Women	32.8	26.9 – 38.6
AGE GROUP	18-44	27.8	24.9 – 30.7
	45-64	23.3	20.8 – 25.8
	65 & Older	4.7	3.4 – 6.0
EDUCATION LEVEL	<High School	32.0	26.4 – 37.6
	H.S./GED	20.8	18.0 – 23.6
	>High School	17.8	16.1 – 19.6
ANNUAL INCOME	<\$25,000	35.8	32.5 – 39.0
	\$25,000-\$49,999	17.7	14.8 – 20.6
	\$50,000 or More	8.4	6.6 – 10.2
MARITAL STATUS	Married/Couple	17.5	15.5 – 19.5
	Not Married/Couple	24.5	22.1 – 27.0

Percentage of adults who had a medical checkup in the past year

		Measure	95% CI
ALL	Overall	70.3	68.6 – 72.0
SEX	Men	65.3	62.6 – 67.9
	Women	75.0	72.9 – 77.0
RACE/ETHNICITY	Non-Hisp. White	71.3	69.4 – 73.2
	Non-Hisp. Black	72.3	67.2 – 77.4
	Hispanic	66.5	62.0 – 71.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.3	65.3 – 71.2
	Non-Hisp. White Women	74.2	71.8 – 76.5
	Non-Hisp. Black Men	61.7	53.0 – 70.4
	Non-Hisp. Black Women	81.4	76.4 – 86.4
	Hispanic Men	60.1	53.1 – 67.0
	Hispanic Women	72.5	67.0 – 78.1
AGE GROUP	18-44	59.8	56.7 – 62.9
	45-64	70.2	67.6 – 72.9
	65 & Older	89.3	87.5 – 91.1
EDUCATION LEVEL	<High School	62.5	56.5 – 68.5
	H.S./GED	69.9	66.8 – 72.9
	>High School	72.5	70.5 – 74.5
ANNUAL INCOME	<\$25,000	60.6	57.3 – 63.9
	\$25,000-\$49,999	71.2	67.7 – 74.7
	\$50,000 or More	77.5	75.1 – 80.0
MARITAL STATUS	Married/Couple	73.6	71.4 – 75.8
	Not Married/Couple	66.5	63.9 – 69.1

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults with good or excellent overall health

		Measure	95% CI
ALL	Overall	80.1	78.6 – 81.5
SEX	Men	80.5	78.4 – 82.7
	Women	79.6	77.7 – 81.5
RACE/ETHNICITY	Non-Hisp. White	83.3	81.9 – 84.8
	Non-Hisp. Black	76.0	71.4 – 80.6
	Hispanic	75.2	71.2 – 79.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.5	81.3 – 85.6
	Non-Hisp. White Women	83.2	81.3 – 85.2
	Non-Hisp. Black Men	76.6	69.3 – 83.9
	Non-Hisp. Black Women	75.5	69.7 – 81.2
	Hispanic Men	76.3	70.2 – 82.3
	Hispanic Women	74.2	69.0 – 79.5
AGE GROUP	18-44	87.2	84.8 – 89.5
	45-64	75.6	73.2 – 78.1
	65 & Older	73.5	71.0 – 76.0
EDUCATION LEVEL	<High School	55.8	49.9 – 61.7
	H.S./GED	78.4	75.8 – 80.9
	>High School	87.6	86.3 – 89.0
ANNUAL INCOME	<\$25,000	64.9	61.7 – 68.0
	\$25,000-\$49,999	86.4	84.1 – 88.6
	\$50,000 or More	92.0	90.4 – 93.6
MARITAL STATUS	Married/Couple	82.8	80.9 – 84.7
	Not Married/Couple	76.8	74.6 – 79.1

Percentage of adults with good physical health for the past 30 days

		Measure	95% CI
ALL	Overall	85.8	84.6 – 87.0
SEX	Men	88.2	86.5 – 89.9
	Women	83.6	81.9 – 85.4
RACE/ETHNICITY	Non-Hisp. White	86.5	85.2 – 87.8
	Non-Hisp. Black	86.6	82.8 – 90.4
	Hispanic	84.1	80.7 – 87.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	88.7	86.9 – 90.5
	Non-Hisp. White Women	84.4	82.5 – 86.4
	Non-Hisp. Black Men	88.4	82.9 – 93.8
	Non-Hisp. Black Women	84.9	79.6 – 90.3
	Hispanic Men	87.6	82.8 – 92.5
	Hispanic Women	80.7	76.0 – 85.5
AGE GROUP	18-44	90.7	88.7 – 92.7
	45-64	81.6	79.5 – 83.8
	65 & Older	82.5	80.4 – 84.6
EDUCATION LEVEL	<High School	74.3	69.1 – 79.5
	H.S./GED	84.5	82.3 – 86.6
	>High School	89.5	88.2 – 90.8
ANNUAL INCOME	<\$25,000	76.4	73.6 – 79.1
	\$25,000-\$49,999	89.1	87.1 – 91.1
	\$50,000 or More	92.4	90.7 – 94.1
MARITAL STATUS	Married/Couple	87.6	86.0 – 89.1
	Not Married/Couple	83.9	82.0 – 85.9

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults with good mental health for the past 30 days

		Measure	95% CI
ALL	Overall	86.1	84.8 – 87.4
SEX	Men	87.6	85.7 – 89.5
	Women	84.7	83.0 – 86.5
RACE/ETHNICITY	Non-Hisp. White	86.7	85.2 – 88.1
	Non-Hisp. Black	86.6	82.9 – 90.2
	Hispanic	84.6	81.1 – 88.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.8	85.6 – 90.0
	Non-Hisp. White Women	85.6	83.7 – 87.5
	Non-Hisp. Black Men	89.6	84.8 – 94.4
	Non-Hisp. Black Women	83.9	78.6 – 89.3
	Hispanic Men	85.6	80.1 – 91.0
	Hispanic Women	83.7	79.1 – 88.4
AGE GROUP	18-44	85.2	82.8 – 87.5
	45-64	83.8	81.7 – 85.8
	65 & Older	90.9	89.3 – 92.6
EDUCATION LEVEL	<High School	75.1	69.7 – 80.4
	H.S./GED	86.0	83.8 – 88.2
	>High School	88.9	87.5 – 90.3
ANNUAL INCOME	<\$25,000	77.1	74.3 – 80.0
	\$25,000-\$49,999	89.0	86.6 – 91.5
	\$50,000 or More	91.6	89.9 – 93.3
MARITAL STATUS	Married/Couple	88.3	86.6 – 89.9
	Not Married/Couple	83.6	81.5 – 85.6

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	17.1	15.3 – 19.0
SEX	Men	18.6	15.5 – 21.7
	Women	16.0	13.8 – 18.1
RACE/ETHNICITY	Non-Hisp. White	16.4	14.5 – 18.4
	Non-Hisp. Black	14.3	9.7 – 18.8
	Hispanic	19.1	13.8 – 24.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.1	13.9 – 20.3
	Non-Hisp. White Women	15.9	13.5 – 18.3
	Non-Hisp. Black Men	15.1	7.2 – 23.0
	Non-Hisp. Black Women	13.7	8.2 – 19.2
	Hispanic Men	22.5	13.5 – 31.5
	Hispanic Women	16.3	10.2 – 22.3
AGE GROUP	18-44	11.6	8.7 – 14.5
	45-64	23.0	19.8 – 26.2
	65 & Older	20.0	16.7 – 23.3
EDUCATION LEVEL	<High School	28.3	21.5 – 35.1
	H.S./GED	18.5	15.4 – 21.5
	>High School	12.4	10.5 – 14.2
ANNUAL INCOME	<\$25,000	24.4	20.9 – 27.9
	\$25,000-\$49,999	12.6	9.4 – 15.8
	\$50,000 or More	10.5	7.8 – 13.3
MARITAL STATUS	Married/Couple	15.1	12.7 – 17.5
	Not Married/Couple	18.9	16.2 – 21.7

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	13.9	12.6 – 15.2
SEX	Men	12.4	10.5 – 14.3
	Women	15.3	13.5 – 17.0
RACE/ETHNICITY	Non-Hisp. White	13.3	11.9 – 14.8
	Non-Hisp. Black	13.4	9.8 – 17.1
	Hispanic	15.4	11.8 – 18.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.2	10.0 – 14.4
	Non-Hisp. White Women	14.4	12.5 – 16.3
	Non-Hisp. Black Men	10.4	5.6 – 15.2
	Non-Hisp. Black Women	16.1	10.7 – 21.4
	Hispanic Men	14.4	9.0 – 19.9
	Hispanic Women	16.3	11.6 – 20.9
AGE GROUP	18-44	14.8	12.5 – 17.2
	45-64	16.2	14.2 – 18.3
	65 & Older	9.1	7.4 – 10.7
EDUCATION LEVEL	<High School	24.9	19.6 – 30.3
	H.S./GED	14.0	11.8 – 16.2
	>High School	11.1	9.7 – 12.5
ANNUAL INCOME	<\$25,000	22.9	20.0 – 25.7
	\$25,000-\$49,999	11.0	8.5 – 13.4
	\$50,000 or More	8.4	6.7 – 10.1
MARITAL STATUS	Married/Couple	11.7	10.1 – 13.4
	Not Married/Couple	16.4	14.4 – 18.5

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	14.2	13.0 – 15.4
SEX	Men	11.8	10.1 – 13.5
	Women	16.4	14.6 – 18.1
RACE/ETHNICITY	Non-Hisp. White	13.5	12.2 – 14.8
	Non-Hisp. Black	13.4	9.6 – 17.2
	Hispanic	15.9	12.5 – 19.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.3	9.5 – 13.1
	Non-Hisp. White Women	15.6	13.6 – 17.5
	Non-Hisp. Black Men	11.6	6.2 – 17.1
	Non-Hisp. Black Women	15.1	9.7 – 20.4
	Hispanic Men	12.4	7.5 – 17.2
	Hispanic Women	19.3	14.5 – 24.0
AGE GROUP	18-44	9.3	7.3 – 11.3
	45-64	18.4	16.2 – 20.5
	65 & Older	17.5	15.4 – 19.6
EDUCATION LEVEL	<High School	25.7	20.5 – 30.9
	H.S./GED	15.5	13.4 – 17.7
	>High School	10.5	9.2 – 11.8
ANNUAL INCOME	<\$25,000	23.6	20.9 – 26.4
	\$25,000-\$49,999	10.9	8.9 – 12.9
	\$50,000 or More	7.6	5.9 – 9.3
MARITAL STATUS	Married/Couple	12.4	10.9 – 14.0
	Not Married/Couple	16.1	14.1 – 18.0

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults who said their overall health was "fair" or "poor"

		Measure	95% CI
ALL	Overall	19.9	18.5 – 21.4
SEX	Men	19.5	17.3 – 21.6
	Women	20.4	18.5 – 22.3
RACE/ETHNICITY	Non-Hisp. White	16.7	15.2 – 18.1
	Non-Hisp. Black	24.0	19.4 – 28.6
	Hispanic	24.8	20.8 – 28.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.5	14.4 – 18.7
	Non-Hisp. White Women	16.8	14.8 – 18.7
	Non-Hisp. Black Men	23.4	16.1 – 30.7
	Non-Hisp. Black Women	24.5	18.8 – 30.3
	Hispanic Men	23.7	17.7 – 29.8
	Hispanic Women	25.8	20.5 – 31.0
AGE GROUP	18-44	12.8	10.5 – 15.2
	45-64	24.4	21.9 – 26.8
	65 & Older	26.5	24.0 – 29.0
EDUCATION LEVEL	<High School	44.2	38.3 – 50.1
	H.S./GED	21.6	19.1 – 24.2
	>High School	12.4	11.0 – 13.7
ANNUAL INCOME	<\$25,000	35.1	32.0 – 38.3
	\$25,000-\$49,999	13.6	11.4 – 15.9
	\$50,000 or More	8.0	6.4 – 9.6
MARITAL STATUS	Married/Couple	17.2	15.3 – 19.1
	Not Married/Couple	23.2	20.9 – 25.4

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		Measure	95% CI
ALL	Overall	5.3	4.9 – 5.8
SEX	Men	5.6	4.9 – 6.4
	Women	5.1	4.6 – 5.6
RACE/ETHNICITY	Non-Hisp. White	5.2	4.7 – 5.7
	Non-Hisp. Black	4.5	3.4 – 5.5
	Hispanic	5.7	4.5 – 7.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.3	4.5 – 6.1
	Non-Hisp. White Women	5.1	4.5 – 5.7
	Non-Hisp. Black Men	4.5	2.5 – 6.4
	Non-Hisp. Black Women	4.5	3.3 – 5.7
	Hispanic Men	6.6	4.5 – 8.7
	Hispanic Women	5.0	3.7 – 6.4
AGE GROUP	18-44	3.7	3.1 – 4.4
	45-64	7.2	6.4 – 8.0
	65 & Older	5.9	5.1 – 6.7
EDUCATION LEVEL	<High School	8.0	6.5 – 9.6
	H.S./GED	5.8	5.0 – 6.5
	>High School	4.1	3.6 – 4.5
ANNUAL INCOME	<\$25,000	7.3	6.5 – 8.2
	\$25,000-\$49,999	4.0	3.3 – 4.8
	\$50,000 or More	3.6	2.9 – 4.2
MARITAL STATUS	Married/Couple	4.7	4.1 – 5.3
	Not Married/Couple	5.8	5.2 – 6.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		Measure	95% CI
ALL	Overall	4.5	4.2 – 4.8
SEX	Men	3.9	3.4 – 4.3
	Women	5.0	4.6 – 5.5
RACE/ETHNICITY	Non-Hisp. White	4.3	4.0 – 4.6
	Non-Hisp. Black	4.3	3.4 – 5.3
	Hispanic	5.0	4.1 – 5.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.7	3.3 – 4.2
	Non-Hisp. White Women	4.8	4.3 – 5.3
	Non-Hisp. Black Men	3.8	2.3 – 5.2
	Non-Hisp. Black Women	4.8	3.6 – 6.0
	Hispanic Men	4.2	2.8 – 5.5
	Hispanic Women	5.7	4.6 – 6.9
AGE GROUP	18-44	3.3	2.8 – 3.8
	45-64	5.6	5.0 – 6.1
	65 & Older	5.3	4.8 – 5.8
EDUCATION LEVEL	<High School	7.4	6.1 – 8.6
	H.S./GED	5.0	4.5 – 5.6
	>High School	3.4	3.1 – 3.8
ANNUAL INCOME	<\$25,000	7.2	6.5 – 7.9
	\$25,000-\$49,999	3.6	3.1 – 4.2
	\$50,000 or More	2.6	2.2 – 3.0
MARITAL STATUS	Married/Couple	4.1	3.7 – 4.5
	Not Married/Couple	4.9	4.4 – 5.3

Average number of unhealthy mental days in the past 30 days

		Measure	95% CI
ALL	Overall	4.4	4.1 – 4.7
SEX	Men	4.0	3.5 – 4.5
	Women	4.8	4.4 – 5.3
RACE/ETHNICITY	Non-Hisp. White	4.2	3.8 – 4.5
	Non-Hisp. Black	4.4	3.5 – 5.3
	Hispanic	5.0	4.1 – 5.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.7	3.2 – 4.3
	Non-Hisp. White Women	4.6	4.1 – 5.0
	Non-Hisp. Black Men	3.6	2.4 – 4.7
	Non-Hisp. Black Women	5.2	3.8 – 6.5
	Hispanic Men	4.8	3.4 – 6.2
	Hispanic Women	5.1	4.1 – 6.2
AGE GROUP	18-44	4.9	4.3 – 5.4
	45-64	4.9	4.4 – 5.5
	65 & Older	3.0	2.5 – 3.4
EDUCATION LEVEL	<High School	7.2	5.9 – 8.6
	H.S./GED	4.5	3.9 – 5.0
	>High School	3.7	3.4 – 4.0
ANNUAL INCOME	<\$25,000	7.1	6.4 – 7.8
	\$25,000-\$49,999	3.6	3.0 – 4.2
	\$50,000 or More	2.8	2.4 – 3.2
MARITAL STATUS	Married/Couple	3.7	3.3 – 4.1
	Not Married/Couple	5.3	4.7 – 5.8

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

HIV/AIDS**Percentage of adults less than 65 years of age who have ever been tested for HIV**

		Measure	95% CI
ALL	Overall	51.3	49.0 – 53.5
SEX	Men	50.3	47.0 – 53.7
	Women	52.3	49.2 – 55.3
RACE/ETHNICITY	Non-Hisp. White	46.0	43.3 – 48.7
	Non-Hisp. Black	65.3	59.2 – 71.5
	Hispanic	53.7	48.3 – 59.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.0	43.0 – 50.9
	Non-Hisp. White Women	45.0	41.4 – 48.6
	Non-Hisp. Black Men	56.4	46.6 – 66.1
	Non-Hisp. Black Women	73.7	66.6 – 80.9
	Hispanic Men	53.5	45.5 – 61.5
	Hispanic Women	54.0	46.7 – 61.3
AGE GROUP	18-44	59.2	55.9 – 62.4
	45-64	40.9	38.0 – 43.8
EDUCATION LEVEL	<High School	51.6	43.5 – 59.7
	H.S./GED	49.3	45.1 – 53.4
	>High School	52.4	49.7 – 55.1
ANNUAL INCOME	<\$25,000	56.0	51.9 – 60.2
	\$25,000-\$49,999	53.2	48.5 – 58.0
	\$50,000 or More	48.1	44.6 – 51.6
MARITAL STATUS	Married/Couple	48.5	45.5 – 51.5
	Not Married/Couple	54.5	51.1 – 58.0

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		Measure	95% CI
ALL	Overall	41.4	39.4 – 43.4
SEX	Men	42.8	39.5 – 46.1
	Women	40.4	37.9 – 42.9
RACE/ETHNICITY	Non-Hisp. White	41.6	39.4 – 43.7
	Non-Hisp. Black	46.2	39.2 – 53.3
	Hispanic	39.5	33.1 – 45.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.5	40.9 – 48.0
	Non-Hisp. White Women	39.3	36.6 – 41.9
	Non-Hisp. Black Men	35.3	24.2 – 46.5
	Non-Hisp. Black Women	54.0	45.7 – 62.4
	Hispanic Men	44.6	33.6 – 55.6
	Hispanic Women	36.3	28.7 – 43.9
AGE GROUP	18-44	20.3	16.2 – 24.4
	45-64	41.3	38.2 – 44.5
	65 & Older	58.2	55.5 – 61.0
EDUCATION LEVEL	<High School	46.7	39.3 – 54.0
	H.S./GED	47.2	43.4 – 50.9
	>High School	36.9	34.5 – 39.3
ANNUAL INCOME	<\$25,000	50.5	46.6 – 54.4
	\$25,000-\$49,999	42.4	38.2 – 46.5
	\$50,000 or More	34.6	31.3 – 37.9
MARITAL STATUS	Married/Couple	40.7	38.0 – 43.3
	Not Married/Couple	42.6	39.5 – 45.7

Percentage of adults with hypertension who engage in blood pressure control measures

		Measure	95% CI
ALL	Overall	96.9	95.7 – 98.0
SEX	Men	96.6	94.6 – 98.5
	Women	97.1	95.8 – 98.3
RACE/ETHNICITY	Non-Hisp. White	96.7	95.5 – 98.0
	Non-Hisp. Black	98.9	97.7 – 100.0
	Hispanic	96.4	92.5 – 100.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	96.0	93.8 – 98.3
	Non-Hisp. White Women	97.4	96.2 – 98.5
	Non-Hisp. Black Men	99.6	98.9 – 100.0
	Non-Hisp. Black Women	98.6	96.8 – 100.0
	Hispanic Men	96.2	88.9 – 100.0
	Hispanic Women	96.6	92.5 – 100.0
AGE GROUP	18-44	92.2	86.4 – 98.0
	45-64	96.9	95.1 – 98.7
	65 & Older	98.1	97.3 – 99.0
EDUCATION LEVEL	<High School	97.5	94.4 – 100.0
	H.S./GED	96.0	93.7 – 98.4
	>High School	97.2	96.1 – 98.4
ANNUAL INCOME	<\$25,000	97.3	95.7 – 98.9
	\$25,000-\$49,999	97.4	95.9 – 99.0
	\$50,000 or More	95.8	93.1 – 98.5
MARITAL STATUS	Married/Couple	96.7	95.0 – 98.4
	Not Married/Couple	97.1	95.9 – 98.2

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Hypertension Awareness & Control**Percentage of adults with hypertension who currently take high blood pressure medicine**

		Measure	95% CI
ALL	Overall	82.9	80.4 – 85.4
SEX	Men	78.2	73.7 – 82.8
	Women	86.6	84.1 – 89.1
RACE/ETHNICITY	Non-Hisp. White	83.2	80.5 – 85.9
	Non-Hisp. Black	88.3	82.8 – 93.9
	Hispanic	79.7	70.5 – 88.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.1	76.6 – 85.7
	Non-Hisp. White Women	85.0	81.9 – 88.0
	Non-Hisp. Black Men	89.5	80.4 – 98.5
	Non-Hisp. Black Women	87.8	80.9 – 94.7
	Hispanic Men	61.6	44.0 – 79.1
	Hispanic Women	93.4	88.6 – 98.3
AGE GROUP	18-44	51.5	39.9 – 63.0
	45-64	82.8	79.1 – 86.4
	65 & Older	91.6	89.6 – 93.6
EDUCATION LEVEL	<High School	89.8	84.3 – 95.3
	H.S./GED	81.0	76.1 – 85.8
	>High School	82.1	78.9 – 85.4
ANNUAL INCOME	<\$25,000	81.6	77.2 – 85.9
	\$25,000-\$49,999	80.8	75.1 – 86.5
	\$50,000 or More	82.0	77.1 – 86.9
MARITAL STATUS	Married/Couple	82.2	78.7 – 85.7
	Not Married/Couple	83.8	80.3 – 87.4

Percentage of adults with hypertension whose blood pressure is currently under control

		Measure	95% CI
ALL	Overall	96.4	95.2 – 97.5
SEX	Men	96.8	94.9 – 98.7
	Women	96.0	94.5 – 97.5
RACE/ETHNICITY	Non-Hisp. White	96.6	95.2 – 97.9
	Non-Hisp. Black	94.7	90.9 – 98.6
	Hispanic	96.3	92.6 – 100.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	96.6	94.3 – 98.9
	Non-Hisp. White Women	96.6	95.1 – 98.1
	Non-Hisp. Black Men	92.0	82.2 – 100.0
	Non-Hisp. Black Women	96.0	92.8 – 99.2
	Hispanic Men	100.0	100.0 – 100.0
	Hispanic Women	93.7	87.3 – 100.0
AGE GROUP	18-44	92.2	86.3 – 98.1
	45-64	94.9	92.9 – 97.0
	65 & Older	98.5	97.5 – 99.5
EDUCATION LEVEL	<High School	91.9	86.9 – 96.9
	H.S./GED	96.7	94.6 – 98.8
	>High School	97.4	96.3 – 98.5
ANNUAL INCOME	<\$25,000	95.0	92.7 – 97.4
	\$25,000-\$49,999	96.3	93.8 – 98.8
	\$50,000 or More	97.5	95.9 – 99.2
MARITAL STATUS	Married/Couple	96.3	94.7 – 97.8
	Not Married/Couple	96.4	94.6 – 98.3

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Immunization

Percentage of adults who received a flu shot in the past year

		Measure	95% CI
ALL	Overall	31.1	29.5 – 32.6
SEX	Men	29.9	27.5 – 32.2
	Women	32.2	30.2 – 34.2
RACE/ETHNICITY	Non-Hisp. White	35.4	33.5 – 37.2
	Non-Hisp. Black	23.9	19.6 – 28.1
	Hispanic	24.3	20.5 – 28.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	33.5	30.8 – 36.3
	Non-Hisp. White Women	37.1	34.7 – 39.5
	Non-Hisp. Black Men	20.3	14.0 – 26.5
	Non-Hisp. Black Women	27.1	21.3 – 32.8
	Hispanic Men	24.9	18.9 – 30.8
	Hispanic Women	23.8	18.8 – 28.8
AGE GROUP	18-44	21.4	18.9 – 23.9
	45-64	26.8	24.4 – 29.2
	65 & Older	54.7	52.0 – 57.4
EDUCATION LEVEL	<High School	26.2	21.3 – 31.2
	H.S./GED	30.4	27.6 – 33.2
	>High School	32.7	30.7 – 34.6
ANNUAL INCOME	<\$25,000	26.9	24.1 – 29.7
	\$25,000-\$49,999	30.7	27.5 – 33.8
	\$50,000 or More	33.8	31.1 – 36.5
MARITAL STATUS	Married/Couple	33.2	31.2 – 35.3
	Not Married/Couple	28.7	26.3 – 31.0

Percentage of adults age 65 and older who received a flu shot in the past year

		Measure	95% CI
ALL	Overall	54.7	52.0 – 57.4
SEX	Men	54.9	50.4 – 59.4
	Women	54.5	51.3 – 57.8
RACE/ETHNICITY	Non-Hisp. White	56.2	53.5 – 58.9
	Non-Hisp. Black	43.9	33.5 – 54.3
	Hispanic	54.4	44.5 – 64.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.9	51.4 – 60.4
	Non-Hisp. White Women	56.4	53.1 – 59.8
	Non-Hisp. Black Men	39.1	21.2 – 57.0
	Non-Hisp. Black Women	47.2	34.9 – 59.5
	Hispanic Men	56.9	40.3 – 73.5
	Hispanic Women	52.3	40.5 – 64.1
AGE GROUP	65 & Older	54.7	52.0 – 57.4
EDUCATION LEVEL	<High School	49.9	41.5 – 58.4
	H.S./GED	57.0	52.6 – 61.4
	>High School	54.5	51.2 – 57.8
ANNUAL INCOME	<\$25,000	52.1	46.9 – 57.3
	\$25,000-\$49,999	58.4	53.5 – 63.4
	\$50,000 or More	52.3	47.1 – 57.5
MARITAL STATUS	Married/Couple	55.4	51.8 – 59.1
	Not Married/Couple	53.6	49.6 – 57.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		Measure	95% CI
ALL	Overall	32.1	30.5 – 33.7
SEX	Men	32.2	29.6 – 34.7
	Women	32.0	29.9 – 34.1
RACE/ETHNICITY	Non-Hisp. White	37.0	35.2 – 38.9
	Non-Hisp. Black	22.3	17.7 – 26.9
	Hispanic	24.5	20.4 – 28.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.9	33.9 – 39.9
	Non-Hisp. White Women	37.1	34.7 – 39.5
	Non-Hisp. Black Men	25.6	17.9 – 33.4
	Non-Hisp. Black Women	19.2	14.1 – 24.3
	Hispanic Men	23.3	17.2 – 29.4
	Hispanic Women	25.5	20.0 – 31.1
AGE GROUP	18-44	20.1	17.2 – 23.0
	45-64	21.8	19.6 – 24.1
	65 & Older	65.7	63.0 – 68.5
EDUCATION LEVEL	<High School	29.8	24.6 – 35.0
	H.S./GED	33.5	30.6 – 36.4
	>High School	31.8	29.8 – 33.8
ANNUAL INCOME	<\$25,000	32.7	29.7 – 35.7
	\$25,000-\$49,999	33.6	30.2 – 37.0
	\$50,000 or More	28.1	25.5 – 30.8
MARITAL STATUS	Married/Couple	31.4	29.4 – 33.5
	Not Married/Couple	33.0	30.4 – 35.5

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		Measure	95% CI
ALL	Overall	65.7	63.0 – 68.5
SEX	Men	62.8	58.1 – 67.5
	Women	68.0	64.9 – 71.2
RACE/ETHNICITY	Non-Hisp. White	71.7	69.1 – 74.2
	Non-Hisp. Black	48.3	37.5 – 59.1
	Hispanic	48.8	38.5 – 59.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.0	65.7 – 74.4
	Non-Hisp. White Women	72.9	69.8 – 76.0
	Non-Hisp. Black Men	51.3	32.5 – 70.1
	Non-Hisp. Black Women	46.2	33.6 – 58.8
	Hispanic Men	39.4	23.3 – 55.5
	Hispanic Women	56.6	44.7 – 68.5
AGE GROUP	65 & Older	65.7	63.0 – 68.5
EDUCATION LEVEL	<High School	55.7	47.0 – 64.4
	H.S./GED	68.5	64.3 – 72.7
	>High School	68.4	65.3 – 71.6
ANNUAL INCOME	<\$25,000	60.3	54.9 – 65.7
	\$25,000-\$49,999	69.0	64.0 – 74.0
	\$50,000 or More	67.6	62.6 – 72.6
MARITAL STATUS	Married/Couple	68.1	64.4 – 71.7
	Not Married/Couple	63.0	58.9 – 67.1

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		Measure	95% CI
ALL	Overall	94.3	93.4 – 95.2
SEX	Men	92.3	90.7 – 93.9
	Women	96.1	95.2 – 97.1
RACE/ETHNICITY	Non-Hisp. White	94.8	93.9 – 95.8
	Non-Hisp. Black	91.6	88.3 – 94.9
	Hispanic	94.5	92.0 – 96.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.8	91.2 – 94.4
	Non-Hisp. White Women	96.7	95.7 – 97.8
	Non-Hisp. Black Men	89.0	83.2 – 94.8
	Non-Hisp. Black Women	93.9	90.6 – 97.2
	Hispanic Men	92.0	87.5 – 96.4
	Hispanic Women	96.8	94.6 – 98.9
AGE GROUP	18-44	92.0	90.2 – 93.8
	45-64	96.3	95.4 – 97.3
	65 & Older	95.4	93.8 – 96.9
EDUCATION LEVEL	<High School	93.0	89.8 – 96.3
	H.S./GED	92.8	91.0 – 94.5
	>High School	95.4	94.4 – 96.5
ANNUAL INCOME	<\$25,000	93.6	91.8 – 95.4
	\$25,000-\$49,999	93.0	90.9 – 95.1
	\$50,000 or More	96.1	94.9 – 97.3
MARITAL STATUS	Married/Couple	95.3	94.2 – 96.5
	Not Married/Couple	93.0	91.5 – 94.6

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Oral Health

Percentage of adults who have seen a dentist in the past year

		Measure	95% CI
ALL	Overall	59.8	58.0 – 61.5
SEX	Men	58.6	55.9 – 61.3
	Women	60.8	58.5 – 63.2
RACE/ETHNICITY	Non-Hisp. White	64.1	62.1 – 66.0
	Non-Hisp. Black	48.0	42.5 – 53.5
	Hispanic	56.1	51.5 – 60.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	61.5	58.5 – 64.5
	Non-Hisp. White Women	66.5	64.0 – 69.0
	Non-Hisp. Black Men	47.4	38.8 – 55.9
	Non-Hisp. Black Women	48.5	41.4 – 55.7
	Hispanic Men	58.5	51.6 – 65.4
	Hispanic Women	53.8	47.6 – 59.9
AGE GROUP	18-44	57.3	54.1 – 60.5
	45-64	59.0	56.2 – 61.8
	65 & Older	65.7	63.1 – 68.3
EDUCATION LEVEL	<High School	34.2	28.7 – 39.7
	H.S./GED	56.8	53.7 – 60.0
	>High School	68.1	66.1 – 70.2
ANNUAL INCOME	<\$25,000	42.7	39.5 – 45.8
	\$25,000-\$49,999	61.1	57.4 – 64.7
	\$50,000 or More	75.9	73.2 – 78.5
MARITAL STATUS	Married/Couple	65.0	62.7 – 67.3
	Not Married/Couple	53.7	51.0 – 56.4

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		Measure	95% CI
ALL	Overall	49.8	48.0 – 51.6
SEX	Men	48.8	46.1 – 51.5
	Women	50.7	48.4 – 53.1
RACE/ETHNICITY	Non-Hisp. White	50.3	48.3 – 52.2
	Non-Hisp. Black	52.1	46.6 – 57.7
	Hispanic	46.7	42.1 – 51.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	50.6	47.6 – 53.7
	Non-Hisp. White Women	49.9	47.3 – 52.5
	Non-Hisp. Black Men	49.9	41.3 – 58.6
	Non-Hisp. Black Women	54.1	46.8 – 61.3
	Hispanic Men	42.3	35.4 – 49.1
	Hispanic Women	51.1	44.9 – 57.3
AGE GROUP	18-44	29.2	26.3 – 32.1
	45-64	59.2	56.4 – 61.9
	65 & Older	75.1	73.0 – 77.3
EDUCATION LEVEL	<High School	66.9	60.8 – 73.0
	H.S./GED	56.5	53.3 – 59.8
	>High School	41.7	39.6 – 43.8
ANNUAL INCOME	<\$25,000	60.8	57.5 – 64.1
	\$25,000-\$49,999	50.4	46.7 – 54.1
	\$50,000 or More	38.7	35.9 – 41.6
MARITAL STATUS	Married/Couple	52.0	49.6 – 54.3
	Not Married/Couple	47.5	44.8 – 50.2

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Other Health Conditions

Percentage of adults who have chronic obstructive pulmonary disease (COPD), emphysema, or chronic bronchitis

		Measure	95% CI
ALL	Overall	7.6	6.7 – 8.5
SEX	Men	6.1	5.0 – 7.3
	Women	9.0	7.7 – 10.3
RACE/ETHNICITY	Non-Hisp. White	8.8	7.7 – 9.8
	Non-Hisp. Black	6.3	3.6 – 9.0
	Hispanic	4.9	3.0 – 6.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.5	6.0 – 9.1
	Non-Hisp. White Women	9.9	8.4 – 11.4
	Non-Hisp. Black Men	3.5	1.0 – 6.0
	Non-Hisp. Black Women	8.7	4.3 – 13.2
	Hispanic Men	3.7	1.2 – 6.1
	Hispanic Women	6.1	3.2 – 9.1
AGE GROUP	18-44	4.1	2.7 – 5.5
	45-64	8.7	7.3 – 10.1
	65 & Older	11.8	10.1 – 13.4
EDUCATION LEVEL	<High School	12.6	9.1 – 16.1
	H.S./GED	8.3	6.8 – 9.8
	>High School	5.9	4.9 – 6.9
ANNUAL INCOME	<\$25,000	12.3	10.4 – 14.2
	\$25,000-\$49,999	7.0	5.3 – 8.8
	\$50,000 or More	2.9	1.9 – 3.9
MARITAL STATUS	Married/Couple	6.5	5.4 – 7.6
	Not Married/Couple	9.0	7.6 – 10.4

Percentage of adults who have a depressive disorder

		Measure	95% CI
ALL	Overall	16.9	15.6 – 18.2
SEX	Men	14.4	12.5 – 16.4
	Women	19.2	17.4 – 21.0
RACE/ETHNICITY	Non-Hisp. White	17.7	16.2 – 19.2
	Non-Hisp. Black	13.6	9.8 – 17.5
	Hispanic	16.3	12.7 – 19.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.8	12.6 – 17.1
	Non-Hisp. White Women	20.3	18.3 – 22.4
	Non-Hisp. Black Men	14.1	8.3 – 19.9
	Non-Hisp. Black Women	13.3	8.1 – 18.4
	Hispanic Men	11.9	7.1 – 16.8
	Hispanic Women	20.4	15.3 – 25.4
AGE GROUP	18-44	16.6	14.2 – 19.1
	45-64	20.1	17.9 – 22.3
	65 & Older	13.2	11.4 – 14.9
EDUCATION LEVEL	<High School	25.3	20.0 – 30.6
	H.S./GED	17.1	14.8 – 19.4
	>High School	14.5	13.1 – 16.0
ANNUAL INCOME	<\$25,000	25.6	22.7 – 28.4
	\$25,000-\$49,999	11.9	9.7 – 14.1
	\$50,000 or More	12.5	10.6 – 14.5
MARITAL STATUS	Married/Couple	14.1	12.5 – 15.7
	Not Married/Couple	20.3	18.1 – 22.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Other Health Conditions

Percentage of adults who have kidney disease

		Measure	95% CI
ALL	Overall	3.5	2.9 – 4.1
SEX	Men	3.1	2.3 – 4.0
	Women	3.8	3.0 – 4.7
RACE/ETHNICITY	Non-Hisp. White	3.7	3.0 – 4.4
	Non-Hisp. Black	2.6	1.0 – 4.1
	Hispanic	3.6	2.1 – 5.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.3	2.4 – 4.2
	Non-Hisp. White Women	4.0	3.0 – 5.1
	Non-Hisp. Black Men	2.8	0.5 – 5.0
	Non-Hisp. Black Women	2.4	0.3 – 4.5
	Hispanic Men	2.9	0.8 – 5.1
	Hispanic Women	4.2	2.0 – 6.3
AGE GROUP	18-44	1.8	0.9 – 2.6
	45-64	4.0	2.9 – 5.0
	65 & Older	5.9	4.7 – 7.1
EDUCATION LEVEL	<High School	6.0	3.6 – 8.5
	H.S./GED	4.2	3.0 – 5.3
	>High School	2.5	1.9 – 3.0
ANNUAL INCOME	<\$25,000	5.3	4.0 – 6.7
	\$25,000-\$49,999	3.3	2.2 – 4.4
	\$50,000 or More	1.8	1.1 – 2.5
MARITAL STATUS	Married/Couple	3.4	2.6 – 4.2
	Not Married/Couple	3.6	2.8 – 4.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Overweight & Obesity

Percentage of adults who are overweight

		Measure	95% CI
ALL	Overall	36.9	35.2 – 38.6
SEX	Men	42.6	40.0 – 45.2
	Women	31.2	29.1 – 33.4
RACE/ETHNICITY	Non-Hisp. White	36.9	35.0 – 38.8
	Non-Hisp. Black	35.4	30.1 – 40.6
	Hispanic	37.0	32.4 – 41.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.2	40.3 – 46.2
	Non-Hisp. White Women	30.7	28.2 – 33.1
	Non-Hisp. Black Men	40.0	31.8 – 48.3
	Non-Hisp. Black Women	31.0	24.5 – 37.5
	Hispanic Men	40.7	33.9 – 47.6
	Hispanic Women	33.1	27.2 – 38.9
AGE GROUP	18-44	33.0	30.0 – 36.0
	45-64	38.8	36.0 – 41.6
	65 & Older	40.9	38.3 – 43.6
EDUCATION LEVEL	<High School	32.8	27.1 – 38.4
	H.S./GED	36.7	33.6 – 39.7
	>High School	38.2	36.1 – 40.4
ANNUAL INCOME	<\$25,000	33.0	29.9 – 36.1
	\$25,000-\$49,999	39.4	35.8 – 43.0
	\$50,000 or More	40.7	37.7 – 43.6
MARITAL STATUS	Married/Couple	41.6	39.2 – 43.9
	Not Married/Couple	31.8	29.3 – 34.2

Percentage of adults who are obese

		Measure	95% CI
ALL	Overall	25.2	23.6 – 26.7
SEX	Men	26.5	24.1 – 28.8
	Women	23.9	21.8 – 25.9
RACE/ETHNICITY	Non-Hisp. White	23.5	21.8 – 25.2
	Non-Hisp. Black	34.5	29.2 – 39.9
	Hispanic	25.1	21.0 – 29.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.3	24.7 – 30.0
	Non-Hisp. White Women	19.7	17.7 – 21.7
	Non-Hisp. Black Men	28.5	20.8 – 36.2
	Non-Hisp. Black Women	40.1	32.8 – 47.5
	Hispanic Men	24.2	18.2 – 30.2
	Hispanic Women	26.0	20.5 – 31.5
AGE GROUP	18-44	22.3	19.6 – 25.0
	45-64	30.7	28.0 – 33.3
	65 & Older	22.9	20.5 – 25.3
EDUCATION LEVEL	<High School	25.9	20.6 – 31.1
	H.S./GED	28.1	25.1 – 31.0
	>High School	23.5	21.6 – 25.4
ANNUAL INCOME	<\$25,000	29.3	26.2 – 32.4
	\$25,000-\$49,999	25.8	22.5 – 29.0
	\$50,000 or More	22.8	20.3 – 25.3
MARITAL STATUS	Married/Couple	25.5	23.4 – 27.5
	Not Married/Couple	24.9	22.5 – 27.3

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Overweight & Obesity

Percentage of adults who are overweight or obese

		Measure	95% CI
ALL	Overall	62.1	60.3 – 63.9
SEX	Men	69.1	66.5 – 71.7
	Women	55.1	52.8 – 57.5
RACE/ETHNICITY	Non-Hisp. White	60.4	58.4 – 62.4
	Non-Hisp. Black	69.9	64.6 – 75.2
	Hispanic	62.0	57.3 – 66.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.6	67.7 – 73.5
	Non-Hisp. White Women	50.3	47.7 – 53.0
	Non-Hisp. Black Men	68.5	60.4 – 76.7
	Non-Hisp. Black Women	71.2	64.3 – 78.0
	Hispanic Men	65.0	58.0 – 71.9
	Hispanic Women	59.0	52.6 – 65.5
AGE GROUP	18-44	55.3	52.1 – 58.6
	45-64	69.4	66.9 – 72.0
	65 & Older	63.8	61.3 – 66.4
EDUCATION LEVEL	<High School	58.6	52.4 – 64.8
	H.S./GED	64.7	61.6 – 67.8
	>High School	61.7	59.6 – 63.9
ANNUAL INCOME	<\$25,000	62.3	59.0 – 65.6
	\$25,000-\$49,999	65.2	61.6 – 68.7
	\$50,000 or More	63.5	60.6 – 66.3
MARITAL STATUS	Married/Couple	67.0	64.8 – 69.2
	Not Married/Couple	56.7	53.9 – 59.5

Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9)

		Measure	95% CI
ALL	Overall	36.4	34.6 – 38.2
SEX	Men	30.2	27.6 – 32.8
	Women	42.6	40.2 – 44.9
RACE/ETHNICITY	Non-Hisp. White	38.1	36.2 – 40.1
	Non-Hisp. Black	28.2	23.0 – 33.4
	Hispanic	36.9	32.1 – 41.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.9	26.1 – 31.8
	Non-Hisp. White Women	47.3	44.6 – 49.9
	Non-Hisp. Black Men	29.9	21.8 – 37.9
	Non-Hisp. Black Women	26.6	20.0 – 33.2
	Hispanic Men	34.3	27.3 – 41.2
	Hispanic Women	39.5	33.0 – 46.0
AGE GROUP	18-44	42.6	39.4 – 45.9
	45-64	29.7	27.1 – 32.3
	65 & Older	34.7	32.2 – 37.2
EDUCATION LEVEL	<High School	40.3	34.1 – 46.5
	H.S./GED	34.0	30.9 – 37.1
	>High School	36.6	34.4 – 38.7
ANNUAL INCOME	<\$25,000	35.8	32.5 – 39.1
	\$25,000-\$49,999	34.1	30.5 – 37.6
	\$50,000 or More	35.0	32.2 – 37.9
MARITAL STATUS	Married/Couple	32.2	30.0 – 34.4
	Not Married/Couple	41.2	38.4 – 43.9

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Physical Activity

Percentage of adults who are sedentary

		Measure	95% CI
ALL	Overall	23.3	21.8 – 24.8
SEX	Men	20.2	18.1 – 22.4
	Women	26.1	24.1 – 28.1
RACE/ETHNICITY	Non-Hisp. White	20.1	18.6 – 21.6
	Non-Hisp. Black	25.2	20.7 – 29.7
	Hispanic	29.6	25.4 – 33.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.0	15.7 – 20.2
	Non-Hisp. White Women	22.1	20.0 – 24.1
	Non-Hisp. Black Men	20.5	14.2 – 26.9
	Non-Hisp. Black Women	29.3	23.1 – 35.5
	Hispanic Men	24.9	18.7 – 31.0
	Hispanic Women	34.2	28.4 – 39.9
AGE GROUP	18-44	17.9	15.4 – 20.5
	45-64	26.3	23.7 – 28.8
	65 & Older	29.0	26.5 – 31.4
EDUCATION LEVEL	<High School	40.0	34.3 – 45.8
	H.S./GED	27.8	25.1 – 30.5
	>High School	16.2	14.6 – 17.7
ANNUAL INCOME	<\$25,000	32.6	29.5 – 35.6
	\$25,000-\$49,999	20.8	18.0 – 23.7
	\$50,000 or More	14.1	12.0 – 16.1
MARITAL STATUS	Married/Couple	22.8	20.8 – 24.8
	Not Married/Couple	23.8	21.6 – 26.0

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Tobacco Use & Exposure

Percentage of adults who are current smokers

		Measure	95% CI
ALL	Overall	17.7	16.3 – 19.1
SEX	Men	19.7	17.4 – 22.0
	Women	15.8	14.1 – 17.6
RACE/ETHNICITY	Non-Hisp. White	19.6	17.8 – 21.3
	Non-Hisp. Black	15.6	11.5 – 19.7
	Hispanic	13.3	10.1 – 16.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.7	18.0 – 23.5
	Non-Hisp. White Women	18.4	16.2 – 20.7
	Non-Hisp. Black Men	19.4	12.3 – 26.4
	Non-Hisp. Black Women	12.4	8.0 – 16.8
	Hispanic Men	15.7	10.4 – 21.1
	Hispanic Women	11.1	7.2 – 14.9
AGE GROUP	18-44	20.5	17.8 – 23.1
	45-64	20.6	18.2 – 22.9
	65 & Older	8.1	6.6 – 9.5
EDUCATION LEVEL	<High School	28.1	22.6 – 33.6
	H.S./GED	20.9	18.2 – 23.5
	>High School	13.2	11.7 – 14.7
ANNUAL INCOME	<\$25,000	24.8	21.9 – 27.8
	\$25,000-\$49,999	16.3	13.5 – 19.2
	\$50,000 or More	12.8	10.7 – 15.0
MARITAL STATUS	Married/Couple	14.1	12.4 – 15.9
	Not Married/Couple	21.8	19.5 – 24.2

Percentage of adults who are former smokers

		Measure	95% CI
ALL	Overall	27.8	26.3 – 29.3
SEX	Men	32.5	30.1 – 34.9
	Women	23.5	21.7 – 25.2
RACE/ETHNICITY	Non-Hisp. White	34.6	32.8 – 36.4
	Non-Hisp. Black	15.5	11.7 – 19.3
	Hispanic	19.0	15.5 – 22.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.7	35.9 – 41.6
	Non-Hisp. White Women	30.7	28.5 – 32.9
	Non-Hisp. Black Men	14.9	9.8 – 20.0
	Non-Hisp. Black Women	16.0	10.5 – 21.6
	Hispanic Men	26.4	20.4 – 32.5
	Hispanic Women	12.1	8.4 – 15.8
AGE GROUP	18-44	15.6	13.4 – 17.8
	45-64	29.5	27.0 – 32.0
	65 & Older	48.4	45.8 – 51.1
EDUCATION LEVEL	<High School	23.1	18.3 – 27.9
	H.S./GED	30.8	28.0 – 33.5
	>High School	27.6	25.7 – 29.4
ANNUAL INCOME	<\$25,000	25.0	22.2 – 27.7
	\$25,000-\$49,999	29.4	26.3 – 32.5
	\$50,000 or More	31.7	29.1 – 34.4
MARITAL STATUS	Married/Couple	32.3	30.3 – 34.4
	Not Married/Couple	22.8	20.7 – 24.9

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Tobacco Use & Exposure

Percentage of adults who have never smoked

		Measure	95% CI
ALL	Overall	54.5	52.8 – 56.3
SEX	Men	47.9	45.1 – 50.6
	Women	60.7	58.5 – 62.9
RACE/ETHNICITY	Non-Hisp. White	45.9	43.9 – 47.8
	Non-Hisp. Black	68.9	63.8 – 74.0
	Hispanic	67.6	63.3 – 72.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.5	37.6 – 43.5
	Non-Hisp. White Women	50.9	48.3 – 53.5
	Non-Hisp. Black Men	65.8	57.7 – 73.8
	Non-Hisp. Black Women	71.6	65.1 – 78.1
	Hispanic Men	57.8	50.9 – 64.8
	Hispanic Women	76.9	71.8 – 81.9
AGE GROUP	18-44	63.9	60.8 – 67.0
	45-64	49.9	47.1 – 52.8
	65 & Older	43.5	40.9 – 46.1
EDUCATION LEVEL	<High School	48.8	42.8 – 54.8
	H.S./GED	48.3	45.1 – 51.6
	>High School	59.3	57.2 – 61.4
ANNUAL INCOME	<\$25,000	50.2	46.9 – 53.6
	\$25,000-\$49,999	54.3	50.6 – 57.9
	\$50,000 or More	55.4	52.5 – 58.4
MARITAL STATUS	Married/Couple	53.5	51.2 – 55.9
	Not Married/Couple	55.4	52.7 – 58.1

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		Measure	95% CI
ALL	Overall	63.8	59.5 – 68.1
SEX	Men	65.8	59.8 – 71.8
	Women	61.5	55.5 – 67.6
RACE/ETHNICITY	Non-Hisp. White	62.3	57.2 – 67.3
	Non-Hisp. Black	68.1	54.6 – 81.5
	Hispanic	65.4	53.0 – 77.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	62.3	55.0 – 69.6
	Non-Hisp. White Women	62.2	55.2 – 69.2
	Non-Hisp. Black Men	64.6	45.3 – 83.9
	Non-Hisp. Black Women	72.7	54.7 – 90.7
	Hispanic Men	75.3	59.9 – 90.6
	Hispanic Women	52.2	33.6 – 70.8
AGE GROUP	18-44	71.3	64.9 – 77.8
	45-64	57.7	51.3 – 64.1
	65 & Older	55.0	45.3 – 64.6
EDUCATION LEVEL	<High School	68.6	57.9 – 79.2
	H.S./GED	62.1	55.0 – 69.2
	>High School	62.9	57.0 – 68.8
ANNUAL INCOME	<\$25,000	66.2	59.7 – 72.8
	\$25,000-\$49,999	62.8	53.5 – 72.1
	\$50,000 or More	58.3	49.2 – 67.3
MARITAL STATUS	Married/Couple	68.0	61.9 – 74.1
	Not Married/Couple	60.9	55.0 – 66.9

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida BRFSS Data

Vision

Percentage of adults who have vision or eye problems

		Measure	95% CI
ALL	Overall	18.0	16.6 – 19.4
SEX	Men	16.3	14.3 – 18.4
	Women	19.5	17.7 – 21.4
RACE/ETHNICITY	Non-Hisp. White	16.6	15.1 – 18.0
	Non-Hisp. Black	19.3	14.7 – 23.9
	Hispanic	20.6	16.8 – 24.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.2	12.9 – 17.4
	Non-Hisp. White Women	17.9	16.0 – 19.8
	Non-Hisp. Black Men	14.1	7.8 – 20.4
	Non-Hisp. Black Women	23.8	17.3 – 30.3
	Hispanic Men	20.7	15.0 – 26.4
	Hispanic Women	20.4	15.5 – 25.4
AGE GROUP	18-44	14.0	11.7 – 16.2
	45-64	23.1	20.6 – 25.6
	65 & Older	18.2	16.0 – 20.5
EDUCATION LEVEL	<High School	25.3	20.3 – 30.3
	H.S./GED	20.0	17.4 – 22.7
	>High School	14.8	13.2 – 16.4
ANNUAL INCOME	<\$25,000	24.4	21.6 – 27.3
	\$25,000-\$49,999	16.9	14.0 – 19.7
	\$50,000 or More	11.3	9.4 – 13.1
MARITAL STATUS	Married/Couple	16.0	14.3 – 17.8
	Not Married/Couple	20.3	18.1 – 22.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

2012 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

A1C	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past 3 - 4 months.
Adult	Individual aged 18 years or older.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint and other connective tissue. Pattern, severity, and location of symptoms can vary depending on specific form of the disease/condition. Typically characterized by pain and stiffness in and around one or more joints with symptoms developing gradually or suddenly.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking	For women, consumption of 4 or more drinks during a single occasion; for men, consumption of 5 or more drinks during a single occasion.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
Blood Pressure	The force of the blood against the artery walls. There are two levels of blood pressure measured. The highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Blood Sugar	See Blood Glucose.
Body Mass Index (BMI)	Body Mass Index (BMI) is a number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary Disease (COPD)	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems. It includes emphysema, chronic bronchitis, and in some cases asthma.
Coronary Artery Disease (CAD)	Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack.
Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD).
Current Smoker	Combination of everyday smoker and some day smoker.
Depressed	The manifestation of depression, a common mental disorder that presents with low mood, loss of interest or pleasure, feelings of guilt or low self-worth, disturbed sleep or appetite, low energy, and poor concentration.

2012 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which the blood glucose levels are above normal.
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath. Tissues necessary to support the physical shape and function of the lungs are destroyed; destruction of lung tissue around smaller sacs, called alveoli, makes these air sacs unable to hold their functional shape upon exhalation. See also Chronic Obstructive Pulmonary Disease (COPD).
Everyday Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking everyday now.
Exercise	See Physical Activity.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime but reported not smoking now.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Example: health insurance, pre-paid plans such as HMO, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse).
Health Promotion Activity	An educational activity, program or effort directed at a targeted population to improve, maintain, and safeguard the health of that segment of society (e.g., health fair, health screening, seminar).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking	For women, consumption of more than 1 drink per day on average; for men, consumption of more than 2 drinks per day on average.
High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.
Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.

2012 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hopeless	Without hope; despairing.
Hypertension	See High Blood Pressure.
Influenza	See Flu.
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Leisure-time Physical Activity	Refers to physical activity or exercise performed outside of one's regular job.
Mammography	Mammography is the process of using low-energy X-rays to examine the human breast. This test is ordered to detect tumors and differentiate between benign and malignant disease.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Myocardial Infarction	See Heart Attack.
Never Smoked	Adults who reported smoking less than 100 cigarettes in their lifetime.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting only the black race category; self-reported demographic variable.
Non-Hispanic White	Adults not of Hispanic culture or origins reporting only the white race category; self-reported demographic variable.
Non-smoker	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.
Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a body mass index (BMI) that is greater than or equal to 25.0; BMI is calculated using self-reported height and weight.
Personal Health Care Provider	A health care provider that an adult identifies as their personal healthcare provider.
Physical Activity	Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above a basal level and that enhances or maintains physical fitness and overall health and wellness.
Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness in people of all ages. Signs can include coughing, fever, fatigue, nausea, vomiting, rapid breathing or shortness of breath, chills, or chest pain.
Pneumonia Vaccination	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
PSA	Prostate-specific antigen, or PSA, is a protein produced by cells of the prostate gland. The PSA test measures the level of PSA in a man's blood. The PSA test has been widely used to screen men for prostate cancer.

2012 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white, black, other); self-reported demographic variable.
Routine Check-up	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sedentary	Participating in no leisure-time physical activity.
Sex	The condition or character of being male or female; self-reported demographic variable.
Sigmoidoscopy/Colonoscopy	Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Smoker Status	A measure that sorts adults into four categories of smoking: everyday smoker, some day smoker, former smoker, never smoked.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Some Day Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
Stroke	Sometimes called a brain attack due to decreased oxygen supply to the brain; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.

2012 Florida Behavioral Risk Factor Surveillance System Data

Healthy People 2020 Objectives

	Target %
Alcohol Consumption	
SA-14.3. Reduce the proportion of adults who engage in binge drinking	24
Arthritis	
AOCBC-1. Reduce the proportion of adults with doctor-diagnosed arthritis	5
AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms	36
Cardiovascular Disease	
HDS-5. Reduce the proportion of persons in the population with hypertension	27
HDS-6. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years	82
HDS-7. Reduce the proportion of adults with high total blood cholesterol levels	14
Diabetes	
D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination	59
D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year	71
D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily	70
D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education	62
D-15. Increase the proportion of persons with diabetes whose condition has been diagnosed	80
Health Care Access	
AHS-5.4. Increase the proportion of persons with a usual primary care provider (Ages 65+)	100
AHS-5.3. Increase the proportion of persons with a usual primary care provider (Ages 18-64)	89
AHS-1. Increase the proportion of persons with health insurance	100
HIV	
HIV-1. Increase the proportion of adults who have been tested for HIV in the past 12 months (ages 18-44)	17

2012 Florida Behavioral Risk Factor Surveillance System Data

Healthy People 2020 Objectives

	Target %
Immunization	
IID-12.5. Increase the percentage of adults who are vaccinated annually against seasonal influenza (Ages 18-64)	80
IID-12.7. Increase the percentage adults who are vaccinated annually against seasonal influenza (Ages 65+)	90
IID.13.1. Increase the percentage of adults who are vaccinated against pneumococcal disease (Ages 65+)	90
IID.13.1. Increase the percentage of adults who are vaccinated against pneumococcal disease (Ages 18-64)	60
Injury Prevention	
IVP-15. Increase use of safety belts.	92
Nutrition & Weight Status	
NWS-9. Reduce the proportion of adults who are obese	31
Physical Activity	
PA-1. Reduce the proportion of adults who participate in no leisure time physical activity	33
Tobacco Use	
TU-4.1. Increase the proportion of adult smokers who attempted to stop smoking in the past 12 months	80
TU-1.1. Reduce the proportion of adults who smoke cigarettes	12
TU-1.2. Reduce the proportion of adults who use smokeless tobacco products	0

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in these tables.



Prepared by:

Bonnie Yu, MA, MAS
Kimberly Cohen, JD, MSW
Youjie Huang, MD, MPH, DrPH

If you have any questions or comments, please contact:

Florida Department of Health
Bureau of Epidemiology
Division of Disease Control and Health Protection
4052 Bald Cypress Way, Bin A-12
Tallahassee, FL 32399-1720

Phone: (850) 245-4401
Fax: (850) 922-9299
Email: chronicdisease@doh.state.fl.us
Web: www.floridachronicdisease.org